
McQUAY-NORRIS Chassis Parts Catalog No. 45

KING BOLT SETS KING BOLTS AND BUSHINGS SPRING SHACKLE KITS SPRING BOLTS AND BUSHINGS SILENT "U" ASSEMBLIES INTERMEDIATE RODS TIE ROD SOCKETS DRAG LINK ASSEMBLIES KNUCKLE SUPPORT PIN ASSEMBLIES KNUCKLE SUPPORT PINS AND BUSHINGS CONTROL ARM SHAFT ASSEMBLIES CONTROL ARMS STEERING KNUCKLE SUPPORTS RADIUS ROD ASSEMBLIES FRONT COIL SPRINGS AND SPACERS **IDLER ARM SUPPORTS** STABILIZER LINK REPAIR KITS



McQuay-Norris Mfg. Co. ST. LOUIS-CONNERSVILLE-INDIANAPOLIS-TORONTO



INDEX

A STATE OF THE STA	Page
A. C. F. Bus	No.
Aerocoach Bus	. 3
Autocar	. 3
Available Truck	2 1
	. 3-4
Bantam	. 4
Beck Bus	. 4
Biederman	. 4
Brockway	. 4
Buick	.5-9
Buick Interchange	. 9
一名·	
Cadillac-LaSalle1	0-12
Cadillac-LaSalle Interchange	. 13
Case Tractor	. 13
Chevrolet1	1-22
Chevrolet Interchange	. 23
Chrysler24	1-30
Chrysler Interchange)-31
Clark Axle	. 32
Clydesdale Truck	. 32
Corbitt	32
Corbitt	32
Dart Truck	33
Day-Elder	33
DeSoto34	⊢37
DeSoto Interchange30)-31
Diamond-T Truck	38
Divco Truck	38
Dodge39	-44
Dodge Interchange30	-31
Dodge Truck45	-50
Dodge Truck Interchange30	-31
Duplex Bus and Truck	50
Forced Proposed Translation	
Fageol Bus and Truck.	51
Fitzjohn Bus.	
Ferguson Tractor	51
Flxible Bus	51
Ford	52
Ford Interchange	-55 56
Ford Tractor	56
Frazer	57
Frazer Interchange	75
G. M. C. Truck58	-62
G. M. C. Interchange	63
Graham - Graham-Paige	63
Gramm Bus and Truck	64
Hahn Bus and Truck	
Hendrickson Truck	64

	-	
	Pa	ge o.
Hudson-Terraplane	65-6	
Hudson-Terraplane Interchange	(58
Hupmobile	(59
Indiana Touris		
Indiana Truck		59
International Interchange	70-7	
international Interchange	• • •	74
John Deere	;	75
Kaiser	7	75
Kaiser Interchange	7	75
Kenworth	7	76
LaFayette—See Nash		
LaSalle—See Cadillac		
Lincoln and Zephyr	7	76
Lincoln Interchange	7	77
Mack Truck	77-7	
Marmon-Herrington	7	8
McCormick-Deering	7	8
Mercury		
Nash - LaFayette	80-8	3
Nash - LaFayette Interchange	8	3
Oldsmobile	91_0	0
Oldsmobile Interchange	8	8
Packard	89-9	0
Packard Interchange	9	0
Plymouth Intershores	91-9	8
Plymouth Interchange	3	0
Pontiac Interchange	9-10	5
and a state of the	10	2
Reo	10	6
Reo Bus and Truck10	6-10	7
Rockne—See Studebaker		
Schacht Bus and Truck	10	0
Sterling Bus and Truck	10	0
Stewart Truck	10	8
Studebaker, Erskine - Rockne10	9-11	1
Studebaker Interchange	11	1
Studebaker Truck11	1-11	2
Terraplane—See Hudson		
Timken Axle	11	3
Ward-LaFrance	11:	3
White Truels		
White Truck	. 114	4
)-11(0
Yellow-Coach	.11	7

		KII	NG BC	OLT SE		r A	. C. F.	BUS
YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS		No. Cyl.	King Bolt Sets
937–40	26S	6 F	KA-106					
		KIN	NG BO	LT SE	for AERO	CC	ACH	BUS
YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS		No. Cyl.	King Bolt Sets
938–41	D, E, EF1, EFS, EFT, PB-20.		KA-97	1940–46	P-29, P-33, P-37, P-45-3 PB-20, EFI, EFT		6-37,	KA-106
	TIE ROD	SOCK	ETS, E	DRAG	LINKS & ROD	S		
YEAR		MO	DDELS			No. Cyl.	Socket Stock No. Per Pair	Rod Stock No
938-41	D, E, EFI, EFS, EFT, PB-20.				Jsed with Straight Rod) Used with Curved Rod)	6-8		
		WIII	NC PC	OLT SE		for	AUTO	CAI
932-36	A, D, DE, DP, DT, RH, RHI Bolts and Bushings Listed Under	D. RHT.	6D, 6RD,	00, 31000F 6X2RH, 00, 33000F	1½-9 Ton; 6 cyl.	N .		
Uses I 1937-41 Uses I 1937-43 1TF	A, D, DE, DP, DT, RH, RHI Solts and Bushings Listed Under A, B, UA, UB, C10, C10T, C2 Solts and Bushings Listed Under C30, C30T, C40, C40T, C50T C30, C3TR, RH, RHD, 6X2T C30 and Bushings Listed Under	D, RHT, or Timken 20, C20T, or Timken T, C60T, RL, 6XR	6D, 6RD, Axle 3300 DC10, Do Axle 3100 C70T, RI L, 7½-10	6X2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, I	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM. RMT. UB. U10, U	J10 T ,	U20, U20	T, U30
Uses I 1937-41 Uses I 1937-43 1TF	Solts and Bushings Listed Under, A, B, UA, UB, C10, C10T, C2 Bolts and Bushings Listed Under, C30, C30T, C40, C40T, C50T, C7R, 3TR, RH, RHD, 6X21 Bolts and Bushings Listed Under	D, RHT, 6 or Timken 20, C20T, or Timken T, C60T, RL, 6XRI or Timken	6D, 6RD, Axle 3300 DC10, Do Axle 3100 C70T, RI L, 7½-10 Axle 3250	6X2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, I Ton, 6 cy 02.	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM. RMT. UB. U10, U			
Uses I 1937-41 Uses I 1937-43 1TF	Solts and Bushings Listed Under, A, B, UA, UB, C10, C10T, C2 Bolts and Bushings Listed Under, C30, C30T, C40, C40T, C50T, C7R, 3TR, RH, RHD, 6X21 Bolts and Bushings Listed Under	D, RHT, or Timken 20, C20T, or Timken T, C60T, RL, 6XRl or Timken	6D, 6RD, Axle 3300 DC10, Do Axle 3100 C70T, RI L, 7½-10 Axle 3250	6X2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, I Ton, 6 cy 02.	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl.		U20, U20 Socket Stock No. Per Pair	T, U30
1932–36; Uses I 1937–41 Uses I 1937–43 1TF Uses I	Solts and Bushings Listed Under, A, B, UA, UB, C10, C10T, C2 Bolts and Bushings Listed Under, C30, C30T, C40, C40T, C50T, C7R, 3TR, RH, RHD, 6X21 Bolts and Bushings Listed Under	D, RHT, or Timken 20, C20T, or Timken T, C60T, RL, 6XRI SOCK	6D, 6RD, Axle 3300 DC10, DC Axle 3100 C70T, RI L, 7½-10 Axle 3250 ETS, I	6X2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, I Ton, 6 cy 022. DRAG	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl. LINKS & ROD	No. Cyl.	Socket Stock No.	Intermedi Rod
1932–36; Uses I 1937–41 Uses I 1937–43 1TF Uses I YEAR	RIL RM. UB, ITR. RLD. RM	D, RHT, 6 rr Timken 20, C20T, rr Timken T, C60T, RL, 6XRI TTimken SOCK T, 2TR, 3 10, U10T	6D, 6RD, Axle 3300 DC10, Do Axle 3100 C70T, RI L, 7½-10 Axle 3250 ETS, I DDELS TR, 6X2F	CX2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, D Ton, 6 cy 02. CRL, C30, C C C C C C C C C C C C C C C C C C C	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl. LINKS & ROD C30T, C40, C40T, C50T, Jsed with Straight Rod) Used with Curved Rod) UTR, 3TR, 4TR, 5TR, U60, U60T, U70, C50T,	No. Cyl.	Socket Stock No. Per Pair	Intermedi Rod
932–36; Uses I 1937–41 Uses I 1937–43 1TF Uses I	RL, RM, UB, ITR, RLD, RM' C70T, U20, U20T, U30T, U RL, RM, UB, ITR, RLD, RM' C70T, U20, U20T, U30T, U 6X4DF, 6X2DF, NF, NL, U	D, RHT, or Timken 20, C20T, r Timken T, C60T, RL, 6XRI r Timken SOCK MC T, 2TR, 3 10, U10T JDF, URI J30, U40, OT, C70T,	6D, 6RD, Axle 3300 DC10, D0 Axle 3100 C70T, RI L, 7½-10 Axle 3250 ETS, I ODELS TR, 6X2F	CX2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, I Ton, 6 cy 022. CRL, C30, C (10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl. LINKS & ROD C30T, C40, C40T, C50T, Used with Straight Rod) Used with Curved Rod) UTR, 3TR, 4TR, 5TR, U60, U60T, U70, C50T, D52, C7064, U7064 Used with Straight Rod) Used with Curved Rod) for AVAIL	No. Cyl. 6	Socket Stock No. Per Pair ES-123 ES-122 ES-133 ES-138	Intermedi Rod Stock N
1932–36; Uses I 1937–41 Uses I 1937–43 1TF Uses I YEAR 1937–42	RL, RM, UB, ITR, RLD, RM' C70T, U20, U20T, U30T, U D, DP, DF, DH, DL, UD, U 6X4DF, 6X2DF, NF, NL, U C70, C70D, U70T, C80, C90 ; W140, T12, T20, X-20, W-120 10, X-120, X-140, 34-5 Ton, 6 c	D, RHT, Cr Timken 20, C20T, r Timken T, C60T, RL, 6XRI r Timken SOCK MC T, 2TR, 3 10, U10T JDF, URI J30, U40, OT, C70T,	6D, 6RD, Axle 3300 DC10, DC Axle 3100 C70T, RI L, 7½-10 Axle 3250 ETS, I ODELS TR, 6X2F	CX2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, I Ton, 6 cy 022. CRL, C30, C (U () () () () () () () () ()	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl. LINKS & ROD C30T, C40, C40T, C50T, Jsed with Straight Rod) Used with Curved Rod) UTR, 3TR, 4TR, 5TR, U60, U60T, U70, C50T, D52, C7064, U7064 Jsed with Straight Rod) Used with Curved Rod) for AVAIL ETS W200, W170, W210, X-	No. Cyl.	Socket Stock No. Per Pair ES-123 ES-122 ES-133 ES-138	Intermedi Rod Stock No
932–36; Uses I 1937–41 Uses I 1937–43 1TF Uses I 937–46 1937–46 X-1 Uses I 1931–46 X-1 Uses I	RL, RM, UB, ITR, RLD, RM' C70T, U20, U20T, U30T, U 6X4DF, 6X2DF, NF, NL, U C70, C70D, U70T, C80, C90 ; W140, T12, T20, X-20, W-120 10, X-120, X-140, 34-5 Ton, 6 c3 Bolts and Bushings Listed Under ; U30, C30T, C40, C40T, C50T TIE ROD RL, RM, UB, ITR, RLD, RM' C70T, U20, U20T, U30T,	D, RHT, Cr Timken 20, C20T, r Timken 7, C60T, RL, 6XRI T, Timken SOCK T, 2TR, 3 10, U10T UDF, URI U30, U40, OT, C70T, Cyl. cr Timken KI	6D, 6RD, Axle 3300 DC10, DC Axle 3100 C70T, RI L, 7½-10 Axle 3250 ETS, I DDELS TR, 6X2F B, URL, U40D, U4 , C4064, C NG BC C-200, C-2 Axle 3000 450, C-50 Axle 3300	C20, U10, 07, 31008, L, RLD, 1 Ton, 6 cy 02. DRAG RL, C30, C1 ((10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl. LINKS & ROD C30T, C40, C40T, C50T, Jsed with Straight Rod) Used with Curved Rod) UTR, 3TR, 4TR, 5TR, U60, U60T, U70, C50T, O52, C7064, U7064 Used with Straight Rod) Used with Curved Rod) for AVAIL TS W200, W170, W210, X-H, 30010, 31000H. L, 6 cyl. H, 33010H.	No. Cyl. 6 6	ES-123 ES-122 ES-133 ES-138 LE TF	RUC
1932–36; Uses I 1937–41 Uses I 1937–43 1TF Uses I 1937–42 1937–46 1931–46 X-1 Uses I 1931–46 Uses I	RL, RM, UB, ITR, RLD, RM' C70T, U20, U20T, U30T, U 6X4DF, 6X2DF, NF, NL, U C70, C70D, U70T, C80, C90 W140, T12, T20, X-20, W-120 10, X-120, X-140, 3/4-5 Ton, 6 c3 Bolts and Bushings Listed Under W1-23, 2/4 Ton: W230, W240, 2	D, RHT, or Timken 20, C20T, r Timken T, C60T, RL, 6XRI r Timken SOCK T, 2TR, 3 10, U10T JDF, URI J30, U40, OT, C70T, KI C, C-100, C cyl. er Timken X-300, C- r Timken X-300, C- r Timken X-300, C- r Timken X-100, W400, Ton, 6 cyl. er Timken	6D, 6RD, Axle 3300 DC10, D0 Axle 3100 C70T, RI L, 7½-10 Axle 3250 ETS, I DDELS TR, 6X2F B, URL, U40D, U4, C4064, C Axle 3300 Axle 3300 Axle 3300 Axle 3300 Axle 3300	CX2RH, 00, 33000H C20, U10, 07, 31008, L, RLD, 1 Ton, 6 cy C20. CX2. CX2. CX3. C	1½-9 Ton; 6 cyl. H. U10T. 31013, 31015. RM, RMT, UB, U10, Uyl. LINKS & ROD 230T, C40, C40T, C50T, Used with Straight Rod) Used with Curved Rod) UTR, 3TR, 4TR, 5TR, U60, U60T, U70, C50T, Used with Straight Rod) Used with Curved Rod) For AVAIL ETS W200, W170, W210, X- H, 30010, 31000H. A, 6 cyl. H, 33010H. M400, X-410, C400LSP, C	No. Cyl. 6 6	ES-123 ES-122 ES-133 ES-138 LE TF	RUC

for AVA	ILABLE TIE	SOCKETS,	DRAG	LINKS	&	RODS
YEAR		MODELS				N C

YEAR	MODELS	No. Cyl.	Stock No. Per Pair	Rod Stock No.
1937–46	C100, CS100, C200, CS200, C250, CS250, CS250L, CS300, CS300L, CS200SP, CS250SP, C250B, C400LB, CS400, CS400L, CS500, C500, P105, P106, P107, WS115, WS125, WS145, WS155, WS175, WS245, WS285, X110, X120, X150, X170, X210, X240, X300		ES-123 ES-122	
1937–46	WS245, WS305, X400, WS405, CS400LSP, C550, CS550, C600, CS600, 612, C650, UC35(Used with Straight Rod) (Used with Curved Rod)	4	ES-133 ES-138	

for BANTAM

SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT BOLT		FRONT BUSHING		REAR BOLT		REAR BUSHING	
•	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	
1941	Bantam BRC, 1/4 Ton	4			1010						
	Right Side		Fr.	UA67 S	ilent						
				U Shac	kle 1	UB-26	2	S-1121	2	SB-A117	2
	Left Side		Fr.	UA-66	Silent	∫UB-27	1	1			
				U Shac	kle 1	UB-26	1				
	Right Side	1	Rr.	S-1121	2	SB-A117	2	UA-66 Sile	nt U	(UB-27	1
	Left Side		Rr.					Shackle UA-67 Sile		\(\mathbb{UB-26}\)	1
								Shackle	1	UB-26	2

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No.	King Bolt Sets
1930-41 NO	Austin A, 275, 375, 475; Bantam 60, 65	4 Bush	KA-82R nings only.				

for BECK BUS

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937-45	Luxuryliner, Mainliner, Series 185, Steeliner, Super 19, 190			
	(Used with Straight Rod) (Used with Curved Rod)		ES-123 ES-122	
1940–45	Luxuryliner, Mainliner, 220(Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	

for BIEDERMAN TRUCK

KING BOLT SETS

1935-38; 30, 40, 50, 2-3 Ton.
Use Bolts and Bushings Listed Under Clark Axle F308.

for BROCKWAY BUS & TRUCK KING BOLT SETS

1934-47; 50-E-1, 50-E, 1-1½ Ton; B17, B21, B25, B31, B37, B43, C31, C37, J37, K31, L21, L31, M83, M88, M92, 37C, 37D, 78, 80, 83, 87, 88, 90X, 92, 93, 94, 96, 110, 112, 125X, 125E, 128, 1½-4 Ton, 6 cyl.


Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 31000H.

1938-47, D49, E49, E549, E55, E55, E61, ES61, F49, F55, F61, G49, G55, H49, H55, J55, M160X4, M162, M165X5, M166, 146W, 152, 153, 154, 154W, 154WH, 156, 160X4.

Uses Bolts and Bushings Listed Under Timken Axle 35000, 35100, 35020H.

2

TYPE OF WHEEL SUSPENSION USED ON 1937-48 BUICK




KNUCKLE SUPPORT PIN ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
	3740, 3760, 3840, 3860, 3940, 3960, 4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, 4190, 4260, 4270, 4290, 4670, 4770, 4870		FA-038 Upper F-21 FB-44 M-468 FB-45 F-21 Pin Provides Approx. 1½°Camber Adjustment.	2	FA-02 Lower F-2 M-387 M-388 FB-3	2

NOTE: On models 4140 and 4150 the Lower Support Pin Assembly FA-02 (with \(\frac{1}{2} \) " Dia. Pin) is for use only to the following Frame Serial Numbers:

Series 41, 41SE, 46,	To Frame Flint	Nos. California	Linden
46S, 46SSE, 49	14158073	24133445	34141796
44, 44C, 44S, 47	14148881	24133039	34138300
50 Series	14157976	24133445	34141796

After the above Frame Serial Numbers use FA-046 (with 13/16" Dia. Pin) on models 4140 and 4150.



Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
	3880, 3890, 3980, 3990, 4080, 4090	8	FA-51 Upper	2		
			F-27 K-1074			
			FB-56 M-396			
1942-48	4240, 4250, 4640, 4650, 4740, 4750, 4840, 4850	8	FA-038 Upper	2	FA-046 Lower	2
					F-25	
			F-21 FB-44 M-468 FB-45		FB-50 M-376	
					M-619 M-394	
			F-21 Pin Provides Approx. 1 ¹ / ₄ ° Camber Adjustment.			
	STEERI	NG	KNUCKLE SUPPO	RT		
Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Use
1937–39	3740, 3760, 3840, 3860, 3940, 3960	8	l de la companya della companya della companya de la companya della companya dell		FN-1 Right	1
			FN-I FN-2		FN-2 Left	1
	CONTROL A	RN	AND SHAFT AS	SEM	IBLY	
Year	MODELS	Ne. Cyl.	Description	No. Used	Description	No. Use
1937	3740 to frame 3146149; 3760 to frame 3145732	8	FS-1 Lower	2	FR-3 Lower Left Front or Right Rear	2
			S-1 0		FR-4 Lower Right Front or Left Rear	2
	1937 cars having Late 7	ype	and Seal M-397 for early Control Arms with Bushings of Seals are not required for			

FA-013 Lower

2

FR-3 FR-4.

FR-3 Lower Left Front or Right Rear

FR-4 Lower Right Front or Left Rear

1937-38 3740 after frame 3146149; 3760 after frame 3145732; 3840, 3860......

2

2

CONTROL ARM AND SHAFT ASSEMBLY

for BUICK

Year	MODELS	No. Cyl.	Description	No. Used	Description	No Use
1940–45	4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, 4190, 4240, 4250, 4260, 4270, 4290		FA-50 Lower	2		
			M-397 FB-55 FB-55 M-630 M-651			
946-48	4640, 4650, 4670, 4740, 4750, 4770, 4840, 4850, 4870	8	FA-90 Lower	2		
			FS- 2			
			M-397 FB-55 M-65I			

FRONT COIL SPRINGS

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1937–47	(1937-38) 40 Fenderwells, 60 Regular, All to Frame 1-3226185 Flint, 2-3242131 Calif., 3-3246767 Linden; (1939) 40 Fenderwells, 60 Regular; (1940) 40, 41, 51, 51C, 56C, 56S, 59, 60 Export, 66, 66S, 71C, 76C; (1941) 60, 61, 66, 66S, 70; (1941) RHD: 44, 44C, 44S, 47; (1941-42) 41, 41SE, 44, 44C, 46, 46S, 46SSE, 47, 48, 48S, 49, 50; (1942-47) S0, 51, 51C, 56C, 56S; (1942-47) RHD: 44, 44C, 47, 48, 48S; (1946-47) 40		FCS-5	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package.	
1939–47	(1939) 60 Fenderwells; (1940) 61, 61 C, 66 C, 70 except Conv. Front High Spring; (1941) RHD: 60, 70; (1941-47) 60, 70 High Springs; (1942) RHD: 60, 70; (1942) 71, 71 C	8	FCS-6	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package.	



for BUICK	for	B	U	IC	K
-----------	-----	---	---	----	---

FRONT COIL SPRING SPACERS

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1937–40	3740, 3760, 3840, 3860, 3880, 3890, 3980, 3990, 4080, 4090	8	M-631		Spacer—.125 Thick Install spacers on the flatted end of the coil spring.	
1939-48	3940, 3960, 4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, 4190, 4240, 4250, 4260, 4270, 4290, 4640, 4650, 4670, 4740, 4750, 4770, 4840, 4850, 4870		M-632 M-632	L .	Spacer—.125 Thick Install spacers on the flatted end of the coil spring.	

STABILIZER LINK REPAIR KIT

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1937–48	3740, 3840, 3860, 3940, 3960, 4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, 4240, 4250, 4260, 4270, 4640, 4650, 4670, 4740, 4750, 4770, 4840, 4850, 4870		M-654 0 M-655 M-656 0 0 0 0 0 0 0		FA-84 Front	2
1940–41	4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, Except 44, 44C, 44S and 47.		M-658 M-657		FA-84 Rear	2

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
1924–33	1924, 4 cyl. models; Standard 6, Series 115, 116, 40, 6 cyl.; 860, 3260, 3360, 8 cyl	4	KA-13
1924–33	Master 6, Series 120, 121, 128, 129, 50, 60, 6 cyl.; 880, 890, 3280, 3290, 3380, 3390, 8 cyl		KA-14
1929–31	1931 Series 50, 8 cyl.; 1929-30 Marquette Series 30, 6 cyl		KA-49

YEAR	MODELS	No. Cyl.	King Bolt Sets
1934–48	3440, 3540, 3640, 3740, 3760, 3840, 3860, 3940, 3960, 4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, 4240, 4250, 4260, 4270, 4640, 4650, 4670, 4740, 4750, 4770, 4840, 4850, 4870		KA-24
1936-39	3660, 3680, 3780, 3880, 3980	8	KA-25
1936–45	3690, 3790, 3890, 3990, 4080, 4090, 4190, 4290	8	KA-110

SHACKLE KITS & PARTS

YEAR	MODELS	No.	1000	FRONT BOLT FRONT BUSHING REAR B				DLT	REAR BUS	REAR BUSHING	
	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1934–35	3440, 3540	8	Rr.			UB-1	4	UA-17* Si U Shackl		UB-1	4
1936	3640	8	Rr.	UA-37* U Shac		UB-16	4	UA-37* Sil U Shack		UB-16	4
1937	3740, 3760	8	Fr. Rr.	See Wh S-1218		spension I SB-338		istings. S-1218	4	SB-338	4
1937	3780, 3790	8	Rr.	S-1219	4			S-1219	4		

NOTE: All cars built after 1937 are equipped with Coil Springs. See Wheel Suspension Parts Listing. **Silent U Shackles marked ** used as original equipment.

for BUICK

WHERE BY	D COOKETC	-		
HE RU	D SOCKETS,		INK	& RUUS
		PILITICA E	- HINGS	of HODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Rod Stock No.
	3490, 3590	8		ET-55
1934–36	3440, 3540, 3640		ES-40 ES-40	ET-53 ET-53
1936	3660(For Right Rod) (For Left Rod)		ES-52 ES-52	ET-66 ET-66
1936	3680, 3690	8	ES-52 ES-52	
1937	3740, 3760	8		ET-66 ET-66
1937–39	3780, 3790, 3880, 3890, 3980, 3990		ES-101 ES-101	
1938–48	3840, 3860, 3940, 3960, 4040, 4050, 4060, 4070, 4140, 4150, 4160, 4170, 4190, 4260, 4270, 4290, 4670, 4770, 4870	8	ES-71	
1940	4080, 4090(For Right Rod) (For Left Rod)	8	ES-101 ES-101	
1942-48	4240, 4250, 4640, 4650, 4740, 4750, 4840, 4850	8	ES-128	

BUICK INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car	0	Car	Our	Car		Car	
Factory Number	Our Number	Factory Number	Number	Factory Number	Our Number	Factory Number	Our Number
103895	M-86	501599	M-396	1313896	FB-56	1399890	ES-52R
106517	M-85	1234601	ET-18	1314213	(M-389	1399891	ES-52L
107822	M-655	1247193	ET-11		M-396	3650164	M-657
115003	SB-175	1252536	K-1054			5325788	M-658
123009	SB-175	1266459	ET-53	1314778		0020700	500
134631	M-226			1314779	ES-101		
138569	M-388	1273593	ET-42	1314778	ES-101R		
144503	M-619	1282336	K-1132	1314779	ES-101L	10 mm Jan	
148393	M-225	1283114	ET-55	1314790	ES-71R		
166061	KB-1503	1283222	ET-54	1314791	ES-71L		
		1283856	UB-1	1314889	FCS-5		
166643	KB-8873	1288629	K-1173	1314890	FCS-5		
167176	M-91	1289123	M-228	1314891	FCS-6	2 2 4 1 1	
185001	M-95	1289229	M-151	1314950	FCS-5		
185004	M-94	1289232	KB-256				
188974	K-944			1315045	FCS-6		
188975	K-930	1289238	K-1172	1317791	FCS-5	400	
193085	M-533	1292225	M-92	1317792	FCS-5		
230857	K-1074	1293677	UB-16	1319729	KB-311		
231210	K-1126	1294167	ET-61	1319776	M-106		
231549	ET-66	1295854	U-37	1321012	FCS-5		
4		1296333	S-1218	1323034	FN-13		
231733	FR-3	1296474	S-1219	1323035	FN-14		
231734	FR-4	1296975	SB-338	1323036	F-25		
231742	M-387	1297819	FCS-5	1323037	FB-50		
231759	F-2						
231760	F-21	1297864	FN-1	1323255	FCS-5		
231859	FS-1	1297865	FN-2	1323414	FCS-5		
231905	KB-9483	1298347	ET-61	1324479	FCS-5		
231983	FB-3	1298827	FB-44	1324638-39	ES-128	The state of the s	
231994	FR-4	1299316	F-21	1328595	FB-55	Y	
231995	FR-3	1303544	FS-2	1328596	FS-27		
		1304860	FB-4	1334054	FB-55		
231996	FS-2	1305013	M-631	1393223	FA-046		
231997	FB-4	1310016	FN-1	1393367	FA-50		
402567	U-1	1310017	FN-2			1 - 0 -	
410737	M-654	1010000	F00 F	1393411	FA-90		
410738	M-656	1310096	FCS-5	1394793	KA-24		
411146	M-398	1310128	M-632	1394942	FA-038		
411817	M-468	1310360	FCS-5 FCS-5	1394943	FA-038		
412108	M-394	1310411	C-C01	1394944	FA-02		
500863	FB-45	1310412	FCS-6	1394946	FA-013		
500906	FA-84	1312656	FN-11	1200004	FO 400	- 3 3 7 7 5	
501598	M-397	1312657 1313894	FN-12 F-27	1399694 1399695	ES-40R		
201220	141-33/	1 1313034	11-21	1 1222023	ES-40L	I THE HOLD	

1		No.	PPORT PIN ASSE	No.		IN
Year 934-40	MODELS Cadillac: 1936-40, 3660 to Engine No. 6014024 on LHD and 6015358 on RHD, 3670, 3675, 3765, 3770,	Cyl.	Description FA-04 Upper	Used 2	Description FA-05 Lower	Us
	3775, 3865, Except 160" WHB, 3875, 3975, 4075, 8 Cyl.; 3680, 3685, 3785, 12 Cyl.; 3790, 3890, 3990, 4090, 16 Cyl	8- 12- 16	F-3 FB-6 FB-7		F-7 K-1074	
936–39	Cadillac: 3660 after Engine No. 6014024 on LHD and 6015353 on RHD, 3760, 3860, 3860S, 3865—160" WHB, 3960S	8	FA-038 Upper	2	FA-02 Lower F-2 M-396	
			FB-44 M-468 FB-45		M-387 (M-388 FB-3	
939–40	Cadillac: 3961, 4060S, 4062, 4072 LaSalle: 3950, 4050, 4052	8	FA-038 Upper	2	FA-028 Lower	
			FB-44 M-468 FB-45		M-387 M-388 FB-39	
941–48	Cadillac: 4160S, 4161, 4162, 4163, 4167, 4175, 4260S, 4261, 4262, 4263, 4267, 4275, 4660S, 4661, 4662, 4675, 4760S, 4761, 4762, 4775, 4860S, 4861, 4862, 4875	8	FA-041 Upper	2	FA-028 Lower F-18 M-396	
			FB-2 FB-I		M-387 M-388 FB-39	
	STEERII		KNUCKLE SUPPO			
Year	MODELS	No. Cyl.	Description	No. Used	Description	U
937-39	Cadillac: 3760, 3860, 3860S, 3865— 160" WHB, 3960S; LaSalle 1937- 38, 3750, 3850	8			FN-3 Right FN-4 Left	
	For complete view showing type of Wheel Suspension Parts for 1934-48 Cadillac-La-Salle, see panel under BUICK.		FN-3 FN-4	7		
	FRO	DN.	COIL SPRINGS	1.5%		
Year	MODELS	No. Cyl.	Description	No. Used	Description	U
939–47	3950, 4050, 4060S, 4062, 4072, 4160S, 4161, 4162, 4163, 4261, 4263, 4661, 4761		FCS-7	2	Coil Springs should ALWAYS be replaced in pairs.	

Year	75	MODELS	No. Cyl.	M AND SHAFT AS	No. Used	
935~36	on LHD and	to Engine No. 6014024 6015358 on RHD		FA-015 Lower FS-4 FB-10 FB-II	2	Description
936	6014024 on l RHD LaSalle: 3650	Shaft, FR-3 and FR Late "3660" Model Arms with Bushings:	FB-4 -4 Cocars	FS-3 Lower FS-3 and Seal M-398 with FS-3 ontrol Arms for "3650" and having Late Type Control aft End. Bushings and Seals	2	FR-3 Lower Left Front or Right Rear FR-4 Lower Right Front or Left Rear
37	Cadillac: 3760.	are not required for LaSalle: 3750	Origii 8	FS-1 Lower	2	FR-3 FR-4
		Shaft, FR-3 and FR- "3760" Model cars I with Bushings at Sha not required for Origi	4 Conaving	and Seal M-398 with FS-1 ontrol Arms for "3750" and g Late Type Control Arms and. Bushings and Seals are Arms.		FR-3 Lower Left Front or Right Rear FR-4 Lower Right Front or Left Rear
8-39	Cadillac: 3860, WHB, 3960S,	3860S, 3865—160" 3961; LaSalle: 3850.	8	FA-012 Lower FS-I M-398 FB-4	2	FR-3 Lower Left Front or Right Rear FR-4 Lower Right Front or Left Rear FR-3 FR-4
0-48	4161, 4162, 4260S, 4261, 4275, 4660S, 4760S, 4761,	4062, 4072, 4160S, 4163, 4167, 4175, 4262, 4263, 4267, 4661, 4662, 4675, 4762, 4775, 4860S, 875; LaSalle: 4050,	8	FA-013 Lower FS-2 M-398 FB-4	2	

for	CADILLAC	& LA	SALLE		
			IDLER	ARM	SUPPORT

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
	3950, 3961; 4050, 4052, 4060S, 4062, 4072; 4160S, 4161, 4162, 4163, 4167, 4175, 4260S, 4261, 4262, 4263, 4267, 4275, 4660S, 4661, 4662, 4675, 4760S, 4761, 4762, 4775; 4860S, 4861, 4862, 4875	7.5 7.5	FA-94 FS-34 M-648 FB-57	1		

KING BOLT SETS

1927–29 LaSalle: 303, 328		KA-14
1934-30, 330, 3330, 3030	8	KA-49
1936–40 Cadillac: 3670, 3675, 3775, 3875, 3975, 4075, 8 cyl.; 3680, 3685, 3785, 12 cyl.; 3890, 3990, 4090, 16 cyl	20	KA-46
1937-38 Cadillac: 3765, 3770, 3865 except 160" Wheelbase	8	KA-43

YEAR	MODELS	No. Cyl.	King Bolt Sets
1937–40	Cadillac: 3760, 3860, 3860S after Engine 6273010; 3865 - 160" Wheelbase; 3960S, 3961, 4060S to Engine 6320663; 4062 to Engine 8320013. LaSalle: 3750, 3850, 3950, 4050 to Engine 2320953; 4052 to Engine 4320092	8	KA-30
1940–48	Cadillac: 4060S after Engine 6320662; 4062 after Engine 8320012; 4072, 4160S, 4161, 4162, 4163, 4167, 4175, 4260S, 4261, 4262, 4263, 4267, 4275, 4660S, 4661, 4662, 4675, 4760S, 4761, 4762, 4775, 4860S, 4861, 4862, 4875, 4876. LaSalle: 4050 after Engine 2320952; 4052 after Engine 4320091		KA-99

SHACKLE KITS & PARTS

	MODELO			FRONT	BOLT	FRONT BUS	SHING	REAR E	BOLT	REAR BU	SHING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1934–40	Cadillac: 1936-40, 3660, 3760, 3860, 3860S, 3865-160" Wheel Base; 3960S, 4060S. La Salle: 1934, 350; 1936-38, 3650, 3750, 3850	8	Fr. Rr.	See Wh	neel Su	ispension F	Parts L	isting. UA-17* S Shackle	Silent U	UB-1	4
1939–48	Cadillac: 3961, 4062, 4072, 4160S, 4161, 4162, 4163, 4167, 4175, 4260S, 4261, 4262, 4263, 4267, 4275, 4660S, 4661, 4662, 4675, 4760S, 4761, 4762, 4775, 4860S, 4861, 4862, 4875, 4876. La-Salle: 1939-40, 3950, 4050, 4052		Fr. Rr.			ispension F	Parts L	isting.		SB-760	8

★Silent U Shackles marked * used as Original Equipment.

TIE ROD SOCKETS, DRAG LINKS & RODS

	THE ROD SCOTTE TO, DRAG ETHING & ROD	-		
YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1935–36	Cadillac: 1936, 3660. LaSalle: 1935-36, 3550, 3650(For Right Rod) (For Left Rod)	8	ES-47 ES-47	ET-66 ET-66
1937–38	Cadillac: 1937-38, 3760, 3860, 3860S, 3865 (160" WHB.); LaSalle: 1937-38, 3750, 3850	8	ES-58 ES-58	ET-66 ET-66
1939–48	Cadillac: 3950, 3960S, 3961, 4060S, 4062, 4072, 4160S, 4161, 4162, 4163, 4167, 4175, 4260S, 4261, 4262, 4263, 4267, 4275, 4660S, 4661, 4662, 4675, 4760S, 4761, 4762, 4775, 4860S, 4861, 4862, 4875, 4876. LaSalle 4050, 4052		ES-103	

for CASE TRACTOR


for CADILLAC & LA SALLE INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car Factory Number	Our Number	Car Factory Number	Our Number	Factory Number	Our Number	Factory Number	Our Number
58060	K-1090	231733	FR-3	402569	Use 402571	1298827	FB-2
76175	M-79	231734	FR-4	402571	UB-1	1230027	10-2
117923	M-131	231739	FS-3	411817	M-468	1304860	FB-4
134631	M-226	231742	M-387	500863	FB-1	1403191	ET-55
38565	M-388	231743	FB-3	870954	KB-1503	1411913	Use 148582
148582	KB-262	231759	F-2		1000	1414509	K-1181
166061	KB-1503-S	231760	F-21	908502	M-408	1419929	K-1196
67176	M-91			1097370	KA-49	1413323	N-1130
178723	M-388	231761	FB-1	1097401	KA-46	1421680	The state of the s
84397	K-930	231843	K-1193	1097402	FA-04	267169	ES-58
		231848	FN-3	1097403	KA-30	1427894	SB-760
85000	M-95	231849	FN-4	1007 100	101.00	1433359	F-18
230679	M-225	231859	FS-1	1097404	FA-038	1433394	FB-39
230857	K-1074			1097405	KA-99	1400004	LD-22
231209	Use 231905	231905	KB-9483	1097406	FA-041	1434264	M-485
31210	K-1126	231946	ET-66	1097407	FA-05	1435819	M-398
31273	F-7	231983	FB-3	1097409	FA-02	1437021	
31274	F-3	231994	FR-4	1037403	1 A-02	1437768	M-396 FS-2
31294	FB-7	231995	FR-3	1097410	FA-013	1438192	
31490	FB-8	201000		1097411	FA-028	1438193	K-1216
31491	FB-9	231997	FB-4	1266832	FB-10	1436193	M-489
	1	267168-9	ES-103	1286022	FB-11	1438194	VD 202
31492	FB-6	267169	20 100	1286211	M-96		KB-303
31528	FS-4	1421680	ES-58	1200211	IVI-30	1438440	M-488
31730	M-389	402567	U-1	1296474	S-1219	1441127	F-23

KING BOLT SETS

YEAR	MODELS	No. Ki Cyl.	King Bolt	King Bolt Bushing	Lock Pin	OTHER PARTS		
						Stock No.	No. Used	Description
1929–46	C, CI, CO; D, DH, DI, DO, L, LI.	4		KB-263 Up. KB-263 Lr.		M-147	2	Thrust Washer

for CHEVROLET TYPE OF WHEEL SUSPENSION USED ON 1934-38 CHEVROLET



RADIUS ROD PARTS

Year -	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1934–38	DA, EA, Master, FA, GA, HA, Master De Luxe	6	FA-020 Universal Type Right or Left .003 Undersize Threads	2	M-640 (Both Sides) Brake Flange Bushing and Dust Shield Assembly	1
			FS-IOR M-393 M-391 M-392 M-245 O O M-244 M-243		M-392 M-392	

RADIUS ROD PARTS

for CHEVROLET

(Continued from preceding page)

Year	MODELS	No. Cyl.	Description	No. Used	Description	No
1934–35	DA, EA, Master	6	FA-021 Universal Type Right or Left Standard Thread	2	M-650 Brake Flange Bracket Standard Right or Left	
			M-243 FS-12R M-441 M-245 M-244 M-391 M-392 M-393		M-646 M-441	
1936–38	FA, GA, HA, Master De Luxe	6	FA-022L Left Side Standard Thread	1	FA-022R Right Side Standard Thread	
			M-391 M-392 M-393 M-244 M-245 M-243 M-442 M-441		M-243 M-441 M-441	

IMPORTANT

The threaded parts in Radius Rod Assemblies FA-020R, FA-021R, FA-022R, and FA-022L are especially selected for proper fit and should always be installed as marked. Parts with the same paint markings should always be installed together.

RED Paint indicates the radius rod and spring housing bracket (and brake flange bracket when included) to be installed on the RIGHT side of the car, while BLUE paint indicates the parts to be installed on the LEFT side of the car.


YELLOW paint indicates end of radius rod that is to be assembled to brake flange bracket and that THREADS ARE STANDARD SIZE, while GREEN paint indicates that THREADS ARE .003 UNDERSIZE.


The flange bushings in these assemblies are broached and burnished to exact size, eliminating any necessity for fitting. They should always be soaked in light motor oil for ten minutes before installing.

Complete instructions for installing, identifying, assembling and adjusting, are included in every box.

CHASSIS PARTS

for CHEVROLET TYPE OF WHEEL SUSPENSION USED ON 1939-48 CHEVROLET





Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1934–38	DA, EA, FA, GA, HA	6	M-632		Spacer125 Thick Install spacers on the flatted end of the coil spring.	
1939–48	JA, KH, AG, BG, Master De Luxe; KA, AH, BH, Special De Luxe; DJ, EJ, Stylemaster, DK, EK, Fleet- master. Canadian Pass. Cars: 1939-40, 10 Series; 1941-47, 10, 12 Series.		M-633 M-633		Spacer125 Thick Install spacers on the flatted end of the coil spring.	
1939-48	All Models, except KB. Canadian Pass. Cars: 1939-47, All Models.	6	FCS-1	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package	

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
1921–28	Pass. Cars: Superior, 490, B, F, K, V, Capitol AA. Trucks: G, 34 Ton; Utility Express, R, X, LM, LO, LP, 1 Ton	4	
	used)		T-142 TB-1044
	Pass. Cars: 1928 AB, 4 cyl.; 1929-33, AC, AD, AE, BA, CA, Master, 6 cyl.; 1935-36 ED, FD, Master, 6 cyl. Trucks: 1928 LP (4 Wh. Brakes) 1½ Ton, 4 cyl.; 1929-31 LQ, LR, LT, 1½ Ton, 6 cyl.; 1929-39 AC, AD, AE, BB, CB, DB, EB, FB, GC, GD, GE, HC, HD, HE, JC, JD, JE, ½-1 Ton, 6 cyl KA-3 is available Std., .005 and .010 oversize. KA-93 is a Special Heavy Duty King Bolt Set.	4-0	KA-3 KA-93
3 3 3 4	Trucks: LT, M, N, O, P, Q, R, S, T, V, W, Y, 1½ Ton (Except Cab-Over-Engine and Heavy Duty, MR, MS, MT, MY, WA, WB, WC, YR, YS and YT), Series 4000, 4104, 4109, 1½ Ton; DR, DS, ER, ES, FR, FS, ¾ Ton; OR, OS, PJ, PK, QJ, QK, RJ, RK, 1½ Ton KA-5 is available Std., .005 and	6	KA-5

YEAR	MODELS	No. Cyl.	Bolt Sets
1933-35	Pass. Cars: CC, DC, EC, Standard	6	KA-11
1934–38	Pass. Cars: DA, EA, FA, Master: GA, HA, Master DeLuxe (With Independent Wheel Suspension)	6	KA-20 KA-87
NOTE:	KA-20 includes Bronze Bushings to replace Bearing Rollers. KA-87 with .0145" oversize O. D. Bronze Bushings for use after Bearing Roller or Bushing Chambers have been reamed Oversize.		,
	Expansion Plug (cupped, 1934) (4 used) Bearing Rollers (1934) (128 used)		M-62 M-61
	Bearing Rollers (1935-36) (128 used)		M-126
1936	Pass. Cars: FC, Standard	6	KA-18
	Pass. Cars: GB, HB, JB, KB, Master. Trucks: GB, HB, JB, KB, Sedan Delivery: 1940, KC, KD, KE, KF, ½-1 Ton	6	KA-28 KA-118
NOTE	KA-118 .0145" oversize O. D. Bushings for use after Bushing Chambers have been reamed Oversize.		
-	(Continued	OR I	next nage)

for CHEVROLET

CHASSIS PARTS

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
	Pass. Cars: JA, KH, AG, BG, Master DeLuxe; KA, AH, BH, Special DeLuxe, DK, EK, FK, Fleetmaster & Fleetline; DJ, EJ, FJ, Stylemaster. Trucks: KH, AG, BG, DJ, EJ, Sedan Delivery 73K, 73L, 73M (With Independent Wheel Suspension)	6	KA-80 KA-88
NOTE:	KA-88 .0145" oversize O. D. Bushings for use after Bushing Chambers have been reamed oversize.		
	Trucks: Cab-Over-Engine, MU, MV, MW, VE, VF, VG, VH, VM, VN, WD, WE, WF, YU, YV, YW, 1½ Ton; MR, MS, MT, MY, WC, WA, WE, YR, YS, YT, Series 4000, 4103, 4105, 4403, Heavy Duty 1½ Ton	6	KA -85
N	OTE: The regular C.O.E. Front Axles are used as Special Heavy Duty Equipment on some conventional Trucks. These Axles may be identified by the front wheel hub cap being attached to the hub with six \(\frac{1}{4}'' - 20x\frac{5}{8}''\) Hex. Head Bolts on a 3\(\frac{7}{8}''\) dia.		

YEAR	MODELS	No. Cyl.	King Bolt Sets
1941–48	Trucks: AK, BK, AL, BL, AM, BM, AN, BN, CK, DP, EP, FP, Series 3101, 3605, ½-1		
	Ton	6	KA-11
1946	Trucks: O, 2 Ton	6	KA-97
1946–47	Trucks: OE, OF, OG, P, Q (Except PJ, PK, QJ, QK) 2 Ton. Used with Axle No. 3681101	6	KA-124

SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	SHING	REAR BO	OLT	REAR BUS	HING
TEAH	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1925-29	Pass. Cars: Superior K, V; AA, AB, 4 cyl; AC, 6 cyl	4-6	∫Fr.	S-906	2	SB-A117	2	S-906	4	SB-A136 SB-A117	
			(Rr.	S-906	2	SB-A117	2	S-906	4	SB-A136 SB-A117	2-UI
1926-29	Trucks: R, X, LM, LO, LP, 4 cyl.; LQ, 6 cyl.; 1-1½ Ton			S-906	2	SB-A117	2	S-906	4	SB-A136 SB-A117	
	cyl.; LQ, 6 cyl.; 1-172 1011	4-0		S-911	2			S-911	4	(SD-A117	2-L1
1930-33	Pass. Cars: AD, AE, BA, CA Master. Trucks: AD, AE, BB,		Fr.	S-906	2	SB-A117	2	• • • • • • • • • • • • • • • • • • • •			
	CB, ½-Ton	6	Rr.	S-906	2	SB-A117	2				
1930–32	Trucks: LR, LT, M, N, 1½ Ton.	6		S-906 S-911	2 2	SB-A117	2	S-911	4		
1933	Trucks: O, 1½ Ton	6	{Fr. Rr.	S-906 SK-21	2 Sprin	SB-A117 g Bolt Kit	2	SK-22 Spr	ing Bol	t Kit	1
1933–35	Pass. Cars: CC, DC, EC Standard	6	Fr. Rr.	S-1155	2	SB-A117	2	S-1154	2	SB-A117	2
1934–36	Trucks: DB, EB, FB, ½ Ton	6				Assembly Bolt Kit	2	SK-23 Spr S-1172 Sha			1 2
1934–36	Trucks: P, Q, R, 1½ Ton	6				Assembly Bolt Kit	2	SK-23 Spr SK-22 Spr			1 1
1934–38	Pass. Cars: DA, EA, FA Master; GA, HA, Master DeLuxe	6				spension F Bolt Kit		S-1172 Sha			2
1935-36	Pass. Cars: ED, FD, Master	6				Assembly Bolt Kit	2	SK-23 Spr S-1172 Sha			1 2

CHASSIS PARTS

for CHEVROLET

SHACKLE KITS & PARTS

(Continued from preceding page)

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	SHING	REAR B	OLT	REAR BUS	SHING
		Cyl.	Spring	Stock No.	No. Used	Stock No.	No, Used	Stock No.	No. Used	Stock No.	No.
1936-38	Pass. Cars: FC, Standard; GB,		-			7			1 / /	La Carlo	
	HB, Master. Trucks: GB, HB, Sedan Delivery	6	{Fr. Rr.			Bolt Kit Bolt Kit	1	S-1171 Sh S-1172 Sh	ackle A ackle A	ssembly ssembly	2 2
1937–38	Trucks: GC, HC, ½ Ton	6	{Fr. Rr.	S-1171 S SK-20	hackle Spring	Assembly Bolt Kit	2	SK-20 Sp: S-1172 Sh			1 2
1937–40	Trucks: 1937-38, GD, HD, GE, HE, ¾-1 Ton; 1937-40, S, T, V, W, 1½ Ton (Except Cab- Over-Engine)	6				Assembly Bolt Kit	2	SK-20 Sp: SK-25 Sp:	ring Bo	lt Kit	1 1
1939	Pass. Cars: JA Master DeLuxe	6	{Fr. Rr.			spension I Bolt Kit	Parts I	isting. S-1257 Sh	ackle A	ssembly	2
1939	Pass. Cars: JB, Master	6				Bolt Kit	1 1	S-1171 Sh S-1257 Sh			2 2
1939–40	Trucks: JD, JE, KD, KE, KF, 3/4-1 Ton	6	Fr.	S-1171 SK-24	Shackle Spring	e Assembly g Bolt Kit	2 1	SK-20 Sp SK-26 Sp			1 1
1939–40	Trucks: Cab-Over-Engine V, W,	6	Fr. Rr.	A STATE OF THE PARTY OF THE PAR		SB-362 Bolt Kit	2 1	S-1266 Sh SK-25 Sp	ackle A	assembly olt Kit	2 1
1939-47	Trucks: JC, KC, AK, BK, CK,										
	DP, Series 3101, 3103, 3104, 3105, 3107, 3116, ½ Ton					e Assembly Bolt Kit	2 1	SK-20 Sp S-1257 Sh			1 2
1940	Pass. Cars: KB Master	6	∫Fr.	S-1171 S	Shackle	Assembly Bolt Kit	1	SK-18 Sp S-1269 St	ring Bo	lt Kit	1 2
1940–48	Pass. Cars: KA, AH, BH, Special DeLuxe; KH, AG, BG, Master DeLuxe, DK, EK, FK, Fleetmaster & Fleetline; DJ, EJ, FJ, Stylemaster. Trucks: KH, AG, BG, DJ, EJ, Sedan Delivery, 73K, 73L, 73M. (Threaded Steel Bushing Type Rear Shackle	0.	{Fr. Rr.	See Wi	heel S	aspension ;	Parts I	Listing.	nackle A	Assembly	2
1941–48	Pass. Cars having Rubber Bushing Type Rear Shackles	6	{Fr. Rr.			spension Bolt Kit	Parts I	Listings.	ackle A	assembly	2
1941–46	Trucks: AL, BL, AM, BM, DR, Series 3101, 3604, 3605, 3/4 Ton		Fr. Rr.		Shackl Spring	e Assembly Bolt Kit	2	SK-20 Sp SK-31 Sp			1 1
1941–46	Trucks: AN, BN, DS, 1 Ton	6	Fr. Rr.	SK-30	Spring	Assembly Bolt Kit	2 1	SK-27 Sp SK-31 Sp	ring Bo	lt Kit	1 1
1941–46	Trucks: PJ, PL, QJ, QK, M, O, P, Y, Series 4000, 4103, 4104, 4105, 4109, 4403, 1½ Ton (Ex- cept Cab-Over-Engine)		{Fr. Rr.	S-1266 SK-28	Shackle	e Assembly Bolt Kit	2 1	SK-27 Sp SK-29 Sp	ring Bo	lt Kit	1 1
1941–46	Trucks: Cab-Over-Engine, M, O, P, Y, 1½-2 Ton	6				Bolt Kit Bolt Kit	1 1	S-1266 Sh SK-29 Sp	ackle A	assembly lt Kit	2 1
1941–46	G4105, G4113, G4152, G4162, G4163, G4165, G4174, G7105, G7106, G7107, G7113, G7116, G7117, G7123, G7127, G7128, G7133, G7143	6				Bolt Kit	1 1	SK-30 Sp SK-29 Sp	ring Bo	lt Kit	1 1
1941–46	G4103, G4112YP, G4112YQ	6	Fr. Rr.	SK-31 S-1156		Bolt Kit SB-334	1 2	SK-30 Spr S-1156	ing Bol	t Kit SB-355 SB-347	1 2 4

for CHEVROLET

SHACKLE KITS & PARTS

VEAD	YEAR MODELS			FRONT	BOLT	FRONT BUSHING		REAR BOLT		REAR BUSHING	
YEAR		No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1947-48	Trucks: EP, FP, ½ ton	6	Fr. Rr.	S-1168 SK-20	Spring	SB-313 g Bolt Kit	2	SK-20 Spr S-1257 Sh			1 2
1947–48	Trucks: ER, FR, 3/4 ton	6	{Fr. Rr.	S-1168 SK-30	2 Spring	SB-313 Bolt Kit	2	SK-20 Spr SK-31 Spr			1 1
1947-48	Trucks: ES, FS, 1 ton	6		S-1223 SK-30		SB-338 g Bolt Kit	2	SK-27 Spi SK-31 Spi			1 1
1947-48	Trucks: QJ, QK, RJ, RK, 1½ ton	6		S-1223 SK-28		SB-338 g Bolt Kit	2	SK-27 Spr SK-29 Spr			1 1

S-1171 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt & Nut, two S-1174 Bars

(2\%" Center-to-Center), four M-68 Cork Washers, and two Grease Fittings.
S-1172 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt & Nut, two S-1175 Bars

(3\frac{17}{2} Consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt & Nut, two S-1173 Bals (3\frac{1}{2}" Center-to-Center), four M-68 Cork Washers, and two Grease Fittings.

S-1257 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt & Nut, two S-1256 Bars, (3\frac{3}{4}" Center-to-Center), four M-68 Cork Washers, and two Grease Fittings.

S-1266 consists of two S-1223 Bolts, two SB-338 Bushings, one S-1265 Clamp Bolt & Nut, two S-1174 Bars

(23/16" Center-to-Center), four M-68 Cork Washers, and two Grease Fittings.

S-1269 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt & Nut, one S-1268 Outer Bar, one S-1174 Inner Bar, four M-68 Cork Washers, and two Grease Fittings.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
	It is necessary to remove the Ball Stubs which are peened into Steering Arms of all Clexcept the 1939-48 DeLuxe Pass. Cars and the 1935-48, 1½ Ton Trucks before i which have Threaded Studs held in Steering Arms with Nuts.	nstalli	olet Cars a ing Tie Ro	nd Trucks od Sockets
1930–33	Pass. Cars: AD, AE, BA, CA, Master; Trucks: AD, AE, BB, CB, DB, ½ Ton; LR, LS, LT, M, N, O, 1½T	6	RS-29	
1933–35	Pass. Cars: CC, DC, EC, Standard	6	ES-23* RS-29	ET-6*
	Complete Drag Link Assembly		DS-99	
1934	Pass. Cars: DA Master with Independent Front Wheels		RS-29	
1934	Trucks: P, 1½ Ton	6	RS-29 DS-90	
1934–36	Trucks: DB, EB, FB, ½ Ton	6	ES-23* RS-29	ET-6*
	Complete Drag Link Assembly		DS-90	100 100 90
1935–36	Pass. Cars: EA, FA, DeLuxe	6	ES-23* RS-29	ET-7*
1 3 5 5 5	Complete Drag Link Assembly		DS-95	
1935–36	Pass. Cars: ED, FD Master with Conventional Axle	6	RS-29 DS-94	
1935-36	Trucks: Q, R, 1½ Ton. Complete Drag Link Assembly	6	RS-26 DS-90	RT-38
1936	Pass. Cars: FC Standard	6	RS-29 DS-93	
1937-38	Pass. Cars: GA, HA, Master DeLuxe	6	ES-23* RS-29 DS-96	ET-7*
1937–38	Pass. Cars: GB, HB, Master (Conventional Axle)	6	ES-23* RS-29	ET-6*
1937-46	Trucks: GC, GD, GE, HC, HD, HE, JC, JD, JE, KC, KD, KE, KF, AK, AL, AM, AN, BK, BL, BM, BN, CK, DP, DR, ½-1 Ton	6	ES-23* RS-29 DS-91	ET-6*
1937-46	Trucks: DS, MR, MS, OR, OS, PJ, PK, SA, SB, SC, SD, TA, TB, TC, TD, VA, VB, VC, VD, WA, WB, WC, YR, YS, YT; Series 4000, 4103, 4104, 4109, 1-1½ Ton. (Except all Cab-Over-Engine and Heavy Duty M, MS, WA, WB, WC, YR, YS and YT)	6	RS-26 DS-91	RT-38

(Continued on next page)



TIE ROD SOCKETS, DRAG LINKS & RODS

(Continued from preceding page)

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Int. Rod Stock No.
1939	Pass. Cars: JA, Master De Luxe For Cars having Pitman Arm with 1/16" Thick Tie Rod Stud Bracket:			
	Long Tie Rod with Fixed Sockets—Complete. Long Tie Rod with Adjustable Sockets—Complete. Short Tie Rod with Sockets—Complete. Sockets for Short Tie Rod. Long Tie Rod Only.		ES-81B ES-82A ES-82	ET-77
	For Cars having Pitman Arm with 3/4" Thick Tie Rod Stud Bracket: Long Tie Rod with Fixed Sockets—Complete.		ES.83A	ET-74
	Long Tie Rod with Adjustable Sockets—Complete. Short Tie Rod with Sockets—Complete. Sockets for Long or Short Tie Rod. Long Tie Rod Only.		ES-84A	
	Short Tie Rod Only			ET-7
939	Pass. Cars: JB Master (Conventional Axle)		RS-29	ET-6
	Complete Drag Link Assembly		DS-97	
939–46	Trucks: Cab-Over-Engine MU, MV, MW, VE, VF, VG, VH, VM, VN, WD, WE, WF, YU, YV, YW, 1½ Ton; Heavy Duty MR, MS, MT, MY, O, OW, OY, WA, WB, WC, YR, YS, YT, 1½ Ton.			
	For 1939 Trucks with Tie Rod have R. H. threads of different pitch, at both ends For 1939-46 Trucks with Tie Rod having R. H. and L. H. threads Complete Drag Link Assembly For C.O.E. Trucks Complete Drag Link Assembly For Heavy Duty Trucks.		ES-123	
	NOTE: The regular C.O.E. Front Axles are used as Special, Heavy Duty Equipm trucks. These Axles may be identified by the front wheel hub cap being attached 20x5%" Hex. Head Bolts on a 3 1/8" Dia. Bolt Circle.	ent or to the	some cone hub with	vention six 1/4"
940	Pass. Cars: KB Master (Conventional Axle)		ES-23* RS-29	ET-6
940-48	Complete Drag Link Assembly Pass. Cars: KA, AH, BH, Special DeLuxe; KH, AG, BG, Master DeLuxe, DK, EK,		DS-100	
310 10	FK, Fleetmaster & Fleetline, DJ, EJ, FJ, Stylemaster. Trucks: KH, AG, BG, DJ, EJ, Sedan Delivery, 73K, 73L, 73M			_
	Long Tie Rod with Fixed Sockets—Complete. Long Tie Rod with Adjustable Sockets—Complete. Short Tie Rod with Sockets—Complete. Sockets for Long or Short Tie Rod. Long Tie Rod Only.		ES-83B ES-84A ES-84	ET-7
941–46	Series 3101, 3605, 4X2, ½-¾ Ton	6		ET-74
941–46	Complete Drag Link Assembly Series 4000, 4X2, 4103, 4105, 4403, 1½ Ton; OI, OJ, OH, 2 Ton (C.O.E.)	6	DS-91 ES-123	•••••
946	Complete Drag Link Assembly		DS-91	
340	Trucks: OE, OF, OG, PL, PV, PW, PX, PP, PR, PS, 2 Ton, School Bus & C.O.E., (with 3681101 forged on "I" Beam) Complete Drag Link Assembly for C.O.E. Trucks Complete Drag Link Assembly for Heavy Duty Trucks	6	ES-142 DS-92 DS-91	35 11
047 40	The state of the s			1 700

*An * following the stock number indicates the Tie Rod Socket and Intermediate Rod MUST BE INSTALLED TOGETHER.

1947-48 Trucks: EP, FP, ½ Ton; ER, FR, ¾ Ton.....

1947-48 Trucks: All 2 Ton; QL, RL School Bus....

1947-48 Trucks: ES, FS, 1 Ton; QJ, QK, RJ, RK, 1½ Ton....

It is necessary to remove the Ball Studs which are peened into Steering Arms of all Chevrolet Cars and Trucks except the 1939-48, DeLuxe Pass. Cars and the 1935-48, 1½ Ton Trucks before installing Tie Rod Sockets which have Threaded Stubs held in Steering Arms with Nuts.

ES-23*

RS-29

RS-26

ET-6*


RT-38

CHASSIS PARTS

INTERCHANGEABILITY LIST OF CHASSIS PARTS

	INIE	RCHANG	EABILITY	riai Oi	CHA3313	PARIS	
Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number
03894 04273 10827 20371 20377	M-88 M-442 M-578 M-576	378143 379523 379647 379648 472623	M-81 M-266 SB-313 SB-313 K-1108	603076 603256 603386 603389 603406	KB-294 K-1213 & K-1178 KA-80 DS-97 FA-035	3654642 3656531 3656669 3657337 3657393	M-655 K-1224 S-1275 M-588 S-1276
26715 } 21367 21367 21367 21461	S-1173 M-579 M-589 M-272	472624 472625 472626 472636	M-224 M-87 K-1109	603411 603412 603413 603493	ES-81A FA-034 ES-82A M-222,010 O.S.	3660538 3660539 3660540	S-1296 S-1297 SB-735
4920 4920 6022 6715	M-579 M-589 M-629 S-1173	473281 473305 473612	S-1155 S-1154 M-441	603494 603539 603540	M-220 .010 O.S. K-962 .010 O.S. & K-1059 K-1044 .010 O.S.	3664086 3678172 3678189 3678195	FCS-1 M-670 K-1237 M-672
6718 6720 0377 }	Use 126715 & 120377 S-1265	473795 474807 474838 475316	DS-99 DS-94 S-1130 K-1176	603588 603689 603712	& K-1072 S-1257 DS-92 S-1171	3678196 3681108 3681830 3685179 5246233	KB-321 M-671 M-275 K-1238 FCS-1
1710 4889 4895 93102-3	M-575 M-275 M-276 M-274	475545 475546 475833 477258	M-637 M-639 DS-93 S-1203	603821 603823 603933-4 603934-5	Use 605323 ES-84A ES-122 ES-123	5325788	M-658
19390 14743 11633 14277 14336	K-1178 S-911 T-142 SB-A-117 S-906	492555 495033 495034 495035 495063	S-1130 M-68 S-1174 S-1175 SB-313	603963 604033 604036 604075-78 604076	K-1127 .010 O.S. FS-12R FS-10R ES-84		
14403 50441 52210	TB-1044 S-1256 KB-9623	499533 499538 593044 593705	SB-338 Use 3653273 KB-270 M-68	605145) 604244 604244 604253	ES-82 M-220 .020 O.S. M-231 K-1044 .020 O.S.		
52216 52569 52575 51194 53306 55095	M-14 M-222 M-64 SB-A136 K-1044, K-1072 K-962	593990 593992 594153 594664 595369	S-1224 M-577 DS-96 SB-347 DS-91	604401 604474 604478 604511	& K-1072 M-69.020 O.S. KA-28.010 O.S. S-1269 KB-316 FA-85		
65298 65309 65312 65669	M-69 M-220 KB-10443 S-1275	596854 599177 599188 599189 599190	SB-355 FB-43 F-19 FN-6 FN-5	604846 605003 605004 605121 605145	FA-036L FA-036R KA-111		
66704 66706 69721 69722 73199 73200	K-1059 K-1072 SB-334 S-1156 S-1168 S-1169	599191 599192 599195 599198 599200	M-399 FB-40 FB-41 FB-42 F-20	604076 605145-6 605323 605385 605564	ES-82 ES-84 ES-83A DS-100 K-1206, K-1224		
73201 73202 73455 73460	M-581 M-580 K-1128 M-62	599207 599208 599210 599241 599431	K-1206 M-403 M-404 ET-74 M-653	605661 605662 605923 608841	FA-53 FA-52 ES-83A	The second	
73461 73467 73476 73481	K-1127 M-61 M-227 M-128	599432 600864 601019	M-648 M-245 KA-5	609462 609724 609747 609748	SK-45 KA-124 ES-142 M-277		
73781 74630 76003 76015	DS-90 M-650 M-391 M-244	601395-6 601787 601894 602007 602008	RS-26 KA-11 S-1168 FS-15 FS-16	657309 678243 751005 1310128 2073641	M-129 SB-312 M-632 KB-10162		
76020 76033 76309 76571	M-393 M-391 M-392 M-243	602032 602124 602491	KA-18 KB-261 K-962, K-1059	2077066 3650164 3650985	KB-293 M-657 S-1263		
377089 377368 377988 378049	M-62 M-126 RT-38 DS-95	602689 602690 602691 602783	KA-20 KA-28 KA-3 S-1172	3651131 3653059 3653273 3653692	SB-362 FCS-1 S-1223 S-1268		-

for CHRYSLER TYPE OF WHEEL SUSPENSION USED ON 1934-48 CHRYSLER



		CII	PROPT DIN ACCE	MPI	for CHRYSLI	ER
		No. Cyl.	PPORT PIN ASSE	No. Used	Description	No. Use
Year	MODELS CA, CB; Airstream C6, 6 Cyl.; Air-	Cyl.	Description FA-04 Upper	2	FA-08 Lower	2
1934 33	stream CZ, 8 Cyl	6-8	F-3		FB-9 K-II29 FB-8	
1936	Airstream C7, 6 Cyl.; Airstream C8, 8 Cyl	6-8	FA-09 Upper F-8 FB-12	2	FA-010 Lower K-1129 M-390 FB-9	
1937–39	Royal C16, Windsor C18, C22, 6 Cyl.; Imperial C14, New Yorker, Saratoga C19, C23, 8 Cyl	6–8	F-7 R-1129	2		
1940	Royal, Windsor C25, C25S, Except 7-Pass. Sedan and Limousine	6	FA-045 Lower F-22 M-587 FB-26 M-46I	2		
1940	Royal, Windsor C25, C25S, 7-Pass Sedan and Limousine, 6 Cyl. Traveler, New Yorker, Saratoga C26; Crown Imperial C27, 8 Cyl.		FA-029 Lower	2		
1941–48	Royal, Windsor C28S, C28W, C34S C34W, C38W, C38S, Except 7 Pass. Sedan and Limousine	30 1000	FA-039 Upper F-22 M-461 FB-46 M-587	2	FA-045 Lower F-22 M-587 FB-26 M-461	
1941–48	Royal, Windsor C28S, C28W, C34S C34W, C38S, C38W, 7-Pass. Sedar and Limousine, 6 Cyl.; New Yorker Saratoga C30K, C30N, C36K C36N, C39K, C39N; Crown Imperial C33, C37, 8 Cyl	,	FA-042 Upper F-24 F-24 M-669 M-480	2	FA-029 Lower F-17 M-480 FB-32 M-479	

for C	HRYSLER											
		NG	KNUCKLE SUPP	OR	T. W							
Year	MODELS	No. Cyl.	Description	No. Used	Description	No Use						
1940	Royal, Windsor, C25, C25S, Except 7-Pass. Sedan and Limousine	6	FN-7 Right or Left	2								
1941–46	Royal, Windsor C28S, C28W, C34S, C34W, C38W, Except 7-Pass. Sedan and Limousine	6	FN-8 Right or Left	2								
CONTROL ARM AND SHAFT ASSEMBLY												
Year	MODELS	Ne. Cvl.	Description	No. Used		No.						
1936	Airstream C7, 6 Cyl.; Airstream C8, 8 Cyl	6-8	FA-016 Lower	2	Description	Use						
937	Royal C16, 6 Cyl.; Imperial C14, 8 Cyl	6-8	FA-014 Lower FS-6 M-397 FB-I5 FB-I5	2	FA-57 Upper Outer Ecc. Bushing and Seal Kit FB-14 M-473	2						
938–39	Royal, Windsor C18, C22, 6 Cyl.; Imperial, New Yorker, Saratoga C19, C23, 8 Cyl	6-8	FA-017 Upper FS-7 FB-16 M-397 FB-31 FA-57 Upper Outer Ecc. Bushing and Seal Kit	2	FA-014 Lower FS-6 M-397 FB-I5 FB-I5	2						
940 F	Royal, Windsor C25, C25S—Except 7-Pass. Sedan and Limousine	6	FB-14 M-473 FA-027 Upper FS-18 O FB-21 M-472 FB-22	2	FA-024 Lower FS-14 FB-24 M-411	2						
			FA-58 Upper Outer Ecc. Bushing and Seal Kit FB-27 M-472	2								

tor CHRYSLER CONTROL ARM AND SHAFT ASSEMBLY

(Continued from preceding page)

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1940	Royal, Windsor C25, C25S, 7-Pass. Sedan and Limousine, 6 Cyl.; Traveler, New Yorker, Saratoga C26; Crown Imperial C27, 8 Cyl		FA-044 Upper FS-26 FB-30 M-473 FB-31	2	FA-030 Lower FS-20 FB-33 M-48I	2
	Plan prison toward to a second	5.22	FA-54 Upper Inner Shaft Bushing and Seal Kit FB-30 M-473 FB-31	2	FA-59 Upper Outer Ecc. Bushing and Seal Kit	2
1941–48	Royal, Windsor C28S, C28W, C34S C34W, C38S, C38W, Except 7- Pass. Sedan and Limousine and 1948 models with low pressure tires.		FA-040 Upper FS-18 FS-18 M-586	2	FA-024 Lower FS-14 FB-24 M-411	2
1941-48	Royal, Windsor C28S, C28W, C34S, C34W, C38S, C38W, 7-Pass. Sedan and Limousine, 6 Cyl; New Yorker, Saratoga C30K, C30N, C36K, C36N, 39K, C39N; Crown Imperial C33, C37, 8 Cyl., Except 1948 models with low pressure tires		FA-043 Upper FS-26 FB-49 M-473	2	FA-030 Lower FS-20 FB-33 M-48I	2

FRONT COIL SPRINGS AND SPACERS

Year	MODELS	No. Cyl.	Description	No. Used	Description	No.
1 937 –39	All 6 and 8 Cyl	6-8	M-631		Spacer125 Thick	
					Install spacers on the flatted end of the coil spring.	
			M-631	4		

for CHRYSLER

FRONT COIL SPRINGS AND SPACERS

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1940–42	All Six Cylinder models except C34S after 70002841 and C34W after 70503324 and 7-Pass. Sedan and Limousine		FCS-12	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package.	
1940–47	All 6 and 8 Cyl., Except 7-Pass. Sedan and Limousine	6-8	M-634		Spacer—.139" Thick Install spacers on the flatted end of the coil spring.	

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
1928–33	52 (4 Wheel Brakes) 4 cyl.; 66, CJ, CM, CI, CO, 6 cyl	4-6	KA-4
1930–33	CD, CD DeLuxe, CP; Royal CT; Imperial CQ	8	KA-41
1931–33	Imperial, CG, CH; Custom, CL; Imperial Custom, CL	8	KA-42
1935–39	Airstream C6, C7; Royal, Windsor, C16, C18, C22	6	KA-16
1935–39	Airstream, CZ, C8; Imperial, New Yorker, Saratoga, C14, C19, C23	8	KA-33
1935–39	Airflow C1, C9, C17; Airflow Imperial C2, C10; Airflow Custom Imperial C3, C11, C15; Custom Imperial C20, C24	8	KA-61
1940	Traveler, New Yorker, Saratoga C26; Crown Imperial C27	8	KA-98

YEAR	MODELS	No. Cyl.	Bolt Sets
1940–48	1940-41 All; Royal, Windsor C25, C25S, C28S, C28W; 1942-48, C34S, C38S, C34W, C38W, Except 7-Pass. Sedan and Limousine		KA-94
1941	New Yorker, Saratoga C30K, C30N, Crown Imperial C33	8	KA-112
1942–48	Royal, Windsor C34S, C34W, 7-Pass. Sedan and Limousine, 6 cyl.; New Yorker, Saratoga, C36K, C36N; Crown Imperial C37, 8 cyl		KB 302 K-1129 M-86 M-160

for CHRYSLER

SHACKLE KITS & PARTS

	The state of the s	1		FRONT	BOLT	FRONT BU	SHING	REAR BO	DLT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
930	CJ	6	Fr.			SB-138	2		2	UB-25*	4
			(Rr.	•••••				UA-54 Sile Shackle	nt U	UB-25*	4
1931	CM	6	Fr.			SB-138	2	UA-14 Sile Shackle	nt U	UB-25*	4
			Rr.	SK-32	Spring	Bolt Kit	1	UA-55 Sile Shackle	nt U	UB-25*	4
1932	CI	6	∫Fr.			SB-138	2	UA-54 Sile Shackle	nt U	UB-25*	4
			Rr.	SK-32	Spring	Bolt Kit	1	UA-55 Sile Shackle	nt U	UB-25*	4
1933	CO, 6 cyl.; Royal CT, 8 cyl	6-8	∫Fr.			SB-330	3	UA-14* Sil	lent U	UB-25*	4
			Rr.	SK-32	Spring	Bolt Kit	1	UA-55* Sil Shackle		UB-25*	4
1934	CA, CB	6				uspension Bolt Kit	Parts I	Listing. UA-55* Sil	lent U	UB-25*	4
1935	Airstream C6, 6 cyl.; Airstream CZ, 8 cyl	6-8	{Fr. Rr.	See WI SK-32	neel Su Spring	ispension I Bolt Kit	Parts L	isting. UA-59* Si Shackle	lent U	UB-25*	4
1936	Airstream C7, 6 cyl.; Airstream C8, 8 cyl	6-8	{Fr. Rr.	See WI SK-32	heel Si Spring	uspension lass Bolt Kit	Parts L	isting. UA-41* Si Shackle	lent U	UB-17*	4
1937–40	Royal, Windsor, C16, C18, C22, C25, 6 cyl.; Imperial, Traveler, New Yorker, Saratoga C14, C19, C23, C26, 8 cyl		{Fr. Rr.	See Wi	heel Si Spring	uspension laspension laspension la	Parts I	isting. UA-59* Si (Right) Sh		UB-25*	2
				4		34,		UA-58* Si (Left) Sha		{UB-25* UB-24*	1-F
		U	A-58 a	nd UA-	59 Sile	ent U Asser	mblies	include two	M-478	Seals.	
1941–48	Royal, Windsor C28S, C28W, C34S, C38S, C34W, C38W, 6	5	1				,				
	cyl.; New Yorker, Saratoga C30K, C30N, C36K, C39K C36N, C39N, 8 cyl		Fr.	See W SK-34	heel S Sprin	uspension g Bolt Kit	Parts I	Listing.	ackle A	ssembly	. 2
1041_48	Crown Imperial C33, C37, C40			See W	heel S	uspension	Parts I	Listing.			1 8

*Silert U Shackles marked * used as original equipment. UB-24, and UB-25 are available with .010 oversize outside diameter.

Abbreviations: Fr.-Front, Rr.-Rear, Fm.-Frame, Sp.-Spring.



for CHRYSLER

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1932	Imperial CH, Custom CL	8	ES-6*	ET-34*
1934–35	CA, CB, Airstream C6, 6 cyl.; Airstream CZ, 8 cyl	6-8	ES-35	
	Adjusting Socket for "C6" and "CZ" Drag Link		ES-35P	
	Airflow CU, C1, C9, C17; Airflow Imperial CV, C2, C10; Airflow Custom Imperial C3, C11		ES-49	
1936	(For Right Rod)	6-8	ES-53	
1037-30	Airflow Custom Imperial C15: C		ES-54	
	Airflow Custom Imperial C15; Custom Imperial, C20, C24		ES-52 ES-52	ET-66 ET-66
1937–39	Royal, Windsor, C16, C18, C22, 6 cyl.; Imperial, New Yorker, Saratoga, C14, C19, C23, 8 cyl	6-8	ES-60	
1940-48	(For Left Rod) Royal, Windsor, C25, C25S, C28S, C28W, C34S, C34W, C38S, C38W, 6 cyl., New Yorker, Saratoga, Traveler, C26, C30K, C30N, C36K, C36N, C39K, C39N; Crown Imperial C27, C33, C37, C40, 8 cyl	6–8		
	(For Left Rod)		ES-131	

★An * following the stock number indicates the tie rod socket and intermediate rod MUST BE INSTALLED TOGETHER.

for CHRYSLER, DESOTO, DODGE, DODGE TRUCK & PLYMOUTH

INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car		Car		Car		Car	
Factory •	Our	Factory	Our	Factory	Our	Factory	Our
Number	Number	Number	Number	Number	Number	Number	Number
233	SB-172	138498	M-593	547963	SB-269	583990	KB-300
18186	S-772	138502	M-591	547964	S-1160	583991	K-1214
34637	SB-239	200714	K-1082	548104	SB-309	588081	SB-239
		200808	SB-175	548110	S-1159	588183	SB-206
35954	M-41	305645	KB-10391	562296	SB-C214	200102	3B-206
40676	M-75	305646	K-1039	562302	SB-238	588223	CD 2700
41119	K-943	305672	K-1039 M-252	564263	SB-309	588224	SB-270S
41211	KB-9433	306458	SB-328	004200	3D-303	589508	S-1260
41558	K-1075	309462	M-553	564938-9	ES-50	509300	M-261
41611	M-71	314835	K-1038	565007	S-1178	589519 589520	KB-286
41612	M-71			565576	ET-34	509320	KB-285
42652	KB-9633	314895	KB-10381	570987	M-130	589521 589539	K-1207
42656	K-963	318320	W-102	570997	K-1178	589545	S-1259
42701	SB-138	318321	M-102	570998	K-1178	589565	S-1261
		376663-4	RS-33	570999	K-1178	589726	S-1262
42702	SB-A140	391619	U-55	571000	M-470	389726	DS-111
50321	M-237	434630	SB-178	571002	M-254	590419	0.1000
51091	M-280	434631	SB-140	571003	M-255	591522	S-1239
51091 51122	KB-8923	434740	K-957	3/1003	141-722	591522	K-1220
51354	T-963	434742	KB-9573	571005	M-475	594254 594262	SB-370
53289	SB-140	500753	SB-177	571968	S-1202	594262	S-1287
55590	K-1078	000100	00 111	572121	SB-265	594203	S-1288
103893	M-42	500898	SB-177	572130	SB-326	594776 594777	KB-306
103894	M-88	512289	SB-178	572146	S-1200	594777	KB-307
103895	M-86	512290	SB-217	572147	S-1201	594785	K-1218
		513189	K-1091	573506	UB-21	594785	M-231
103896	M-97	517446	KB-10033	573506 573522	UB-21 .010	394804	M-160 -
105603	M-86	517447	K-1003	574028	KB-10381	594805	14 100
106517	M-85	517448	M-272	574500	DS-110	594805	M-160
117920	M-100	517647	K-974	0,4000	50 110	594937	SB-364 S-1272
117920 117921	M-103	517649	K-1077	574742	KB-10391	594944	
117923	M-131	517665	KB-9743	576030	SB-346	595524	SB-365
117924	M-98			576034	S-1238	595528	SB-366 SB-367
120382	M-642	522266	S-1069	576042	SB-345	595529	SD-30/
124939	M-592	5316623	S-1107	57724-5	ES-50	595602	S-1273 KB-304
124944	M-590	547957	SB-203	577564-5	ES-6	595603	KB-305

for CHRYSLER, DESOTO, DODGE, DODGE TRUCK & PLYMOUTH

Car Factory	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number
Number 595614 595615 595616 500118 500121 500122	K-1217 M-253 M-268 KB-215 M-222 K-1097	640595 640751 640815 641657 642680 642862	UB-8 ES-35R UB-7 ET-6 K-1152 UB-14	689111 691130 693454 693455 693456-58 693456 693456 694523	M-409 FB-26 ET-71 ET-72 ES-76	, 867150 867151 867152 867173 912050 915097 915256-7 915097	FS-18 FB-47 M-586 FB-49 ES-148 ES-133
600123 600125 600126 600279 600287	K-1115 M-72 ET-9 SB-329 S-1206	643015 643067 643069 650555 650562 651082	DS-85 UB-15 U-34 UB-24 UB-24 .010 M-641	695232 695233 695234 696092	FCS-2 FCS-2 FCS-2 M-411	912050 918965 933435 933436 939710 939711	ES-148 K-1230 KA-16 KA-15 UA-54 UA-38
500297 501310 501600 502171-2 502171 602172 603568	U-13 U-12 U-5 RS-34 RS-34R RS-34L SB-330	651109 651110 651122 651123 651136	U-54 U-38 F-8 FB-12 FS-5 FB-13 ES-35L	697460 697461 830643 830644 830645 830647 830648 830649	U-62 U-63 KA-4 KA-7 KA-64 KA-16 KA-15 KA-53	939714 939715 939720 939721 939722 939751	UA-59 UA-58 SB-735 UA-39 UA-44 FA-026
603937 609298 618192 618891 618893	UB-25 K-1115 M-575 M-227 KB-233	651460 651467 651588 653505 653567 653614	E5-35L ET-6 S-1207 DS-86 U-39 UB-19 U-41	852346 853248 853252 853253 853271	FS-14 FS-18 FN-7 FN-15 FS-20	939752 939753 939754 939755	FA-027 FA-017 FA-044 {FA-039 FA-040
618894 619006 620371 620580 620771 621829 622138	KB-232 U-28 K-1129 ET-50 ES-35R U-29 U-31	653793 653794 655030 655030-31 655030-33 655031 655033	UB-17 ES-53R, ES-54R ES-53 ES-54 ES-53L ES-54L	853282 853284 854072 854075 854077 854078	F-17 FS-26 M-479 FB-32 M-480 M-473	939756 939757 939759 939761	FA-042 FA-043 FA-023 FA-024 FA-010 FA-014 FA-019
622230 622248-9 622612 622720 622721 622722	U-32 ES-36 ES-49 KB-235 KB-234 M-160	663131 663131-2 663132 663153 666235-6 666414	ES-57R ES-57 ES-57L U-44 ES-61 ET-64	854082 854083 854084 854085 854090 856161	M-481 FB-29 FB-31 FB-33 FB-30 FB-48	939762 947557 951297-8 951299-300	FA-024 /FA-029 (FA-030 KA-94 ES-57 ES-76 ES-77
622723 622738 622881 622885 626503	M-160 K-1137 F-7 F-3 M-223	667290 668265 668458 668459-60 669072 669074	FB-14 S-1222 ET-66 ES-52 FS-6 FB-15	856162 856163 856164 856761 856762	FN-16 FB-46 FN-8 FB-27 M-472	951299-301 951302 951302-3 951302-5 951303	ES-60R ES-60 ES-131 (ES-60L
626507 626508 626869 626870 626871	K-1125 M-101 K-1136 M-73 M-73	671129 672020 672021 676376	ES-70R F-14 FB-23 ES-60R	856783 857076 857301 857302	FB-24 KB-302 FCS-2 FCS-2 SB-735	951304 951306-7 951308 951308-10 951311-12	ES-61L ES-61L ES-50 ES-53 ES-54 ES-49
626954 626975 626982 627289 627783	K-1141 K-1133 KB-226 K-1138 ET-50	676377 676378 676462 681378 681382-4 681383	ES-61R ES-60L, ES-61L FS-7 KB-279 ES-57 ES-35R	857836 857837 858370-1 858372-3 858375-2 858381	SB-735 ES-76 ES-60 ES-61 S-1292	951313-14 951315-16 980501 1136489	ES-6 ES-123 ES-70R M-669
633197 633206 633672 634036 636230	FB-8 FB-7 KB-226 K-1153 KB-234	681660 682585 682586 682586-85	FB-16 ES-60, ES-61 ES-61R ES-61	858383 859805 861214 861217	S-1293 M-616 F-22		
636231 636232 637020 637022 637462	KB-247 K-1154 FB-9 FB-6 M-251	682587 683230 684227 684229 684230 684813	ES-60R FB-24 M-397 M-397 M-390 FB-20	862772 862773 863561 863562 864842 864843	M-598 F-24 S-1294 S-1295 FCS-2 FCS-2		
637465 637466 639276 640041	KB-248 KB-209 UB-25 UB-25.010	684856 689107 689108 689110	M-410 FS-17 FB-21 FB-22	864844 866837 866901	FCS-2 M-88 M-100		



for CLARK AXLE

KING BOLT SETS

YEAR		No. Cyl.	
	F-180, F-181, F-182		KA-78
	F306, F307, F308, F309		KA-81

YEAR	MODELS	No. Cyl.	King Bolt Sets
/ _3 ·	F264, F266, F267, F274, F280, F352, F353	• • •	KA-40

for CLYDESDALE TRUCK

KING BOLT SETS

1935-38; 30D, 40D, 75D, 11/2-31/2 Ton.

Uses King Bolt and Bushings Listed Under Timken 31000, 31000H.

1935-38; 90D, 100D, 4-7 Ton.

Uses King Bolt and Bushings Listed Under Timken 33000, 33000H.

1935-36; 105D, 5 Ton.

Uses King Bolts and Bushings Listed Under Timken 35000, 35000H.

1936-38; 34D, 1½ Ton.

Uses King Bolts and Bushings Listed Under Clark F262.

for CONDOR TRUCK

KING BOLT SETS

1931-46; CBV4, CBV6, 1½ Ton; CCV4, CCV6, CDW-1, GCW-1, COW-1, DZC-1, DZD-1, DZE-1, DZF-1, DZG-1, 9B6
Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 31000, 31000H.

1936-40; CEW-1, CEW-61, DZH-1, 4-51/2 Ton.

Uses Bolts and Bushings Listed Under Timken Axle 32500, 32501,

1936-46; ACW-1, BCW-1, CCW-1, DZB-1, ECW-1, FCW-1, 11/2-4 Ton; DZA-1.

Uses Bolts and Bushings Listed Under Clark Axle F266.

1940-46; DZJ-1.

Uses Bolts and Bushings Listed Under Timken Axle 33000H, 33010H, 33020H.

1940-46: DZA-1.

Uses Bolts and Bushings Listed Under Clark Axle F182.

for CORBITT TRUCK

KING BOLT SETS

1931-40; B12B6, B15B6, Bus, 15B6T, 12B6, 12W6, 15B6, 15W6, (T) 12BT6, 15B6T, 26SD4, Series 12, 15, 18, 22; 24SB2, 18SD4, 18B, 30SB2, 17B, 2-8 Ton, 6 cyl.

Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1932-46; B7B-6, B9B6, B6B6, Bus; 9B6, 10B6, (T) 10B6T, 9B6T, 12B, 13B, 14B, 16SB2, 18SB2, 18SB4, 1½-6 Ton. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 30020H.

1932-48; (T) 18D6T, 18SD4, 21B, 22B, 26D, 33SD4, 36SD2; Series 18, 27; 28SW64R, 21BO, 25BD, 25BG, 25DO, 22BG, 22BT, 22TD, 22TG, 25TD, 25TG, 35RG, 40RG, 18BT, H22TD, H22TG, H25TG, 2½-8 Ton.

Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H.

1938-48; 18BT, 17BT, 16BD, D18BT, 35SB2, 35SB4, H18TG.
Uses Bolts and Bushings Listed Under Timken Axle 33000TW, 32500.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–47	13B, 14BT, 17BT, D17BT, 18BG, 18BT, 18TG, H18TG, D18BT, 21D, 22D (Used with Straight Rod) (Used with Curved Rod)		ES-123 ES-122	
1937-47	22B, 22BG, 22BT, 22TD, 22TG, H22TD, H22TG, 25BG, 25TD, 25TG, H25TD, H25TG, 26D, 27BT, 27D, 27TD, 27TG, D27BT, H27TD, 28TD, 40SD2, 50SD4. (Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	

KING BOLT SETS

for DART TRUCK

1932-46; 60G, 70DR, 251, 252, 1500, 3-5 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1932-46; 80W, 4-6 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–46	30, 40, 40G, 50, 60, 60DR, 70, 70DR, 50 Special, 60G, 80W, 200, 251, 1000, 1500 (Used with Straight Rod) (Used with Curved Rod)		ES-123 ES-122	
1937–46	60, 80, 80W, 60 Special, 70COE, 100, 110, 120, 140, 150, 252, 300, 350, 452 (Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	

for DAY-ELDER BUS & TRUCK

KING BOLT SETS


1930-38; 85, 60, (4) 75, 76, 86, 150, 110, 111, 151, 151T, 211T, 1-4Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H.

1931-38; 130, 160, 131, 161, 251T, 281T, 301D, 2½-7 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1931-38; 200, 201, 4 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H.

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. User
	Same and the second			1 0360	Description	1 User
	For comple Parts for 1935-4	te vie 8 De	ew showing type of Wheel Soto, see panel under CHR	Suspe	ension CR.	
1935	SF	1.6	1 50 00 00			1
1955		6	FA-04 Upper F-3	2	FA-08 Lower	2
			FB-6 FB-7		FB-9 K-II29 FB-8	
1936	S1	6	FA-09 Upper	2	FA-010 Lower F-7 K-II29 M-390 FB-9	2
1937–39	S3, S5, S6	6	FA-010 Lower F-7 F-7 F-8-9	2		
1940	S7, S7S, Except 7-Pass. Sedan and Limousine	6	FA-045 Lower F-22 M-587 FB-26 M-46I	2		
1940	S7, S7S, 7-Pass. Sedan and Limousine	6	FA-029 Lower F-17 M-480 FB-32 M-479	2		
	S8, S10, S11, Except 7-Pass. Sedan and Limousine	6	FA-039 Upper F-22 M-461 FB-46 M-587	2	FA-045 Lower F-22 M-587 FB-26 M-46I	2
941–48	S8, S10, S11, 7-Pass. Sedan and Limousine	6	FA-042 Upper F-24 F-24 M-669 M-480	2	FA-029 Lower F-17 M-480 FB-32 M-479	2

	CTEFDII	NG	KNUCKLE SUPPO	RT	for DESO	10
	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
Year 1940	S7, S7S, Except 7-Pass. Sedan and Limousine		FN-7 Right or Left	2		
1941–47	S8, S10, S11, Except 7-Pass. Sedan and Limousine	6	FN-8 Right or Left	2		
· ,	CONTROL A		AND SHAFT AS		IBLY	No.
Year	MODELS	No. Cyl.	Description	No. Used	Description	Used
1936	S1	6	FA-016 Lower FS-5 FB-13	2	TOTAL OF SAME	
1937	S3	6	FA-014 Lower FS-6 FS-6 M-397 FB-15 FB-15	2	FA-57 Upper Outer Ecc. Bushing and Seal Kit FB-14 M-473	2
1938–39	S5, S6	6	FA-017 Upper FS-7 FB-16 M-397 FB-31	2	FA-014 Lower FS-6 FS-6 M-397 FB-15 FB-15	2
	Lone resource that the control of th		FA-57 Upper Outer Ecc. Bushing and Seal Kit FB-14 M-473	2	Prof. State Appella Lian 18.	
1940	S7, S7S, Except 7-Pass. Sedan and Limousine	6	FA-027 Upper FS-18 FB-21 M-472 FB-22	2	FA-024 Lower FS-14 FB-24 M-411	
	Silver ten menge street in a de reception la de reception de la companie de la co		FA-58 Upper Outer Ecc. Bushing and Seal Kit G FB-27 M-472	2		



FCS-12

M-634

_ M-634

Ju	m	e.	1	g	41	3

and 7-Pass. Sedan and Limousine.

1940-48 S7, S7S, S8, S10, S11, Except 7-Pass.

Sedan and Limousine.....

in pairs.

spring.

in a package.

Sold ONLY 2 Springs

Spacer-.139 Thick. Install spacers on the flatted end of the coil

for DE SOTO

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Set	YEAR	MODELS	No. Cyl.	King Bolt Set
1935–36 1935–39	K, CK, SA, SC, SD, 6 cyl.; CF, 8 cyl	6-8		1942–48	S10, S11, 7-Pass. Sedan & Limousine	6	K-1129 M-86 M-160

SHACKLE KITS & PARTS

		1		FRONT	BOLT	FRONT BU	SHING	REAR B	OLT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1932	SC, Standard to Car 5054454; Custom to Car 6012105	6				SB-138 Bolt Kit	2 1	UA-54 UA-55	2 2	UB-25* UB-25*	4 4
1932–33	SC, Standard after Car 5054454; Custom after Car 6012105; SD					SB-330 Bolt Kit	2 1	UA-14* UA-55*	2 2	UB-25* UB-25*	4 4
1934–36	Airflow SE, SG, S2	6	Rr.	SK-32	Spring	Bolt Kit	1	UA-55*	2	UB-25*	4
1935	Airstream SF	6				spension Bolt Kit	Parts I	Listing. UA-59*	2	UB-25*	4
1936	Airstream S1	6				spension Bolt Kit		Listing. UA-41*	2	UB-17*	4
1937–39	S3, S5, S6	6				aspension is Bolt Kit		Listing. UA-59* UA-58*	1	UB-25* UB-25* UB-24*	2 1-Fm. 1-Sp.
	2000114	-UA	-58 ar	d UA-5	9 Siler	t U Assen	nblies i	nclude two	M-478	Seals.	
1940-48	S7, S7S, S8, S10, S11	6	Fr. Rr.	See W SK-34	heel S Sprin	uspension g Bolt Kit	Parts 1	Listing.	ackle A	ssembly	2

*Silent U Shackles marked * used as original equipment. UB-24, and UB-25 are available with .010 oversize Outside Diameter. Abbreviations; Fr.-Front, Rr.-Rear, Fm.-Frame, Sp.-Spring.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Rod Stock No.
1933-36	SD, Airflow, SE, SG, S2	6	ES-50	
1935	SF, Airstream(For Right Rod) (For Left Rod) Adjusting Socket for Drag Link		ES-35 ES-36 ES-35R	
1936	Airstream S1(For Right Rod) (For Left Rod)		ES-53 ES-54	
1937–39	S3, S5, S6(For Right Rod) (For Left Rod)		ES-60 ES-61	
1940–48	S7, S7S, S8, S10, S11		ES-60 ES-131	

FOR INTERCHANGEABILITY OF DE SOTO PART NUMBERS WITH OUR PART NUMBER, SEE PAGE 30.

for DIAMOND-T TRUCK

KING BOLT SETS

1931-39; D20, D30, 243, 244C, 251B, 262, 303, 303FB, 310, 311B, 311C, 311DR, 312, 313, T316, 320, 325B, 325DR, 350, 351B, 351C, 351DR, 352, 353, 360, 375, 401, 402, 404C, 410A, 410B, 425, 509, 513, 611, 612, 612H, 613, 613 Spec., 613DR, 614, 614 Spec., 614DR, 614H, 614HDR, 615, 1½-5 Ton. Uses Bolts and Bushings Listed Under Clark Axle F308.

1934-46; 201, 201C, 211A, 211SF, 211FF, 212AS, 212BS, 220, 221S, 226, 227, 228S, 231, 242, 306, 332, 333, 404, 404H, 405, 406, 660, 1-3 Ton.

Uses Bolts and Bushings Listed Under Clark Axle F264, F266, F280.

1937-40; 80, 201, 301, 304, 305, 306, 34-2½ Ton.
Uses Bolts and Bushings Listed Under Clark Axle F180, F182.

1940-46; 702, 702SBD1500.

Uses Bolts and Bushings Listed Under Timken Axle 33000H, 33600.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Steck No. Per Pair	Intermediate Rod Stock No.
1937-46	D30 Special, 40, 45, 45L, 360 Special, 612SC, 614, 614SC, 702	6		The state of
	(Used with Straight Rod)		ES-123	
	(Used with Curved Rod)		ES-122	
1937-46	404C, 412DR, 512B, 512DR, 612C, 614, 614C, 615C, 702, 702C, 703, 803C, 804C,			No. of the least
	805, 805A, 805C, 805N, 806, 806W, 807W, 808, 809, 900, 900W, 901	6		
Tax Laste	(Used with Straight Rod)		ES-133	
	(Used with Curved Rod)		ES-138	


for DIVCO TRUCK

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	King Bolt Sets
	H, HB Serial 8002 to 8153 H, HB, after Serial 8154; Q34, Q35, R34, R35, S; U, UB, UL, UM140, UM162 to Serial 21943, ½-1½ Ton		KA-23	1938–47	U, UB, UL, UM140, UM162 after Serial 21944, ½-1 Ton	4	KA-97


YEAR	MODELS	No. Cyl.	Secket Stock No. Per Pair	Intermediate Rod Stock No.
1938-47	U, UB, UL, ULM, ULM4, UM, UM6, UM7, UM140, UM162, ½-1 Ton	4		
	(Used with Straight Rod)		ES-123	[
	(Used with Curved Rod)		ES-122	

for DODGE TYPE OF WHEEL SUSPENSION USED ON 1934-48 DODGE



Year	MODELS	No. Cyl.	PPORT PIN ASSI	No. Used		No.
1934	DR, DS	6	FA-04 Upper F-3 FB-6 FB-7	2	FA-08 Lower F-7 FB-9 K-II29 FB-8	Used 2
1939	D11, Except 7-Pass. Sedan and Limousine. (Used with early type forged arms)		FA-023 Lower F-14 M-410 FB-23 K-1129	2		
1939	D11, Except 7-Pass. Sedan and Limousine. (Used with late type stamped arms.)		FA-045 Lower F-22 M-587 FB-26 M-461	2		
1939	D11, 7-Pass. Sedan and Limousine	6	FA-010 Lower F-7 F-7 F-8-9	2		
1940	D17; D14, D15, D16, Except 7-Pass Sedan and Limousine	6	FA-045 Lower F-22 M-587 FB-26 M-46I	2		
	D14, D15, 7-Pass. Sedan and Limousine	6	FA-029 Lower F-17 M-480 FB-32 M-479	2		
1941–48	D19, D20, D21, D22, D24, Except 7-Pass. Sedan and Limousine; D23	6	FA-039 Upper F-22 M-46I FB-46 M-587	2	FA-045 Lower F-22 M-587 FB-26 M-46I	2
1941–48	D19, D20, D21, D22, D24, 7-Pass. Sedan and Limousine	6	FA-042 Upper F-24 FB-48 M-669 M-480	2	FA-029 Lower F-17 M-480 FB-32 M-479	2

	STEERI	NG	KNUCKLE SUPPO	RT	for DOD	GE
Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
	D11, D14, D15, D16, D17, Except 7-Pass. Sedan Limousine. (Used with late type stamped arms)		FN-7 Right or Left	2		
1941–48	D19, D20, D21, D22, D24, Except 7-Pass. Sedan and Limousine	6	FN-8 Right or Left	2		
	CONTROL A	RI	AND SHAFT AS	SEM	IBLY	
V	MODELS	No. Cyl.	Description	No. Used	Description *	No. Used
Year 1939	D-11, Except 7-Pass. Sedan and Limousine (Used with forged and stamped arms)	1	FA-026 Upper FS-17 FB-22 M-409 FB-21	2	FA-024 Lower FS-14 FB-24 M-411	2
			FA-60 Upper Outer Ecc. Bushing and Seal Kit	2		
1939	D11, 7-Pass. Sedan and Limousine	6	FA-017 Upper FS-7 FB-16 M-397 FB-31	2	FA-014 Lower FS-6 M-397 FB-I5 FB-I5	2
			FA-57 Upper Outer Ecc. Bushing and Seal Kit FB-14 M-473	2		
1940	D17; D14, D15, D16, Except 7-Pass. Sedan and Limousine	6	FA-027 Upper FS.18 FS.18 FB-21 M-472 FB-22	2	FA-024 Lower FS-14 FB-24 M-411	2
			FA-58 Upper Outer Ecc. Bushing and Seal Kit FB-27 M-472	2		



	FRON	T	COI	L SF	RIN	G SPA	CER	S	f	or DO	DG	
Year	MODELS	1	No. Cyl.		Descrip	otion	No. Used	la in this	Descript	ion	. No	
1939	D11, 7-Pass. Sedan and Limousine		6		M-63	31		2.130)		TAME	
	Control of mean successful and a successful at mean successful and a successful at a successfu		Install spacers flatted end of the spring.						Thick	s on the the coil		
1939–48	All Models, Except 7-Pass. Sedan a	and	6		M-63	M-634	1	Install	spacer	Thick rs on the f the coi		
	Urgania op. Aug. 1	K	INC	BO	LT S	ETS						
YEAR	MODELS	Ne. Cyl.	B	ing olt ets	YEAR			MODELS		No.	King Bolt	
1930–32	DM, 4 cyl.; DD, DF, DH, DL, 6 cyl.; DC, DG, 8 cyl Steering Arm & Tie Rod Ball	4-6 -8	KA- T-96	4				D5, to Car 4715778; D8	1 2 1		Sets KA-15 KA-53	
1932–33	DK, DOSteering Arm & Tie Rod Ball	8	KA- T-96			41 D14, D	17, D1	9, 7-Pass. Se	edan aı	nd -	KA-94	
1933	DP; Canadian DQ	6	KA-	7	1942-	48 D22, D2	24, 7-P	ass. Sedan a	and Li	m-		
1934	DR to Car 3681754; DS Special Six to Car 4528656	6	KA-	64		Kir Up	ng Bolt	(2 Used) shing (2 Used)	ed)		K-1153 KB-302 K-1129	
1934–48	1934 DR after Car 3681754; DS Special Six after Car 4528656; 1939-48 D11, D11S; D14, D17, D19, D22, D24, Except 7-Pass. Sedan and Limousine		KA-	16		Exp Shi	pansion ms (U	Plug (4 United as Plug (4 United as Requirements) (2 United as Plug (2 United as Plug (4 United as Plu	sed)		M-86 M-160	
	SH	ACI	KLE	KIT	rs 8	PART	S	4-11-12			1	
YEAR	MODELS	No.		FRONT	BOLT	FRONT BUS	HING'	REAR BO	LT	REAR B	USHING	
		Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	
930-32	DD; DH; DL		Fr. Rr.			SB-138	2	UA-15 Siles Shackle UA-54 Siles	2	UB-25*		
1933	DP		Fr.	CV 22	Casina	Bolt Kit	1	Shackle	2			
1933		1	Rr.		1	Bolt Kit	1	UA-12* Sil- Shackle UA-13* Sil- Shackle	2	\{\begin{aligned} \text{UB-7} \\ \text{UB-8} \\ \text{UB-8} \end{aligned} \]	2-Fn 2-Sp	
1934	DR, DS		Fr. Rr.	See W SK-32	Spring	spension P Bolt Kit	1:0	UA-55* Sile Shackle	2	UB-25*	4	
1935	DU		Fr.	SW 20		SB-330	2	UA-33* Sile (R) Shackle UA-34* Sile (L) Shackle	ent U	UB-14*		
	The second second		Rr.	SK-32	Spring	Bolt Kit	-1	UA-59* Sil		UB-25*	4	

(Continued on next.page)

for DODGE

SHACKLE KITS & PARTS

(Continued from preceding page)

		No.		FRONT	BOLT	FRONT BL	ISHING	REAR BO	DLT	REAR BUS	HING
YEAR	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1936	D2	6	Fr.	UA-54*	Silen	t U (R) Si UB-25*	h. 1	S-1207	1-R	SB-330	1-R
				UA-38	Silen	t U (L) SI	h. 1	1		The state of	\ . ·
							1-Fm.	UA-39* Sil (L) Shackl		{UB-19 UB-25*	1-Fm. 1-Sp.
	•		Rr.	SK-32	 Spring 	Bolt Kit	1	UA-59* Sil Shackle	ent U	UB-25*	4
1937–38	D5, D8	6	Fr.	UA-54*	Silen	t U (R) Si UB-25*	h. 1	S-1207	1-R	SB-330	1-R
	13/11/2 SEAL TO SEAL			UA-38	* Silen	t U (L) SI	h. 1				
						{UB-25* UB-24*	1-Fm. 1-Sp.	UA-44* Sil (L) Shack	le 1	(UB-19 UB-24*	1-Fm. 1-Sp.
			Rr.	SK-34	Spring	Bolt Kit	1	UA-59* Si (R) Shackl	e 1	UB-25*	
								UA-58* Sil (L) Shackl		UB-25*	
		For	Cars JA-44.	having	"Hea	vy Duty"	Spring	gs, use Asse	mbly	UA-39 inst	tead of
1939–40	D11, D14, D17	6	Fr. Rr.			Bolt Kit		UA-59* Si		IID of*	
L K		6			•			(R) Shackl UA-58* Si (L) Shackl	lent U	UB-25* {UB-25* UB-24*	

Abbreviations: Fr.-Front, Rr.-Rear, Fm.-Frame, Sh.-Shackle, Sp.-Spring, R-Right, L-Left, Up.-Upper, Lr.-Lower

UA-58 and UA-59 Silent U Assemblies include two M-478 Seals.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1933	DP, DQ	6	IRS-34	1
1933	DO	8	ES-50	
1934	DR, DS(For Right Rod)		ES-35	
	(For Left Rod)		ES-36	ET-50
	Adjusting Socket for Drag Link	++	ES-35R	
1935	DU		ES-57	ET-6
	Adjusting Socket for Drag Link		ES-35R	
1936	D2		ES-57	ET-6
	Complete Drag Link Assembly	++	DS-86	A CANADA
	Adjusting Socket for Drag Link	++	ES-70R	
1937	D5		ES-57	ET-64
	Complete Drag Link Assembly	++	DS-87	
1938	D8		ES-57	ET-64
	Complete Drag Link Assembly used with 16" Wheels	++	DS-87	
	Complete Drag Link Assembly used with 18" and 20" Wheels	++	DS-88	1 7 1 10 1
	Adjusting Socket for Drag Link used with 16" Wheels	++	ES-70R	
	Adjusting Socket for Drag Link used with 18" and 20" Wheels	$\rightarrow \rightarrow$	ES-53R	E Town
1939	D11 (Except 7-Pass. Sedan and Limousine)	6	ES-76	ET-71
	(For Left Rod)	N. Y.	ES-77	ET-72
1939	D11, 7-Pass. Sedan and Limousine(For Right Rod)	6	ES-60	
	(For Left Rod)		ES-61	
1940-48	D14, D17, D19, D22, D24. (For Right Rod)	6	ES-60	
	(For Left Rod)		ES-131	



KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	
1928–31	GE, HE, LE, ME, OE, RE, TE, 135, 150, 165, 185, DA150, DA165, 1¼-3 Ton; JE, YE, 880, 881, Bus; 883, 884, 885, 886 School Bus	27 14	KA-81	1934–35	KC, KCL from Serial 8032345 to 8032656 and after 8032796, also after 9202594. KC Spec. USA, KC1 USA, KCL Spec. USA, KCL1 USA, ½ Ton		KA-16
1930-31	U124, 4 cyl.; DA120, DA124, 6 cyl., ¾ Ton (Wood Wheels) King Bolt (2 Used) Upper Bushing (2 Used) Lower Bushing (2 Used) Lock Pin (4 Used) Expansion Plugs: For DA124 & U124 (2 Used) For DA120(2 Used) U124, 4 cyl.; DA120, DA124, 6 cyl.	4-6	K-1039 KB-10391 KB-10391 K-1078 M-85 M-104	1935–47	K50V to K53V; K60V to K63V; T36; LM70, LM71; MK60 to MK63; ML50 to ML53; RK60 to RK63; RL50 to RL53; RX70, RX71; TK60 to TK63; TL50 to TL53; VK60 to VK63; VL50 to VL53; WK60 to WK69; WL50 to WL53. Diesel TKD60 to TKD63; TLD50 to TLD53; VKD60 to VKD63; VLD50 to VLD53; WKD60 to WKD63;	ETE	
1930-31	(Steel Wheels); U133, 4 cyl., DA133, 6 cyl., after Serial D-231840, after E-149605, after S-115573 Upper Bushing (2 Used) Lower Bushing (2 Used) Plug, For All Models, except DA120 (2 Used) Plug, For Model DA120 (2 Used)	4–6 	KB-248 KB-209 K-1078 M-86 M-104	1936–48	WLD50 to WLD53; 2-4 Ton. LC, LC USA, LCX; MC, MCX; MD15 to MD21, MDX20, MDX21; RC, RCX; RD10 to RD21, RDX20, RDX21; TC, TCX; TD15 to TD21; TDX15 to TDX21; T112, T211, T215; VC; VD15 to VD21; WC; WD15 to WD21, B1B, B1C, B1D, ½-1 Ton	6	KA-108
1930–32	Merchants Express UF10, 4 cyl.; F10, 6 cyl., ½ Ton Tie Rod Ball (3 Used)	4-6	KA-4 T-963	1939	TG40 to TG44; TH45 to TH49, TH48X, TH49X, 1½-2 Ton	6	KA-83
1931–38	F30, F31, UF30, UF31, G22, G43, G44, GS55, UG43, UG44, UGS55, H22, H33, H34, H34X, H43, H44, K22, K22V, K35 to K38; K32 USA, K35X USA, K35X USA, K36 USA; K35V to K38V; K45 to K48; K55 USA; K45V to K48V; LG40 to LG43; LH29 to LH48; LH45 USA to LH47 USA; MG40 to MG44; MH29 to MH49, MH49X; RG40 to RG44;			1940–47	T118; VF20 to VF39; WF20 to WF39; WFAX31 to WFAX36, 1-1½ Ton	6	KA-101
1932-40	RH29 to RH49, 1-2 Ton G20, G21, G30, G31, GS50; UG20,	6	KA-42		to WHM48 to Serial 8707086 (Detroit) and to 9272846 (Los Angeles), 1½-2 Ton	6	KA-100
200 S	UG21, UG30, UG31, UGS50; H20, H21, H30, H30 USA, H31, H31X, K19 to K21, K19V; K20X, K21X; K30 to K34; K32V to K34V, K34NC1; KH15 to KH33; KH31 USA, KH31V USA, KH32V USA; LE15 to LE32; LE31 USA, LE32 USA; LF28 to LF39, LF37 NC School Bus; ME 15 to ME32; MF28 to MF39, MF38X; RE15 to RE32, RE31 USA; REX30 to REX32; RF28 to RF39, RFD38; T201, T203; TE20 to TE32; TE31 USA,	70.00			WFM35 to WFM38 after Serial 8296299 (Detroit) and after 9264549 (Los Anglees); WH45 to WH49 after Serial 8961985 (Detroit) and after 9296151 (Los Angeles); WHM45 to WHM48 after Serial 8707086 (Detroit) and after 9272846 (Los Angeles); (1948) B1FM, B1FMA, B1J, B1JA, B1JM, B1JMA, B1R, B1RA, B1S, B1RS, 1½-3 Ton	6	KA-119
	TE31X USA; TF35 to TF39, TF36 USA, ¾1½ Ton Tie Rod Ball (3 Used)	6	KA-41 T-963		WR65 to WR69, WRA65 to WRA69, B1V, B1VA, 3 Ton	6	KA-106
1933–35	HC, HCL; KC, KCL to Serial 8032345 and from 8032656 to 8032796 and to Serial 9202594, ½ Ton	6	KA-7	1948	BIT, BITA, 3 Ton	6	KA-108

0			_	
OH H M		The sale of	•	
			4	
	Street St. A.		-	KITS

		l	1	FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1930–31	DA120, DA130, DA140, 3/4-1 Ton	6	Fr.			SB-178	2			SB-177 SB-178	2-Up 2-Lr.
			Rr.			SB-217	2			SB-217	2-Lr.
1930–31	U124, U133, 4 cyl.; DA124, DA133, 6 cyl., 3/4-1 Ton	4–6	Fr.	S-1069	2	SB-178 SB-217	2 2	S-1069	4	SB-177 SB-178 SB-217	2-Up 2-Lr
1930–32	Merchants Express UF10, 4 cyl.; F10, 6 cyl., ½ Ton	4–6	Fr.			SB-138	2				
1931	U133, 4 cyl.; DA133, 6 cyl., 1 Ton	4-6	Fr.	S-1069	2	SB-178 SB-217	2 2	S-1069	4	(SB-177 (SB-178 SB-217	2-Up 2-Lr 2-Lr
1931–33	UF30, UF31, UG43, UG44, UGS55, 4 cyl.; F30, F31, G43, G44, GS55, 6 cyl., 1½-2 Ton	4–6	Fr.	S-1069 S-1107	4	SB-177 SB-178 SB-217	2-Up. 2-Lr. 2	S-1069 S-1107	2 4	SB-178 SB-217	2 2-Lr.
1932–34	UG43, UG44, 4 cyl.; G22, G43, G44, H22, H33, H34, H34X, H43, H44, H44X, 6 cyl.; 1½-2 Ton	4–6	Fr. Rr.	S-1069 S-1107	4 2	SB-178 SB-217	2-Lr.	S-1069 S-1107	2 4	SB-178 SB-217	2 2-Lr.
1932–38	UG20, UG21, UG30, UG31, UGS50, 4 cyl.; G20, G21, G30, G31, GS50, H20, H21, H30, H30 USA, H31, H31X, K19 to K21, K19V; K20X, K21X; K30 to K34; K32 USA, K33X USA; K32V to K34V, K34NC1; KH15 to KH33; KH31 USA; KH16V to KH33V; KH31V USA, KH32V USA; LE15 to LE32; LF28 to LF39; ME15 to ME32; MF28 to MF39, MF38X; RE15 to RE32, REX30 to REX32; RF28 to RF39, ¾-1½ Ton	4–6	Fr. Rr.	S-1160	2	SB-203	2	S-1159 S-1160	2 4	SB-309 SB-269 SB-203	2 2-Br 2-Sp
1933–35	HC, HCL; KC, KC Special USA, KC1 USA, KCL, KCL Special USA, KCL1 USA, KCX, KCLX, ½ Ton	6	Fr. Rr.	17-17		Bolt Kit	1 1	UA-12* Sil Shackle UA-13* Sil Shackle	2	\{\text{UB-7*}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2-Fm 2-Sp.
1934–38	K22, K22V; K35 to K38; K35X USA, K36 USA, K35V to K38V; K45 to K48; K55 USA; K45V to K48V; LG40 to LG43; LH29 to LH48; MG40 to MG44; MH29 to MH49, MH49X; RG40 to RG44; RH29 to RH49,					6	*:		7		
305-60	1-2 Ton	6	Fr. Rr.	S-1069 S-1107	2	SB-178 SB-217	2-Sp.	S-1178 S-1107	4	SB-178 SB-217	2 2-Sp
1935	KH31 USA, 1½ Ton	6	Fr. Rr.	S-1160	2	SB-309 SB-203	2-Sp.	S-1159 S-1160	2 4	SB-309 ∫SB-203	2 2-Sp

D

for DODGE TRUCK

SHACKLE PARTS & KIT

YEAR	MODELS	No.		FRONT		FRONT BU	SHING	REAR BE	LT	BEAR BUS	HING
	100 mg 1 m	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No.
1935–39	K50V to K53V; K60V to K63V; T36; LM70, LM71; MK60 to MK63; ML50 to ML53; RK60 to RK63; RL50 to RL53; RX70, RX71; TK60 to TK63; TL50 to TL53; Diesel TKD60 to TKD63; TLD 50 to TLD53, 2-3 Ton	6	Fr.			\{SB-326 \{SB-265 \SB-283\}	2-Br. 2-Sp. 2			SB-265 \$SB-327 \$B-283	2 2-Si 2-S
1936	LC, LC USA, LCX, ½ Ton to Serial 8118444	6	Fr.	UA-38*	Silen	t U (R) SI UB-25* t U (L) SI UB-25* UB-24*	2 n. 1 1-Fm. 1-Sp.	SK-35 Spri	0.0		1
	三等。从有 主 为了。		Rr.	SK-32 S	Spring	Bolt Kit	1	UA-65* Sil Shackle	ent U	{UB-21 UB-25*	2-F 2-S
1936	LC, LC USA, LCX ½ Ton after Serial 8118444	6	Fr.			t U (R) SI UB-25* t U (L) SI UB-25*	2	SK-35 Spri	ng Bol	Kit	1
			Rr.	SK-32	Spring	UB-24* Bolt Kit	1-Sp.	UA-64* Sil (R) Shackl UA-65* Sil (L) Shackl	e 1 ent U	{UB-21 UB-24* {UB-21 UB-25*	1-F 1-S 1-F 1-S
1936	LH45 USA to LH47 USA, 2 Ton.	6	Rr.	S-1107	2	SB-217	2	S-1107	4	SB-217	2-S
1936–39	LE31 USA, LE32 USA, LF37NC, T201, RE31 USA, 1½ Ton	6	Fr. Rr.	S-1069 S-1160	2-Lr. 2	SB-345 SB-269 SB-203	2-Sp. 2-Sh. 2	S-1159 S-1160	2 4	SB-309 (SB-203 (SB-269	2 2-S 2-S
1937–38	MC, MCX, RC, RCX, ½ Ton	6	Fr.	1			2 n. 1 1-Fm.	SK-35 Spri	ng Bol	t Kit	1
	The A Band Street To be at the street of the		Rr.	SK-34	Spring	Bolt Kit	1	UA-64* Sil (R) Shackl UA-65* Sil (L) Shackl	e 1 ent U	UB-21 UB-24* UB-21 UB-25*	1-F
1937–38	MD15 to MD21, MDX20, MDX21; RD10 to RD21, RDX20, RDX21, ¾-1 Ton	6	Fr.			t U (R) SI UB-25* t U (L) SI {UB-25*	2 h. 1 1-Fm.	SK-35 Spri	ng Bol	t Kit	1
			Rr.			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1-Sp. 2	S-1239	4	SB-345 SB-346	2-S 2-S
1938	RO55 to RO58; RP65 to RP68, 2-3 Ton	6	Fr. Rr.			 SB-326 SB-265 SB-283	2-Br. 2-Sp. 2		V.A. 191	SB-265 (SB-327 (SB-283	2-S 2-S
1939	TE20 to TE32; TE31 USA,	-	is Cap							(52-203	-
194-41	TE31X USA; TF35 to TF39; TF36 USA, 1-1½ Ton	6	Fr.	S-1259 S-1260	4	(SB-309 (SB-239 (SB-206	2-Sp. 2-Sh.	S-1259 S-1260	2 4	SB-309 (SB-206	2-8

SHACKLE PARTS & KITS

VEAD	MODELS	No.		FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BUS	HING
YEAR	WIODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1939	TC, TCX; TD15, TDX15, ½-¾ Ton	6	Fr.			t U (R) SI UB-25* t U (L) SI (UB-25*	2 h. 1 1-Fm.	SK-35 Spri	ng Bol	t Kit	1
			Rr.	SK-36	Spring	UB-24* Bolt Kit	1-Sp.	UA-64* Sil (R) Shackl UA-65* Sil (L) Shackl	e 1 ent U	UB-21 UB-24* UB-21 UB-25*	1-Fm 1-Sp. 1-Fm 1-Sp.
1939	TD20, TD21, 1 Ton	6	Fr.			t U (R) SI UB-25* t U (L) SI (UB-25*	2 1. 1	SK-35 Spri	ng Bol	Kit	1
			Rr.	SK-36	Spring	UB-24* Bolt Kit	1-Sp.	S-1239	4	\{\text{SB-345}\\ \text{SB-346}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2-Sp. 2-Sh.
1939	TG40 to TG44; TH45 to TH49, TH48X, TH49X, 1½-2 Ton	6	Fr. Rr.	S-1261 S-1262	4 2	SB-178 SB-265	2-Sp.	S-1261 S-1262	2 4	SB-178 SB-265 SB-326	2 2-Sp. 2-Sh.
1940–41	VK60 to VK63; VL50 to VL53; WK60 to WK63; WL50 to WL53; Diesel VKD60 to VKD63; VLD50 to VLD53; WKD60 to WKD63; WLD50 to WLD53, 2-3 Ton	6	Fr. Rr.			\{SB-326 \SB-265 \SB-283	2-Sh. 2-Sp. 2			SB-265 {SB-327 SB-283	2 2-Sp. 2-Sh.
1940–41	T207, T211	6	Fr. { Rr.		2-Lr.	SB-309 SB-370 Bolt Kit	4 2 1	S-1259 S-1239 M-594 Loc	2 4 k Bolt	(SB-345 (SB-346 & Nut	4-Sp. 2-Sh. 4
1940–47	VC, VD15, T112, WC, WD15, ½-¾ Ton	6	Fr.	UA-54*	Silen	t U (R) Si {UB-25* {UB-24* t U (L) Si UB-25* Bolt Kit	1-Fm. 1-Sp.	SK-35 Spri UA-64* Sil (R) Shackl UA-65* Sil (L) Shackl	ent U e 1 ent U	UB-21 UB-24* UB-21	1-Fm 1-Sp. 1-Fm 1-Sp.
	· · · · · · · · · · · · · · · · · · ·	UA-	64 an	d UA-65	Silen	t U Assem	blies in	clude two I	M-478 S	eals.	
1940–47	T202, VD20, VD21, WD20, WD21, 1 Ton	6	Fr.	UA-54*	Silen	t U (R) S: UB-25* UB-24* t U (L) S! UB-25* Bolt Kit	1-Fm. 1-Sp.	SK-35 Spri	ng Bol	SB-345 SB-346	1 2-Sp.
10/0	TIPOO AS TIPOO MILO VIITOS		-	-				M-594 Loc	k Bolt		2-Sh.
1940–46	VF20 to VF39; T118, WF20 to WF39, ¾-1½ Ton		Fr. Rr.	S-1272 S-1260 M-594		SB-365 SB-364 SB-206 Bolt & Nu	2-Sh.	S-1272 S-1260 M-594 Loc	2 4	SB-365 (SB-206 SB-270S	2 2-Sp. 2-Sh



SHACKLE PARTS & KITS

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BUS	HING
TEAN	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1940–46	VM35, VM37; WFM35 to WFM38, 1½ Ton	6	Fr. Rr.	S-1273 S-1260 M-594		SB-367 SB-366 SB-206 Bolt & Nu	2-Sp. 2-Sh. 2 t 2	S-1273 S-1260 M-594 Loc	2 4 k Bolt	SB-367 {SB-206 SB-270S & Nut	2 2-Sp. 2-Sh. 4
1940–47	WG40 to VG44; VH45 to VH49; WG40 to WG44; WGM40 to WGM42; WH45 to WH49; WHM45 to WHM48, WJ55 to WJ59, WJA55 to WJA59, 1 ½-2										
	Ton	6	Fr. Rr.	S-1273 S-1262	2	SB-367 SB-366 SB-265	2-Sp. 2-Sh. 2	S-1273 S-1262	2 4	SB-367 {SB-265 SB-326	2 2-Sp. 2-Sh
1941-42	T211, T215	6	Fr. {	S-1287 S-1288 S-1239 M-594	2-Lr.	SB-309 SB-370 Bolt & Nu		S-1259 S-1239 M-594 Loc	2 k Bolt	 SB-345 SB-346 & Nut	4-Sp. 2-Sh. 2
1946-47	WK65 to WK69, WR65 to WR69	6	Fr. Rr.			SB-283	2			SB-283 SB-327	2-Sp. 2-Sh.
1946–47	WDX (Power Wagon), 1 Ton	6	Fr. Rr.			Bolt Kit		S-1259 S-1239	2 4	SB-346 SB-345	2-Sh. 2-Sp.

★Silent U Shackles marked * used as original equipment. UB-24 and UB-25 are available with .010 oversize outside diameter.

Abbreviations: R-Right, L-Left, Fr.-Front, Rr.-Rear, Sp.-Spring, Sh.-Shackle, Br.-Bracket, Fm.-Frame.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1930–34	UF30, UF31, 4 cyl.; F30, F31, F35, F36, F37, G43, G44, H43, H44, K45, K46, K47, K48 to Serial 8612274 and 9273552, 6 cyl., 1½-2 Ton	4–6	ES-6*	ET-34*
1931–33	UF10 after Serial 8002596 and 9200073, $\frac{1}{2}$ Ton, 4 cyl.; F10 after Serial 8101140 and 9212569; HC, HCL, $\frac{1}{2}$ Ton, 6 cyl	4-6	ES-35	
1931–35	UF10 to Serial 8002596 and 9200073, ½ Ton, 4 cyl.; F10 to Serial 8101140 and 9212569, ½ Ton; G30, G31, UG30, UG31, H20, H21, H30, H30 USA, H31, K19 to K21, K19V; K20X, K21X; K30 to K34; K32V to K34V, K34NC1; KH15 to		,	
	KH33; KH31 USA; KH16V to KH33V; KH31V USA, KH32V USA, $\frac{3}{4}$ -1½ Ton	4-6	ES-50	
1934	KC, KC Special USA, KC1 USA, KCL, KCL Special USA, KCL1 USA, KCX, KCLX, ½ Ton		ES-57 ES-35R	
1934–47	1934-35, K22, K22V; K35 to K38; K32 USA, K33X USA, K35X USA, K36 USA, K55 USA; K35V to K38V; K45 to K48 after Serial 8612274 and 9273552; K45V to K48V, 1-2 Ton; 1941-46, WFM35 to WFM38; WGM40 to WGM42; WHM45 to WHM48, 1-2 Ton; WG40 to WG44, WGA40 to WGA44, 1½ Ton; WH45 to WH49, WHA45 to WHA49, 2 Ton; WGMA40 to WGMA42, 1½ Ton; WHMA45			
- 50 K	to WHMA48, 2 Ton; WJ55 to WJ59, WJA55 to WJA59	6	ES-6	ET-34
1935–47	1935, K50V to K53V; K60V to K63V; LM70, LM71; 1938-41, MK60 to MK63; ML50 to ML53; RK60 to RK63; RL50 to RL53; RX70, RX71; TK60 to TK63; TL50 to TL53; VK60 to VK63; VL50 to VL53; WK60 to WK63; WL50 to WL53. Diesel TKD60 to TKD63; TLD50 to TLD53; VKD60 to VKD63; VLD50 to			EAST
	VLD53; WKD60 to WKD63; WLD50 to WLD53, 2-4 Ton, WDX, 1 Ton	6	ES-123	

TIE ROD SOCKETS, DRAG LINKS & RODS

(Continued from preceding page)

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Rod Stock No.
1936	LC, LC USA, LCX, ½ Ton Complete Drag Link Assembly Adjusting Socket for Drag Link		ES-57 DS-86 ES-70R	ET-6
1936–47	LE15 to LE32; LE31 USA, LE32 USA; LF28 to LF39; LF37NC School Bus; ME15 to ME32; MF28 to MF39, MF38X; RE15 to RE32; RE31 USA, REX30 to REX32, RF28 to RF39, RFD38; T118, T201, T203; TE20 to TE32; TE31 USA, TE31X USA; TF35 to TF39; TF36 USA; VF20 to VF39; WF20 to WF36; WFA30 to WFA33; WF39, WFA39 to Serial No. 8500261, ¾-1½ Ton	0	ES-50 DS-110	
1936–47	LG40 to LG43; LH29 to LH48; LH45 USA to LH47 USA; MG40 to MG44; MH29 to MH49, MH49X; RG40 to RG44; RH29 to RH49; TG40 to TG44; TH45 to TH49, TH48X, TH49X; VG40 to VG44; VH45 to VH49; VM35, VM37; VS45 to VS48; WG40 to WG44; WGA40 to WGA44; WH45 to WH49, WHA45 to WHA49, 1-2 Ton	0	ES-6 DS-110	ET-34
1937–38	MC, MCX, RC, RCX, ½ Ton Complete Drag Link Assembly Adjusting Socket for Drag Link		ES-57 DS-86 ES-70R	ET-64
1937–38	MD15 to MD21, MDX20, MDX21; RD10 to RD21, RDX20, RDX21, 3/4-1 Ton Adjusting Socket for Drag Link		ES-57 ES-70R	
1939	TC, TCX, TD15, TDX15, ½-¾ Ton Complete Drag Link Assembly	6	ES-57 DS-111	ET-64
1939	TD20, TDX20, TD21, TDX21, 1 Ton	1	ES-57 DS-111	
	VC, VD15 to VD21; T112, WC, WD15 to WD21, ½-1 Ton		ES-60 DS-111 ES-148	
1944-47	WF39, WFA39 after Serial No. 8500301	6	ES-50	
	WR65 to WR69, 3 Ton		ES-133	
★An	* following the stock number indicates the tie rod socket and intermediate rod MU TOGETHER.	JST E	E INSTA	LLED

FOR INTERCHANGEABILITY OF DODGE PASS. CAR AND DODGE TRUCK PART NUMBERS WITH OUR PART NUMBERS, SEE PAGE 30.

for DUPLEX BUS & TRUCK KING BOLT SETS

1940-48; T, TH404
Uses Bolts and Bushings Listed Under Timken 32502.

1946-48: R. Uses Bolts and Bushings Listed Under Timken Axle 35000.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1940-48	T, TH(Used with Straight Rod) (Used with Curved Rod)		ES-123 ES-122	
1945–48	JH, KH, RH(Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	

for FAGEOL BUS & TRUCK TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS LUCI L. L. C.	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937	135BK, 226BK, 250BK, 250RA, 250MZ, 326HP, 2500(Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1937–38	300RA, 300HP, 326HP, 370, 370DC, 370RAD, 846ALD, 846D, 846HP, 1046D, 1046RB(Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	

KING BOLT SETS

1931-38; 250, 250BK, 250MK, 300, 250HP, 250RA, 446, 250MS, 300HP, 300RA, 2½-5 Ton, 255 Bus. Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1933-37; 370, 370RS, 370C, 370D, 370RA-D, 370HP, 626, 646, 826, 846, 370RA, 300HP, 300RA, 326HP, D326, 300D 300RA-D, 3-8 Ton, 6 cyl.

Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H.

1934–38; 106BK, 106RA, 101, 106, 135, 135HP, 135RA, 135BR, 135BK, 226BK, 226HP, 1½-6 Ton, 135B, Bus, 4-6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H.

for FEDERAL BUS & TRUCK KING BOLT SETS

1934-35; 25, 2½ Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Clark Axle F308.

1934-48; 50, 50H, 90, 92, 94, 94H, 502, 504A, 552, 554A, 556X4, 946X4, 45MP, 45MP2, 45MPS1, 4½-8 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000H, 35000H, 35000TW.

1932-48; 9, 10, 11, 11H, 12, 14, 15, 15 DeLuxe, 15H, 15X, 16, 16M, 17, 18, F8, G5, 20, 21, 22, 25, 25H, 25M, 25M2, 28, 45, 75, 75H, 76, 77, 80, 80H, 202, 204, 252, 254, B80, D18K, D20K, D25K, DB80, 77K, 3/4-5 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 30010, 30020H, 31000H, 31100H, 33006H.

1936-48; 40, 40DR, 42, 402, 402DR, 4-7 Ton.
Uses Bolts and Bushings Listed Under Timken Axle 33000H, 33010H.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–47	7,8,9,10,11,11H,11K,12K,14,15,16,16M,18,18D,18H,18K,18M,18M2,18MZ,18MP-S1, D18K, 20H, D20K, 25, 25H, 25K, D25K, 25M, 25M2, 29, 29H, 29K, 29M, 29MA, 29M2, 29ML, 29MLA, 29ML2, 29MTM-214, 30, 35, 35L, 35M, 35ML, 35S, 40, 40DR, 45, 45L, 75, 75H, 75K, 77K, 80, 80H, 80K, B80, DB80, 85, B85, DB85, 89K, B89, DB89, 402, 402DR, K	4-6	ES-123 ES-122	
1937–47	C7, C7W, C8, C8W, 25, 45, 50, 50E, 50F, 50H, 55, 55H, 55L, 55M, 55M2, 55MA, 55MP, 55MPA, 45L, 45M, 45M2, 45MP, 45MP2, 45MP-S1, 60MA, 60M2, 60PA, 60P2, 65, 65MA, 65M2, 65Q2, 66, 70, 71, 90, 92, 94, 94H, 504, 663MA, 663QA, 664QA(Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	

for FERGUSON TRACTOR TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1939-47	2N, 9N	4		
11	Adjusting Socket for Drag Link (2 Used)		ES-64R	

for FITZJOHN BUS TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Stock No. Per Pair	Rod Stock No.
1937–46	300, 325, 500, 510, 600	6	ES-123 ES-122	4
1938-44	310, 500, 600(Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	



for FLXIBLE BUS

KING BOLT SETS

1935-36; 16-C-75, 21-CC-75, 16-C-76, 19-C-76, C6-L1, Bus, 6 cyl. Uses Bolts and Bushings Listed Under Chevrolet 6.

TIE ROD SOCKETS, DRAG LINKS & RODS


YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–46	16C78, 19C78, 25CR70, 25CR78, 25CR79, 29BR149, 21CR41, 25CR41, 21CR42, 25CR42, 25BR140, 29BR140, 25BR141, 29BR141, 29BR149, 25BR41, 29BR41, 25BR42, 29BR42	6-8	ES-123 EŞ-122	
1944–46	25BR45, 29BR45, 25BR46, 29BR46(Used with Straight Rod) (Used with Curved Rod)	8	ES-133 ES-138	

for FORD CAR & TRUCK

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	King Bolt Sets
1928	Tie Rod Bolt (2 Used) Tie Rod Bushing (2 Used)	4	T-933 TB-9334S	1937-41	Pass. Cars: 74, 78, 81A, 82A, 91A, 922A, 01A, 022A, 11A, 8 cyl. (60, 85 and 90 H.P.); 1GA, 6 cyl. Trucks: 73, 77, 81C, 82C,		
1928-31	Pass. Car: 1928-31, A; Trucks: 1928-31, A, ½ Ton; 1928-29, AA, 1½ Ton	4	KA-1	•	91C, 99C, 922C, 01C, 09C, 022C, 11C, 19C, ½ Ton; 91D, 92D, 99D, 01D, 02D, 09D, 11D, 19D, ¾ Ton; 81Y, 82Y, 91Y,		
1930–34	Trucks: AA, BB, BB4, 4 cyl.; BBV8, 8 cyl., 1½ Ton	4-8	KA-6		92Y, 99Y, 01Y, 02Y, 09Y, 11Y, 19Y, 1 Ton, 8 cyl., (60, 85, 90, 95, and 100 H.P.—112", 118",		
1932–34	Pass. Car: B, 46, 4 cyl.; V8, 18, 40, 8 cyl. Trucks: B, 46, 4 cyl.; 40, 8 cyl., ½ Ton	4-8	KA-2	. \	122" Wh. B.); 1NC, 1ND, 1NY, 1/2-1 Ton, 4 cyl.; 1GC, 1GD, 1GY, 1/2-1 Ton, 6 cyl.; (112", 122" Wh. B.).	4-6	KA-105
1935–36	Pass. Car: 48, 68; Trucks: 50, 67, ½ Ton	8	KA-10		Control of the second	_8 	1 × × ×
1935–37	Trucks: 75, (60 H.P.), 51, 79 (85 H.P.) 1½ Ton	8	KA-9	1938–39	Bus: 81B, 81BB, 99B, 998B, (85, 90, 95, and 100 H.P.—141" and 168" Wh. B.)	8	KA-106
1938–48	Trucks: 81T, 81U, 817T, 91T, 91U, 01T, 01U, 917T, 018T, 99T,			1940-41	Bus: 09B; Early 1941, 19B (95 and 100 H.P.—148½" Wh. B.)	8	KA-108
	99U, 09T, 09U, 997T, 098T, 11T, 11U, 19T, 19U, 118T, 198T, 21T, 21U, 218T, 29T, 59T, 69T, 79T, 29U, 69U, 79U, 298T, 498T, 598T, 698T, 798T,			1941–47	Bus: Late 1941, 19B, 29B, 49B, 59B, 69B, 79B, (95 and 100 H.P., 148½" Wh. B.)	8	KA-121
	2981, 4981, 3981, 0981, 7981, 1½ Ton; Cab-Over-Engine 81W, 811W, 811Z, 91W, 01W, 911W, 911Z, 917W, 011W, 018W, 99W, 09W, 991W, 991Z, 997W, 091W, 098W, 11T-80, 11T-81, 11W, 19W, 111W, 118W, 191W, 691W, 198W, 21W, 211W, 218W, 29W, 291W, 298W, 498W, 598W, 698W, 1½ Ton, 8 cyl. (85, 90, 95 and 100 H.P.), 1GT, 1GU, 1G8T, 2GC, 2GT, 6GT, 7GT, 2GU, 6GU, 7GU, 2G8T, 21GT, 21T, 6G8T, 7G8T, ½-1½ Ton, 90, 91 and 100 H.P.		BAR	1942–48	1942-48 Pass. Cars: 21A, 69A, 79A, 89A, 21A73C, 8 cyl. (90 H.P.); 2GA, 6GA, 7GA, 8GA, 6 cyl. 1942-47 Trucks: 21C, 21D, 21Y, 29C, 59C, 69C, 79C, 29D, 69D, 79D, 29Y, 69Y, 79Y, ¾-1 Ton, 8 cyl. (90 and 100 H.P.); 2GC, 6GC, 2GD, 6GD, 7GD, 2GY, 6GY, 7GY, ¾-1 Ton, 6 cyl.; 2NC, 2ND, 2NY, ¾-1 Ton, 4 cyl.	4–6 –8	KA-120
	6 cyl. T, TH, TL, W, WH, 1-2 Ton, 6-8 cyl. (101", 134", 157"	111	1 DAM	1948	Trucks: Series F-1, F-2, F-3; C, D, Y, ½-¾ ton	6-8	KA-126
4 . 1984 . 1985	and 158" Wh. B.). Bus: 014T, 094T, 114T, 194T, 214T, 294T, 811T, 911T, 494T, 594T, 694T, 794T, School Bus, 8 cyl. (85, 90, 95, and 100 H.P.). 1G4T, 2G4T,			1948	Trucks: Series F-7, F-8; Q, QH, 2½-3 ton	80 6	KA-127
	School Bus, 6 cyl. (158", 194" Wh. B.) Army, 2GA73C, 5 Pass. 6 cyl	10 (11)	KA-70		10, 600	787 T G	San Survey Company

TYPE OF WHEEL SUSPENSION USED ON 1949 FORD




KNUCKLE SUPPORT PIN ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1949	All 6 & 8 cyl. Pass. Cars	6-8	FA-96 Upper	2	FA-98 Lower	2
	John Die Dar Sparie		F-31		F-31	
				***	M-729 M-687	
	S RUBBER BUSHING			19A	M-730	
			M-729 M-730		FB-64	

CONTROL ARM SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1949	All 6 & 8 cyl. Pass. Cars	6-8	FA-95 Upper	2	FA-97 Lower	2
	CENTY CANCED	ATI TT	FS-38		FS-37	
No.	o murance a normandesa 5 crance are marked bors.		FB-73 M-690	All	FB-74 M-688	356 812 813



F

THE RESERVE THE PERSON NAMED IN				The same of the sa		A PAR	13				
YEAR	MODELS	N	SPRING	SHACI KIT FRONT	&	FRONT BU	SHING	REAR BO	OLT	REAR BU	SHING
AQ .	in the second second	No. Cyl.	SPI	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1928-29	Trucks: AA, 1½ Ton	4	Fr. Rr.	SK-1 S-1103	1 4	Shackle I SB-305	it 4-Sh.	S-1104	2	double 12	
1928-31	Pass. Cars: A; Trucks: A, ½ Ton	4	Fr. Rr.	SK-1 SK-2	1 1	Shackle K				sped and	1
1930–31	Trucks: AA, 1½ Ton	4	Fr. Rr.	SK-2 S-1103	1 4	Shackle F SB-305	it 4-Sh.	S-1104	2	10 - 11	
1932	Pass. Cars: B, 4 cyl., 18, 8 cyl.; Trucks: B, 4 cyl., ½ Ton	4-8	Fr. Rr.	SK-4 SK-5	1 1	Shackle F					
1932–34	Trucks: BB4, 4 cyl., BBV8, 8 cyl., 1½ Ton	4-8	Fr. Rr.	SK-2 SK-8	1 1	Shackle K					
1933–34	Pass. Cars: 46, 4 cyl., 40, 8 cyl., Trucks: 46, 4 cyl.; 40, 8 cyl.; ½ Ton	4-8	Fr. Rr.	SK-6 SK-7	1 1	Shackle K					
1935–36	Trucks: 51, 1½ Ton	8	Fr. Rr.	SK-9 SK-8	1 1	Shackle K				1.000 A	la la
1936	Pass. Cars: 68; Trucks: 67, ½ Ton	8	Fr. Rr.	SK-10 SK-7	1 1	Shackle K				A JOSEPH TO	
1935–41	Pass. Cars: 1935, 48; 1937-40, 74, 78, 81A, 82A, 91A, 922A, 01A, 022A, 8 cyl. (60, 85 and 90 H.P.); Trucks: 1935, 50; 1937-41, 73, 77, 81C, 82C, 91C, 99C, 922C, 01C, 09C, 022C, 11C, ½ Ton, 8 cyl. (60, 85, 90, 95 and 100 H.P.—112" Wh. B.); 1941, 1NC, 4 cyl.; 1GC, 6 cyl., ½ Ton, (112" Wh. B.)	4-6	Fr.	SK-10 SK-11	1 1	Shackle K				Acres as	
1937	Trucks: 75, 79, 1½ Ton (60 and 85 H.P.)	8	Fr. Rr.	SK-12 SK-8	1 1	Shackle K	it		* * * * * * * * * * * * * * * * * * *	• 6	
1938–39	Trucks: 91D, 92D, 99D, ¾ Ton; 81Y, 82Y, 91Y, 92Y, 99Y, 1 Ton, (60, 85, 90, 95 and 100 H.P.—122" Wh. B.)	8	Fr. Rr.	SK-10 SK-14	1 1	Shackle K		CON CONTRACTOR			
1938–39	Trucks: 81T, 81U, 817T, 91T, 91U, 917T, 99T, 99U, 997T, 1½ Ton. (85, 90, 95 and 100 H.P.—134" and 157" Wh. B.). Bus: 81B, 99B (85, 90, 95 and 100 H.P.—141," Wh. B.)		Fr. Rr.	SK-12 SK-13	1 1	Shackle K		and word		303 (0) MOS (0) MOS (0) MOS (0) MOS (0)	
1938–39	811W, 811Z, 91W, 911W, 911Z, 917W, 99W, 991W, 991Z, 997W, 1½ Ton (85, 90, 95 and 100 H.P.—101", 134", 157" Wh. B.) School Bus: 811T, 911T, 8 cyl.	i in								SEA CEVENTY	100
	(85 and 90 H.P.) (191" Wh. B.)		Fr.	SK-17	1	Shackle K		V	1.37		

for FORD CAR & TRUCK SHACKLE KITS & PARTS

29 142 152	nued from preceding page)	1	NG	SHACE KIT FRONT		FRONT BU	SHING	REAR BO	LT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	SPRING	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1940–41	Trucks: 01D, 02D, 09D, 11D, 19D, ¾ Ton; 01Y, 02Y, 09Y, 11Y, 19Y, 1 Ton, 8 cyl. (60, 85, 90, 95 and 100 H.P.); 1ND, ¾ Ton; 1NY, 1 Ton, 4 cyl.; 1GD, ¾ Ton; 1GY, 1 Ton, 6 cyl. (122" Wh. B.)	4-6	Fr. Rr.	SK-16 SK-14	1 1	Shackle K	it.				
1940-41	Trucks: 01T, 01U, 09T, 09U, 018T, 098T, 11T, 11T-80, 11T-81, 11U, 19T, 19U, 118T, 198T, 1½ Ton; Cab-Over-Engine 01W, 09W, 011W, 018W, 091W, 098W, 11W, 19W, 111W, 118W, 198W, 1½ Ton, 8 cyl. (85, 90, 95 and 100 H.P.—101", 134" and 158" Wh. B.); 1GT, 1GU, 1G8T, 1½ Ton, 6 cyl. (134" and 158" Wh. B.). School Bus: 014T, 094T, 114T, 194T, 8 cyl. (85, 90, 95 and 100 H.P.); 1G4T, 6 cyl. (194" Wh. B.).	6-8	Fr. Rr.	SK-17 SK-15	1 1	Shackle K					
1941	Pass. Cars: 11A, 8 cyl. (85 and 90 H.P.); 1GA, 6 cyl. Trucks: 19C, ½ Ton (95 and 100 H.P. 118" Wh. B.), 8 cyl	6-8		SK-37 SK-38	1	Shackle K	Iit				
1941	GP, $\frac{1}{4}$ Ton, $4x4$, $4 \text{ cyl.} (3\frac{3}{16})$	4	Fr. Rr.	SK-16 S-1270 M-526	1 2 Wash	Shackle K		S-1270 M-173 Nu	2		
942-46	GPW, 1/4 Ton Army Jeep (31/8").	4	See 1	Willys Je	ep lis	ting.					
1942	Pass. Cars: 21A; 21A-73C, 8 cyl. (90 & 100 H.P.), 2GA, 2GA-73C, 6 cyl. Trucks: 21C, 8 cyl. (90 H.P.)	6-8	Fr.	S-1229 SB-760 S-1227	2 4 2	Stud—U _I Shackle I Stud—U _I	Bushing	—Lower		7	
	Trucks: 21D, 29D, 69D, ³ / ₄ Ton; 21Y, 29Y, 69Y, 1 Ton; 8 cyl. (90 and 100 H.P.); 2ND, ³ / ₄ Ton; 2NY, 1 Ton; 4 cyl.; 2GD, 6GD, ³ / ₄ Ton; 2GY, 6GY, 1 Ton, 6 cyl. (122" Wh. B.)	4-6-8	Rr.	S-1251	2	SB-358	2	S-1251	4	SB-358 SB-359	2-Sp 4-Sh
1942–46	Trucks: 21T, 21U, 218T, 29T, 69T 598T, 698T, 1½ Ton, 8 cyl. (9 6GT, 2GU, 6GU, 2G8T, 21GT (134" and 158" Wh. B.) Cab-C 69W, 211W, 218W, 291W, 691 698W, 8 cyl. (90 and 100 H.P.—B.) School Bus: 214T, 294T, 4 (90 and 100 H.P.) 2G4T, 6 cyl. (194" Wh. B.)	00 ar , 6G Over- W, 2 -101" 94T,	nd 100 8T, 1 Engir 298W, , 134" 594T	H.P.); ½ Ton, 12 Ton, 498W, 5 and 158	2GT, 6 cyl. 29W, 98W, " Wh.		Cit				ANO.1
1948	Trucks: Series F-4, F-5, F-6; T, TH, TL, 1-2 Ton	6-8	Rr.	S-1267	4	SB-305	2	S-1267	2	X. 7,	


	MODELS	Cyl.	Stock No. Per Pair	Rod Stock No.
1935–36	Pass. Cars: 48, 68; Trucks: 50, 67, ½ Ton	8	ES-64 DS-124 ES-64L	ET-67
1936–37	Trucks: 51 with One-Piece Type Spindle and Arm Assy.; 75, 79, 1½ Ton; (60 and 85 H.P.) Drag Link Assembly	8	ES-98 DS-115	ET-69
1937–40	Pass. Cars: 74, 78, 81A, 82A, 91A, 922A, 01A, 022A, (60, 85 and 90 H.P.) Trucks: 73 77, 81C, 82C, 91C, 99C, 922C, 01C, 09C, 022C, ½ Ton; 91D, 92D, 99D, 01D, 02D, 09D, ¾ Ton; 81Y, 82Y, 91Y, 92Y, 99Y, 01Y, 02Y, 09Y, 1 Ton 8 cyl. (60, 85, 95 and 100 H.P.—112", 122" Wh. B.)	8	ES-64 DS-124 ES-64L	ET-68°
1938–39	Trucks: 81T, 81U, 817T, 91T, 91U, 917T, 99T, 99U, 997T, 1½ Ton (85, 90, 95 and 100 H.P.—134", 157" Wh. B.)		ES-98 DS-116	ET-69
938–46	Trucks: Cab-Over-Engine 81W, 811W, 811Z, 91W, 01W, 911W, 911Z, 917W, 011W, 018W, 99W, 09W, 991W, 991Z, 997W, 091W, 098W, 11W, 19W, 111W, 118W, 198W, 21W, 211W, 218W, 29W, 291W, 298W, 498W, 598W, 1½ Ton, (85, 90, 95 and 100 H.P.—101", 134", 157" and 158" Wh. B.)	8	ES-98 DS-118	
940-47	Trucks: 01T, 01U, 09T, 09U, 018T, 098T, 11T, 11T-80, 11T-81, 11U, 19T, 19U, 118T, 198T, 21GT, 21T, 21U, 29T, 59T, 69T, 79T, 29U, 69U, 79U, 218T, 298T, 498T, 598T, 698T, 798T, 1½ Ton, 8 Cyl.; (85, 90, 95, and 100 H.P.); 1GT, 1GU, 1G8T, 2GT, 6GT, 7GT, 2GU, 6GV, 7GU, 2G8T, 6G8T, 7G8T, 1½ Ton, 6 Cyl. (134" and 158" Wh. B.) Bus: 014T, 094T, 114T, 194T, 214T, 294T, 494T, 594T, 694T, 794T, School Bus, 8 Cyl., (85, 90, 95 and 100 H.P.); 1G4T, 2G4T, School Bus, 6 Cyl. (158", 194" Wh. B.)	6 –8	ES-98 DS-117	ET-69
940-47	Bus: 09B, 19B, 29B, 49B, 59B, 69B, 79B (100 H.P.) (148½" Wh. B.)	8	ES-133	
1941	Pass. Cars: 11A, 8 cyl., (85 and 90 H.P.); 1GA, 6 cyl.; Trucks: 11C, 19C, ½ Ton; 11D, 19D, ¾ Ton; 11Y, 19Y, 1 Ton, 8 cyl., (85, 90, 95, and 100 H.P.); 1NC, ½ Ton; 1ND, ¾ Ton; 1NY, 1 Ton, 4 cyl.; 1GC, ½ Ton; 1GD, ¾ Ton; 1GY, 1 Ton, 6 cyl., (112", 122" Wh. B.)	4-6-8	ES-64 DS-124 or DS-126 See Note	ET-68
Salah Salah	Adjusting Socket for Drag Link		ES-64L	
	NOTE: DS-124 is a Straight Type Drag Link; Socket hangs beneath Steering Arm. Drag Link; Socket rests on top of Steering Arm. Both Types were used in produced and Trucks	DS-1	26 is a Cur of above	rved Type 1941 Car
1942–46	GPW, ¼ Ton Army Jeep	4	See Will	ys Jeep
1942–48	Pass. Cars: 21A, 21A-73C, 69A, 79A, 89A, 8 Cyl., (85, 90 and 100 H.P.) 2GA, 2GA-73, 6GA, 7GA, 8GA, 6 Cyl	6–8	ES-64 DS-129 ES-64L	ET-76
1942-47	Trucks: 21C, 29C, 59C, 69C, 79C, ½ Ton; 21D, 29D, 69D, 79D, ¾ Ton; 21Y, 29Y, 69Y, 79Y, 1 Ton, 8 Cyl., (90 and 100 H.P.); 2NC, ½ Ton; 2ND, ¾ Ton; 2NY, 1 Ton, 4 Cyl., 2GC, 6GC, 7GC, ½ Ton; 2GD, 6GD, 7GD, ¾ Ton; 2GY, 6GY, 7GY, 1 Ton, 6 Cyl., (114", 122" Wh. B.)	4-6-8	ES-64 DS-130 ES-64L	ET-76

for FORD CAR & TRUCK INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car Factory	Our	Car	0	Car		Car	1.00
Number	Number	Factory Number	Our Number	Factory	Our	Factory	Our
2710				Number	Number	Number	Number
	K-961	BB-3116	K-1220	11A-3289B	ES-64R	91A-5468	S-1230
714	TB-9334S	48-3116	K-1151	11A-3289-		40-5713A	S-1227
2718	T-933	51-3116	K-1161	90B	ES-64	40-5714A	S-1228
A-3034	SB-290C	70-3116	K-1146	78-3289B	Use 11A-3289B	A-5715	Use BB-5715
B-3109	KB-9653	19B-3117	M-475	GP-3289	1	BB-5715	S-1152
BB-3109	KB-10403	B-3121	M-43	GP-3290	ES-62	GPW-5778	U-66
7EQ-3109	KB-322	B-3122	K-1060	01T-3289	K 23-02	GPW-5779	U-67
09B-3109	KB-301	7EQ-3122	K-1242	01T-3290	ES-98		
19B-3109	KB-318	19B-3122B	K-1233	51-3289	E3-90	AA-5780A	S-1103
70-3109	KB-242	70-3122A	N-1233	51-5269		BB-5780A	S-1150
78-3109	Use 78-3110	70-3122M	K 1170	51-3290	JUse 01T-3289-90	01T-5780	S-1267
10-3103	USE 76-3110	70-3122B	K-1178	78-3289		81-5780	S-1250
01T 2100	KD 000	70-3122C	J	78-3290	Use 11A-3289-90B	82Y-5780	S-1251
81T-3109	KB-280	81T-3122	K-1203	01T-3305	DS-117	AA-5781	SB-292
B-3110	KB-9652	B-3123A	M-232	51-3305	DS-115	BB-5781A	SB-342
11A-3110	KB-275	BB-3123A	M-221	81T-3305	DS-116	GPW-5781	SB-A117
21A-3110	KB-317	9N-3123	M-470	81W-3305B	DS-118	61-5781A	SB-358
51A-3110	KB-324			11A-3306D	DS-126	BB-5782	M-207
78-3110	KB-275	70-3123	M-556	11Y-3306B	DS-124	81T-5782	S-1252
A-3111	KA-1	81T-3123A	M-253	21A-3306C	DS-129	82Y-5782	0-1202
B-3111	KA-2	AA-3124	K-1061	21C-3306	DS-129 DS-130		S-1253
BB-3111	KA-6	B-3124A	K-1061	210-3300	D3-130	BB-5786	M-207
21A-3111	KA-120	B-2125	M-12	DD 4000	00 0100	BB-5791A	SB-305
48-3111	KA-10	81T-3125	M-254	BB-4020	SB-219S		
10-0111	KA-10	09B-3174	IVI-204	GPW-5463	UB-27	61-5791A	SB-359
51-3111	KA-9		M-471	01Y-5463	S-1270	AA-5799	S-1104
78-3111		70-3174	M-557	40-5463B	S-1225	A-21320	S-1103
	KA-105	09B-3178B	M-254	51-5463A	S-1231	34030-S2	M-171
31T-3111	KA-70	70-3178	M-559	GPW5464	UB-26	34033-S18	M-172
3115B	Use A-3115C			40-5464B	S-1226		
A-3115C	K-1010	09B-3277	M-474	48-5464A	S-1229		
3-3115	K-1070	70-3277	M-561	A-5465	S-1151		
3B-3115	K-1040	BB-3281	ET-69	01Y-5466	M-526		
7EQ-3115	K-1241	51-3281A	ET-69	011-3400	WI-320		
21A-3115	K-1231	21A-3283	ET-76	81-5466	M EQ7		
18-3115	K-1150	48-3283	ET-67	21A-5467	M-527		
1-3115	K-1160	78-3283	ET-68		SB-760		
2 0110	11-1100	09B-3285-6	E1-00	B-5468	Use two 91A-5468	1 A.	
31T-3115	K-1202		ES-133	BB-5468	S-1100	· T 表: 621	
92Y-3115	K-1202 K-1219	B-3288	M-11	GPW-5468	S-1121		
11100		09B-3288	M-255	01Y-5468	S-1271	W. C. C. C. L.	
3116B	Use A-3116C	- Opposite the	State Fall scien	11A-5468	S-1277		
A-3116C	K-1011	70-3288	M-560	51-5468	S-1232		
3-3116	K-1071	81T-3288	M-255	79-5468	S-1233		

for FORD TRACTOR TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1939-47	2N, 9N	4	ES-64R	



for G. M. C. TRUCK

KING BOLT SETS

	I Kina		The second secon	
YEAF	King Bolt Sets	No. Cyl.	MODELS	YEAR
1934-	KA-49		T19, 1 Ton	1928 1928–40
1936–4	KA-93		OTE: Sets KA-3, Std., .005" or .010" O.S., and KA-93 (Heavy Duty) are for all above 1928-39 Trucks and for the 1940 Trucks having Spindles 5\(^{92}\)'' long and .858" O.D. Bushings. For 1940 Trucks having Spindles 4\(^{15}\)'' long and .920" O.D. Bushings, use KA-28 or KA-118 shown in later listing.	No
1939–4	K-1126 KB-9483 KB-9483		2216, 2513, T19, T25-2508, T19-2001, T19-2002, T19-2003, ½-4 Ton, & Gas TT	1929–30
1939-4	1992	6	T55, T60, T61, T73, T74, T74H, T80, T82, T83, T85, T85H, T90, T95, T96, F33, F33H, AF600 to 605, 620 to 625, 650 to 655; AFR620 to 625; AC700 to 705, 720 to 725, 750 to 755, 770, 800 to 805; ACW, AFW & AY700; ACR720 to 725, 750 to 755; Diesel ADF600, 650, 702; ADC700, 720, 800; 1936 T61H, 2½-6½ Ton. (723½" Long King Bolt)	1929–46
1940	K-1005 KB-10051 KB-10052 M-272		King Bolt (2 Used)	
	KA-39	6	T31, T43, T44, T45; 1934-35, T33, 2-3 Ton	1930–35
1940–48	KA-76	6 1	1931-33, T-19, T26; 1933, T33; 1934-38, T23, after Chassis T23-4946; 1936-38, T18, T18B, T18H, T18HAS, T23H; 1937-41, T16H, F16, F16H, F18, F18H, AF350 to 355; AC450 to 455; 1½-2 Ton. (6¾" Long Grooved King Bolt)	1931–41
1947–48	KA-5	6	1931-35, T18; 1933-34, T23 to Chassis T23-4946; 1936, T16H; 1934-47, T16, AC300 to 305; CC260, 262, 300 to 305, EC250, 300, FC150, 250, 280, 300, 1½-2 Ton. (5½" Long King Bolt) KA-5 is available Std., .005" or .010" O.S.	. Table Apple

YEAR	MODELS	No Cy	
1934-46	T75, T75H, T75T, T78, T78T	, [
	T84, F46, F61, F61H, F61HX F61HXX, F79; 1937-46, T61H		17 11 72
7	T61HBS; AF700 to 705, 720 to 725, 750 to 755, 800 to 805, 850 to		April 10
	855; AFR720 to 725, 750 to		king king
	755; AC850 to 855; ACX & AFNX 874; Diesel ADC850		
	900; ADF 700, 800, 850; 3½-5 Ton & TT. (95/16" Long King		11115
	Bolt)	6	11/1/2
CA SEE SE	Upper Bushing (2 Used) Lower Bushing (2 Used)		KB-237
1936-46	F23, F23H, T33, T33H; AF500 to	1	1
	505, 520 to 525, 550 to 555; AFR520 to 525; AC600 to 605,		
	620 to 625, 650 to 655; ACR620		
1.	to 625; ACW and AFW600; Diesel ADF500, 550, ADC600,		
	650, 2-2½ Ton. (7½" Long King Bolt)	6	KA-52
1939-47	ACKWX353, AFKX352, AFWX-		1111-52
	354; AF360 to 365, 400 to 405, 410 to 415, 450 to 455, 460 to		- 4
	465, AFW360, 410; AC500 to		
	505, 520 to 525, 550 to 555; ACR520 to 525; CF350 to 355,		
	400 to 405, 450 to 455; CFW350, 400; CC450 to 455; CCK352,		
	CCKW352, 353, CCKWX353,		
	CCX453, 454, EC350, 400, 450, 470, ECS300, 370, 450, EF300,		1 2 4 4
1 1 1 W	350, Diesel ADC500, 550; 1½-3 Ton (Plain King Bolt)	6	KA-97
1939-46	AF300 to 303, 310 to 313; AC & CC350 to 355, 400 to 405;		×
100	CF300 to 303; CCW350, 400,		
1940	1-1½ Ton	6	KA-85
	252; AF240, 241, ½-1 Ton (Spindle 415/16" long, Std. Bushing		
	O.D920")	6	KA-28
NC	OTE: KA-118 contains Std. Size		KA-118
303	King Bolts and .0145" O.S. O.D. Bushings for use after		
	Bushing Chambers have been	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	reamed oversize. For above		
	Trucks having Spindle 5\%2" Long and .858" O.D. Bushings		All STA
7	use Sets KA-3 or KA-93 shown in earlier listing.		Mary #19
1940-48	AF240, 241; CC100, 101, 102, 150,		
	FC100, ½ to 1 Ton (King Bolt		
1947-48	55/6" Long, Bushing O.D. 1.053") EF400, 450, 470, FF450	6	KA-111
	King Bolt (2 Used) Upper Bushing (2 Used)		K-1030
THE RESERVE	Lower Bushing (2 Used)		KB-10303 KB-10303
1047-48	Lock Pin (2 Used)		K-1145
1947-40	- C050, FC5500, FF550, FFR351.	0 1	KA-124

1				FRONT	Description of the last of the	FRONT BU		REAR BO	LT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1934–35	T33, Chassis T33-1580 to T33- 2507; T43, after T43-822; 2-2½ Ton	6	Fr. Rr.	S-1181 S-1037	2 2	SB-217 {SB-266 SB-332	2 2-Sp. 4-Sh.	S-1080 S-1037	4	\$B-217 \$B-333 \$B-266 \$B-332	2-Sp 4-Sh 2-Sp 4-Sh
1934–35	T75, T75H, T75T, T78, T78T, T84, 3½-5 Ton & TT	6	Rr.	S-1079	2	SB-283	2-Sp.	S-1079	2	SB-283	2-Sp
1934–36	T16, T16H, T18, 1½ Ton; T23 to Chassis T23-5969, 2 Ton	6	Fr. Rr.			ssembly Bolt Kit	2	SK-23 Spri SK-22 Spri			1 1
1935–36	T23 after Chassis T23-5969, 2 Ton	6	Fr.	S-1196 S-1156	4 2	SB-178 SB-333 SB-219	2-Sp. 4-Sh. 2	S-1167 S-1156	2 4	SB-178 SB-219	2 2-Sp
1935–46	1935-36, T33 after Chassis T33-2507; T33H; 1937-46, F23, F23H; AC650 to 655, 2-2 ½ Ton		Fr. Rr.	S-1181 S-1037	2	SB-217 SB-333 SB-266 SB-332	2-Sp. 4-Sh.	S-1080 S-1037	2 2		2 2-Sp 4-Sh
		Mo a	dels T	33, F23 at End o	and F	23H, requ r Spring.	ire only	four SB-33	2 Bush	ings. Non	e use
1935–46	1935-37, F46, T46H, T51, T51H, T51W, F33, F33H; 1935-46, T46; AC620 to 625, 700 to 705; 720 to 725; ACR620 to 625, 720 to 725, 2½-3½ Ton	6	Fr. Rr.	S-1208 S-1037		SB-266 SB-331 SB-266 SB-332	2-Sp. 4-Sh. 2-Sp. 4-Sh.	S-1037 S-1037	2 2	SB-266 SB-266 SB-332	2 2-Sp 4-Sh
		-Mo	dels I	733, AC	620 to	625 and at Front	ACR6	20 to 625 re Rear Spring	equire o	only four S	SB-33
1936	T14, ½ Ton	6	Fr. Rr.	S-1171	Sh. A	ssembly Bolt Kit	2	SK-23 Spr S-1172 Sha	ing Bol		1 2
1936	T18, T18H, 1½ Ton	6	Fr.	S-1196 SK-21	1	SB-178 SB-333 Bolt Kit	2-Sp. 4-Sh. 1	S-1167 SK-22 Spr	2 ing Bol		2 1
1936–46	1936, T23H;1937, F18H;1937-46, T18B, T18H, T18HAS, T23, T23H, AC500 to 505; 520 to 525, 550 to 555; ACR 520 to 525; 1½-2 Ton		Fr. Rr.	S-1196 S-1037		(SB-178 SB-333 SB-266	2-Sp. 4-Sh. 2-Sp.	S-1167 S-1037	2 2	SB-178 (SB-266 (SB-332	2 2-Sp 4-Sh
1936–46	1936-46, T61, T61H, AC800 to 805; 850 to 855; 1937, F61, F61H, 4-5 Ton		Fr.	S-1208 S-1079		SB-266 SB-331 SB-283	2-Sp. 4-Sh. 2	S-1037 S-1079	2 2	SB-266 SB-283	2 2
1937–38	T14, ½ Ton	6	Fr. Rr.			ssembly g Bolt Kit	2	SK-20 Spr S-1172 Sha			1 2
	1937 F18; 1937–38 T18, 1½ Ton	6	Fr.	S-1196	4	SB-178	2-Sp.		-		

for G. M. C. TRUCK

SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT	BOLT	FRONT BL	ISHING	REAR B	OLT	REAR BU	SHING
TEAR	MODELS	Cyl	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1937-40	T16, AC300 to 305, 1½ Ton	6	Fr. Rr.	S-1171	Sh. A	ssembly Bolt Kit	2	SK-20 Spr SK-25 Spr	ing Bol	t Kit	1 1
1937–40	1937, F16, F16H; 1937-40, T16H, AC350 to 355, 1½ Ton	6	Fr.	S-1181 SK-21	4 Spring	SB-178 SB-333 Bolt Kit	2-Sp. 4-Sh.	S-1167 SK-25 Spri	2 ing Bol	SB-178	2 1
1937–42	T33, T33H, AC600 to 605; 2½ Ton	6	Fr.	S-1181 S-1037	4 2	SB-217 SB-333 SB-266 SB-332	2-Sp. 4-Sh. 2-Sp. 4-Sh.	S-1080 S-1037	2 2	SB-217 ∫SB-266	2 2-Sp. 4-Sh.
		Mo	dels T	33 and Front	AC600 End of	to 605 r Rear Spr	equire ing.	only four S	B-332 1	Bushings.	None
1938	T15, T155, 1 Ton	6	Fr. Rr.	S-1171 SK-24	Sh. As	ssembly Bolt Kit	2 1	SK-20 Spri S-1156	ng Bolt	Kit {SB-355 SB-347	1 2-Sp. 4-Br.
	T145, AC150, 152, ¾ Ton	6	Fr. Rr.	S-1171 S-1196	Sh. As	ssembly SB-178	2 2	SK-20 Spri S-1196	ng Bol	Kit SB-178 SB-350	1 2-Sp. 4-Br.
1938–40	F16, F16H, AF300 to 303, 310 to 313, 350 to 355, 360 to 365, 1½ Ton	6	Fr. Rr.	S-1167 SK-21	2 Spring	SB-178 Bolt Kit	2	S-1196 SK-25 Spri	4 ng Bolt	SB-178 SB-350 Kit	2-Sp. 4-Br.
1938-40	F18, AF400 to 405, 410 to 415, AFKX352, 1½ Ton	6	Fr.	S-1167	2	SB-178	2,	S-1196	4	SB-178 SB-350	2-Sp. 4-Br.
			Rr.	S-1156 M-579	2 Lock	SB-266 Bolt Nut	2 2	S-1156 M-579 Loc	4 k Bolt	SB-266 SB-347	2-Sp. 4-Br.
1938–46	F18H, AF450 to 455, 460 to 465, CF450 to 455; 1½ Ton	6	Fr.	S-1167 S-1037	2 2	SB-178 SB-266	2 2	S-1196 S-1037	4 2-Sp.	SB-178 SB-350 SB-266	2-Sp. 4-Br. 2-Sp.
1938–46	F23, F23H; AF500 to 505, 520 to 525, 550 to 555; AFR520 to									\SB-332	4-Sh.
	525; 2 Ton	6	Fr. Rr.	S-1181 S-1037	2 2	SB-217 SB-266	2	S-1181 S-1037	4 2-Sp.	SB-217 SB-333 SB-266 SB-332	2-Sp. 4-Sh. 2-Sp. 4-Sh.
1938–46	F33, F33H, F46, AF600 to 605, 620 to 625, 650 to 655, 700 to 705, 720 to 725; AFR620 to			: 85 ²⁻⁷			1				
	625; 2½-3½ Ton	6	Fr. Rr.	S-1208 S-1037	2 2-Sp.	<	2 2-Sp. 4-Sh.	S-1208 S-1037	4 2-Sp.	SB-266 SB-331 SB-266 SB-332	2-Sp. 4-Sh. 2-Sp.
	No. of the second secon	Mod	lels Fi ur SB	33, AF6 -332 Bu	00 to 6	05. AF62	0 to 62	5 and AFR Front End o	520 to 6	525 requir	4-Sh. e only
1938-46	F61, F61H, AF800 to 805, 850 to 855; 4-5 Ton	6	Fr.	S-1208	2	SB-266	2	S-1208	4	∫SB-266	2-Sp.
1			Rr.	S-1079	2	SB-283	2-Sp.	S-1079	2	\SB-331 SB-283	4-Sh. 2-Sp.

for G. M. C. TRUCK SHACKLE KITS & PARTS

WEST	nued from preceding page)		1 - 1 - 1 - 1	FRONT	BOLT	FRONT BUS	HING	REAR BO	LT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No Use
939-40	AF240, AF241, AC250, AC252, 1 Ton	6	Fr. Rr.	S-1171 S-1156		ssembly SB-219	2 2	SK-20 Spri S-1156	ng Bol	∫SB-219	1 2-S
20	I con the substant see SI		7		1	Bolt & Nut		M-579 Loc			4-S
acti bits	1-2 met juit kinn das lumikkis	Abo	ve Re	ar Spri	ng Bo	lts are for	use wi	th Hex. Lopered Lock	ck Bol Bolts, 1	ts. For	
				S-1275	2	SB-219	2	S-1275 M-589 Loc	4	SB-219 SB-347	2-5
939-40	AC400 to 405, ACKW353, 1½										
	Ton	6	Fr.	S-1181	4	SB-178 SB-333	2-Sp. 4-Br.	S-1167	2	SB-178	17
	the state of the state of		Rr.	S-1156	2	SB-219	2	S-1156	4	SB-219 SB-347	2-5
a Caractera	Li dosa, List I			M-579	Lock	Bolt & Nut	2	M-579 Loc	k Bolt		-
1939-47	AC & CC100, 101, 102, EC100,		Fr.	S-1171	Sh A	ssembly	2	SK-20 Spr	ing Bol	t Kit	1).
	½ Ton	1 "	Rr.			g Bolt Kit		S-1257 Sha			
1939–46	AC & CC450 to 455, 1½ Ton	6	Fr.	S-1181	4	SB-178 SB-333	2-Sp. 4-Br.	S-1167	2	SB-178	
	The set onto		Rr.	S-1037	2	SB-266	2	S-1037	2	SB-266 SB-332	2-1
1940	AFKX-502, 4x4, 2½ Ton (Type 308 Motor)	6	Fr.	S-1208	4	SB-266	2	S-1208	2	∫SB-266	2-
	The second secon		Rr.			SB-266	2	S-1037	4	SB-331 SB-266 SB-332	2-4-
1940 7	ACKWX-353, 6x6, 2½ Ton(Type 256 Motor)	6	Fr.	S-1181	3	SB-178 SB-333	2-Sp. 4-Br.	S-1167	2	SB-178	
1941	AFKX804, 4x4, 4 Ton (Type 426 Motor)	6	Fr.	S-1208	2	SB-266	2	S-1208	2	SB-266	2-
	Wotor)		Rr.		1000	,				SB-331 SB-283	4-
1941–46	CCKW352, CCKW353 (Split					1000	A	10.000		9	
	Type Axle); CCKWX353 with and without winch	6	Fr.	S-1181	4	SB-178 SB-333	2-Sp. 4-Br.	S-1167	2	SB-178	
1941–46	CCKW352, CCKW353 (Banjo Type, 1-Piece Axle)	6	Fr.			 SB-178 SB-350	2-Sp. 4-Br.	S-1167	2	SB-178	
1941-47	CC150, 152, EC150 3/4 Ton	16	Fr.	S-1171	Sh. A	Assembly	2	SK-20 Spr			1
		1	Rr.	-		g Bolt Kit	1 2	SK-31 Spr			1
1941–47	CC250, 252, EC250 1 Ton	6	Fr. Rr.	S-1266 S-1275		SB-219	2	SK-27 Spr S-1275	4	SB-219 SB-347	2-4-
				M-589	Lock	Bolt & Nut	2	M-589 Loc	k Bolt		1
1941–47	CC260 to 262, 300 to 305, EC280, EC300 1½ Ton		Fr. Rr.			Assembly Bolt Kit	2	SK-27 Spr SK-29 Spr			
1941-47	CF300 to 303, 350 to 355, EF300	6	Fr.	S-1167		SB-178	2	S-1196	4	SB-178	2-
	EF350 1½ Ton		Rr.	SK-28	Sprin	g Bolt Kit	1	SK-29 Spr	ing Bo	SB-350	4-
1941-46	CC350 to 355, 1½ Ton	6	Fr.	S-1181		\{SB-178 \{SB-333}	2-Sp. 4-Br.		2	SB-178	
1941-46	CC400 to 405, CCK353, 1½ Ton	1 6	Rr. Fr.	SK-28 S-1181		g Bolt Kit	1 2-Sp.	SK-29 Spr	ing Bo	It Kit	1
2311-70	10,000,000,000,000		Rr.	S-1275	2	\SB-333 SB-219 Bolt &Nut	4-Br.	S-1167 S-1275	2 4	SB-178 SB-219 SB-347	2-4-
		1		WI-309	Lock		1	M-589 Lo	ck Bolt		1
1941-47	AFKX352; CF400 to 405, 1½ Ton		Fr.	S-1167	2	SB-178	2	S-1196	4	SB-178	2-
			Rr.	S-1275	2	SB-219	2	S-1275	4	SB-350 SB-219 SB-347	2-4-
				M-589	Lock	Bolt & Nut	2	M-589 Lo	ck Bolt		1

for G. M. C. TRUCK

SHACKLE KITS & PARTS

(Continued from preceding page)

YEAR	MODELS	No.	FRONT BOLT	FRONT BUSHING	REAR BOLT	REAR BUSHING	
TEAN	MIODEES AND	Cyl. Spring	Stock No. No. Used	Stock No. Used	Stock No. Used	Stock No. Used	

- S-1171 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt and Nut, two S-1174 Bars (213/6" Center-to-Center), and four M-68 Cork Washers, and two Grease Fittings.
 - S-1172 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt and Nut, two S-1175 Bars (3½" Center-to-Center), and four M-68 Cork Washers, and two Grease Fittings.
 - S-1257 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp, Bolt and Nut, two S-1256 Bars (3\\[\frac{3}{4}''' \] Center-to-Center), four M-68 Cork Washers, two Grease Fittings.
 - S-1266 consists of two S-1223 Bolts, two SB-338 Bushings, one S-1265 Clamp Bolt and Nut, two S-1174 Bars (23/6" Center-to-Center), four M-68 Cork Washers, and two Grease Fittings.
- *ABBREVIATIONS: R—Right, L—Left, Fr.—Front, Rr.—Rear, Sp.—Spring, Sh.—Shackle, Br.—Bracket, Fm.—Frame.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1924–33	K-17, K32, 1-1½T; 4 cyl.; T31A, T40, T42, T45A, T50, T51, T55, T60, T61, T61A, T80, T82, T90, 2-6T; 6 cyl	4-6	ES-22	
1929-31	K54, K56	4	ES-22	
1935–47	1935, T18; 1935-46, T16, AC300 to AC305, CC260, 262, 300 to 305, EC250, 280, 300, 1½ Ton	6	RS-26	RT-38
1935–46	F23, F23H, F33, F33H, T33, T33H, T46, T61; AF500 to 505, 520 to 525, 550 to 555, 600 to 605, 620 to 625, 650 to 655; AFR520 to 525, 620 to 625; AC600 to 605, 620 to 625, 650 to 655, 700 to 705, 720 to 725, 750 to 755, 800 to 805; ACR620 to 625, 720 to 725, 750 to 755, ADC600, 650; ADF500, 520, 550, 2-4 Ton	6	ES-109	
1936-47	T14, T145, T15, T155, AC & CC100, 101, 102, 150, 152, 250, 250X, 252, EC100, 150, 1/2-1 Ton	6	RS-29	7
1936–46	T23, T23H; AF350 to 355, 360 to 365, 400 to 405, 410 to 415, 450 to 455, 460 to 465, AFK352; AC450 to 455, 500 to 505, 520 to 525, 550 to 555; ACR520 to 525; CF350 to 355, 400 to 405, 450 to 455; CC450 to 455, CCK353, CCKW352, 353, CCKWX353, CCX453, 454, 1½-2 Ton		ES-113	
1936-47	F16, F16H, T16H, T18, T18B, T18H, T18HAS, AF & CF300 to 303, 310 to 313; AC & CC350 to 355, 400 to 405, EF300, 350, 1½ Ton	6	ES-73	
1939-46	AF700, AF800, AF850, AC850	6	ES-141	
1947	EC350, EC400, EC450, EC470, ECS300, ECS370, ECS450	6	ES-123	

for G. M. C. TRUCK INTERCHANGEABILITY LIST OF CHASSIS PARTS

	21416-	TOTIALL	AMPLE I	La Ora		000	
Factory Number	Our Number	Factory Number	A 22 Our Number	Factory Number	Our Number	Car Factory Number	Our Number
SN-1574	KA-39	352575	I M-64	603540	K-1044 .010 O.S.	2092907	K-1214
SN-1966	KA-76	361194	SB-A136	605121	KA-111	2092908	KB-300
SN-1300	KA-70	363305	K-962	609124	KA-124	2105136	K-1220
SN-2254	KA-85, KA-97		N-902	630732	K-1173	2185126	KA-97
SN-2772	KA-111	363306	K-1044				
SN-2855	KA-108		K-1072	562443	M-474	2206910	M-275
SN-3161	KA-85	365297	M-70	654093	SB-332	221872-3	ES-141
080561	S-1167	365298	M-69	654355	SB-333	2212289	SB-178
088361	SB-315	365309	M-220	657309	M-277		
089146	SB-A117	000000		1 + 1 + 1 · 1	A REPORT OF SOME SERVICE A	3651131	SB-362
094890	S-1181	365312	KB-10443	659172	S-1037	3653272	(S-1223
034030	3-1101	366704	K-1059	659669	SB-331	0000272	SB-338
100000	88 104	366705	K-1044	659737	S-1079	3653937	M-70
105603	M-104			660617	S-1145	3678172	M-670
109119		366706	K-1072				
1026119	S-1173 & Nut	369721	SB-334	663081	S-1080	3678189	K-1237
110827	M-578	369722	S-1156	678234	K-1056	3678195	M-672
116447	M-88	373199	S-1168			3678196	KB-321
121461	M-272	373200	S-1169	678243	M-129	3681108	M-274
126715	S-1173	373201	M-581	678818-9	ES-113	3685179	K-1238
134630	M-225	373202	M-580	679504-5	ES-109	5239214	M-471
	M-85	3/3202	111 000	1150003	SB-175	02002	
143192		272470	M-227	1190000	00 110	5239215	M-254
143195	M-88	373476		1150005	SB-178	5239216	M-255
		373481	M-128	1150005	SB-217	5239258	KB-301
230601	KB-9483	374226-7	RS-29				
330857	K-1074	376491	JS-1168	1150026	SB-265	5239856	M-437
234889	M-275		& SB-313	1150039	SB-219	NS 53 97	************************************
234895	M-276	377988	RT-38	1150046	SB-266	100 Teach	
235568	K-1005	495033	M-68	1150047	SB-283		
235718	KB-10051	495034	S-1174	2000478	S-1196		
235719	KB-10052	495035	S-1175	2000561	S-1208		
235723	K-1145	525325	SB-A117	2019616	ES-73R	The state of the state of	P'IN A DEFENDANCE
233723		593044	KB-270	2019616-7	ES-73		
246660	M-363	393044	ND-270	2010010			
246663	K-1029	500705	M-68	2019617	ES-73L		
246674	KB-10293	593705		2021936	K-1030	25,-33,7541	E LEGISTE THE SECOND
293103	M-274	593990	S-1224			the Chicony	The state of the s
319390	K-1178	593992	M-577	2021941	KB-10303		
319400	K-1178	594664	SB-347	2035346	K-1044		The second second
319401	K-1178	596854	SB-355	2057701	SB-350	The second second	
334743	S-911	599207	K-1206	2073638	K-1213	190	
341451	SB-911	600163	SB-314	2073641	KB-10162	Parlie some	and been stied its
341431	SB-A117	601019	KA-5	2074411	M-475		
3442//		601395-6	RS-26	2074412	M-475	75.3 %	
344336	S-906		KB-261	2074415	K-1091		
350441	S-1256	602124	ND-201	20/4413	11-1031	And the Co	
352210	KB-9623	602491	(K-962	2076223	K-1142	A CONTRACTOR	
352216	M-14	ingsta po	K-1059	2076229	KB-237	ASIA BETT	
352569	M-222	602691	KA-3	2077066	KB-293	d goden	
332309	111-777	1 002001	1				

for GRAHAM AND GRAHAM-PAIGE KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	1	MODELS	No. Cyl.	King Bolt Sets
1934-40	Standard & DeLuxe 6, 68; Special 6, 73; Six 74; Crusader 80, 80A, 85; Cavalier 90, 90A, 95; Stan- dard and Special 96, 108;	A.)	7.20	TARY CO		ook o Pesba egat nomik middat ban		
76	Supercharger 110, 116, 97, 107; Custom Supercharger 120, 97,	119	KA-38	a gar		oz don a(T.		

YEAR	MODELS '	No. Cyl.	Socket Stock No Per Pair	Intermediate Rod Stock No.
1935-37 1936	Spec. 8, 67; 69; Eight, 72, 75 Six 74, Crusader 80, 80A, 85 Cavalier 90; Supercharger 110 Cavalier 90A, 95. Standard and Special 6, 96, 108; Supercharger 116, 97, 107; Custom Supercharger 120, 97, 107	6	ES-63 ES-40 ES-47 ES-62 ES-58	

for GRAMM BUS & TRUCK KING BOLT SETS

1930-41; BXF, AX4, BX4, AX6, BX6, BF, CF, CXF, B, CX4, CX42, CX6, CX61, CX62, CX62 Spec., C, CXH, D, DF, DX, EX, DJX55A, DJX70A, DJX75A, 41A, 46A, D46A, 50A, 55A, 56A, D56A, 70A, 71A, D71A, 75A, 1-5 Ton, 6 cyl.

Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 31000, 31000H.

1932-41; EY190, ED, G, GF, GY, DF, D, EX, E330, E, DX, 86A, D86A 21/2-41/2 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1932-41; G, GF, 96A, D96A, 4-6 Ton, 6 cyl.

Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H.

1935-41; AX4, BX4, AX6, BX6, BXF, 30A, 31A, 40A, 45A, DJX40A, 1-31/2 Ton.

Uses Bolts and Bushings Listed Under Clark Axle F264, F266, F280.

1935-41; E, ED, EY190, GY, 85A, DJX85A, 3-51/2 Ton. Uses Bolts and Bushings Listed Under Timken Axle 32500.

1936-41; 15A, 21A, 25A, 1½-3 Ton.
Uses Bolts and Bushings Listed Under Clark Axle F182.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–41	35AM, 41, 46, 50, 50A, 55, 55A, 55DJX, 70, 70A, 70DJX, 75, 75A, 75DJX, 85, 85A, 850DJX, 86, 350, 400 Special, 600 Special(Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1940	96A	6	ES-133 ES-138	

for HAHN BUS & TRUCK

KING BOLT SETS

1934-38; HB4, H13, 2 Ton; HB5, H18, 2½ Ton; HB6, 250, 3 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H.

1934-36; 300, HD2, HD3, 3½-6 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1934-38; 440, HE2, HD3, M-22, M-25, M-26, 3½-7 Ton, 6 cyl.

Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H.

1935-38; HB3, H9, H11, 11/2-2 Ton.

Uses Bolts and Bushings Listed Under Clark Axle F264, F266, F280.

1937-38; H-22, M-20, 3 Ton.

Uses Bolts and Bushings Listed Under Timken Axle 32500, 32502.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Stock No. Per Pair	Rod Stock No.
1937–42	H13, H15B, H17B, H18, H19, H20, M20, F22, H22, M22, F25, H25, M25, HDF80, HDF85, HDF-90, HDF-110	6	ES-123 ES-122	
1937-42	M22, M25, F26, M26, HDF150, HDF200, 440, 550, 630, 640, 6408(Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	

for HENDRICKSON TRUCK


KING BOLT SETS

1937-38; A-126, A-126-T, 2 Ton.

Use King Bolt and Bushings Listed Under Clark Axle F-280.

YEAR	MODELS MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–46	AD240, AD240B, AD250B, AD275F, AD290, AD320F1, AD375F, AD390-1, AD390-2, BR500, 500, 500B, CF600, H600(Used with Straight Rod (Used with Curved Rod)	6	ES-133 ES-138	.itaux

TYPE OF WHEEL SUSPENSION USED ON 1940-48 HUDSON



KNUCKLE SUPPORT PIN ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Use	
1940-47	All 6 and 8 Cyl	6-8	FA-045 Lower	2			
	CAST OF BISHORY		F-22 M-587				
onen tuk	- ga hydderod)		FB-26 M-461				



	CONTROL		No. Cyl.		Descrip		No.	A WAY A ALL AND	Description	on	No.
Year 1940-47	MODELS All 6 and 8 Cyl	***************************************	5-8	FA O	FS-8 M-398	Lower	2				
	All 6 and 8 Cyl. (For Dropped Forg	red		F	FB-19	47	2	FA	-62 U	pper	
1	Arms)		6-8	Inner S	haft E Seal	Sushing an Kit	d	Outer E		shing and	
		80	NT	FB-35	M-482	PRING	S		∌ LD-30		
		1	No.	001	9		No.		Descripti	/ 11/11/11	No Use
Year 1941–47	MODELS (1941) 10T, 10P, 11, 12; (1942) 21, 22; (1946) 51, 52; (1947) 1 172, 173, 174	71,	6 ·		FCS		Use 2				
				9	FCS			ALWA in pairs	YS be	s should replaced 2 Springs	
		K	INC	BO	LT S	SETS	***. *			71.1	
YEAR	MODELS	No. Cyl.	B	ing olt ets	YEAF	3		MODELS		No. Cyl.	King Bolt Sets
1932–36	Hudson: 1934-36, GH Six, 63 De- Luxe 6, 6 cyl.; LL, LT, LS, LU Eight, HT Special 8, HU, 64, 66, DeLuxe 8, HHU, 65, 67, Custom 8, 8 cyl. Terraplane: 1932-36, K, KU, KS; G Special; GU, 61 DeLuxe; 62 Custom, 6 cyl.; KT, 8 cyl		kA-	.12	1937-	8 cyl Pl Ta	ain Expapped Used).	nd Terrapla pansion Plug Expansion and 8 cyl.	(2 Use	6-8 K ed) N	I-154 I-194
	SH	AC	KLI	E KIT	rs 8	A PAR	TS				
YEAR	MODELS	No. Cyl.	Spring	FRONT	BOLT No.	Stock	No.	Stock Stock	No.	Stock	No.
1934–35	Hudson: GH Six, 6 cyl.; LT, LL, LS, LU, HT Special 8, HU De- Luxe 8, HHU Custom 8, 8 cyl.; Terraplane: K, KU, KS; G Special; GU DeLuxe, 6 cyl		Fr.	No.	* Silen	t U Shack UB-25* UB-17	Used	SK-39 Spri UA-55 Siles Shackle	ing Bol	lt Kit	Used 1
1936	Hudson: 63 DeLuxe 6, 6 cyl.; 64, 66 DeLuxe 8; 65, 67 Custom 8, 8 cyl.	6-8	Fr.	UA-15 Bracke	19.7	t U Shack	le 2 4 2	UA-55 Sile	,	UB-25*	2

for HUDSON & TERRAPLANE SHACKLE KITS & PARTS

		No. Cyl.	SPRING	SHACE KIT FRONT	& BOLT	FRONT BUS	SHING	REAR BO	LT	REAR BUS	HING
YEAR	MODELS			Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1936	Terraplane: 61 DeLuxe; 62 Custom	6	Fr. Rr.	UA-15*	***	t U Shack UB-25* UB-17	le 2 4 2	UA-54 Sile Shackle UA-55 Sile Shackle	2 nt U	UB-25*	4
1937–38	Terraplane: 1937, 71 Business Coupe; 1937-38, 70, 78, 80, 88 Business Cars and Trucks	6	Fr.			t U (R) SI {UB-25* {UB-24* t U (L) S UB-25*	1-Fm. 1-Sp.	SK-39 Spri	ng Bol	t Kit	1
			Rr.	SK-40	Spring	Bolt Kit	1	UA-58 Sile (R) Shack UA-59 Sile (L) Shack	le 1 nt U	UB-25* UB-24* UB-25*	1-Fr 1-Sr 2
1937–39	Hudson: 1939, 91 Pacemaker; 92 Six. Terraplane: 1937-38, 71 DeLuxe (Except Business Coupe); 81 DeLuxe; 72, 82 Super		Fr.	UA-48*	Siler	t U (R) SI (UB-25* (UB-24* nt U (L) S UB-25* g Bolt Kit	1-Fm. 1-Sp.	UA-15* Sil (R) Shack (L) Shack UA-58 Sile (R) Shack UA-59 Sile (L) Shack	ent U ent U ent U ent U ele 1 ent U ele 1 ent U	UB-25* {UB-25* UB-24* UB-25* UB-24* UB-25*	1-F
	Hudson: 73, 83, Six; 93 Country Club 6, 6 cyl.; 74, 76, 84, De- Luxe; 75, 77, 85, 87, Custom; 95 Country Club 8; 97 Custom Country Club 8, 8 cyl	6-8	Fr.	UA-48'	Silen	ut U (R) S (UB-25* (UB-25* UB-25* UB-25*	1-Fm. 1-Sp.	UA-48* Sil (R) Shack (L) Shack UA-58 Sile (R) Shack UA-59 Sile (L) Shack	de 1 lent U de 1 ent U kle 1 ent U	UB-25* \(UB-25* \(UB-24* \(UB-25*\) \(UB-24*\) \(UB-25*\)	2 1-F 1-S 1-F 1-S
1938–39	Hudson: 89, 90, "112"; 90, 98 Business Cars and Trucks		Fr.	UA-48	* Siler	t U (R) {UB-25* UB-24* UB-25* UB-25* UB-25* UB-25* Bolt Kit	Sh. 1 1-Fm. 1-Sp. Sh. 1 2 1	SK-39 Spr UA-58 Sile (R) Shacl UA-59 Sile (L) Shacl	ent U	UB-25* UB-24* UB-25*	1-F 1-S
1940-48	All Hudson, 6 & 8 cyl	6-8	Fr. Rr.			uspension I SB-928	Parts I	UA-59 Sile (R) Shac UA-58 Sile (L) Shacl	kle 1	UB-25* {UB-25* {UB-24*	1-F 1-S

★Silent U Shackles marked * used as original equipment. UB-24 and UB-25 are available with .010 oversize outside diameter.

Abbreviations: R-Right, L-Left, Fr.-Front, Rr.-Rear, Sp.-Spring, Sh.-Shackle, Fr.-Frame.



for	HUDSON 8	TERR	PAPLANE				
	T	IE ROD	SOCKETS,	DRAG	LINKS	&	RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1932-33	Hudson: E, 6 cyl.; Greater 8, T, L, 8 cyl	6-8	ES-63	RT-38
1933	Terraplane: K, KU, 6 cyl.; KT, 8 cyl	6-8	RS-25	1 2 2 2
1934–39	Hudson: 1935, GH Six; 1938-39, 83, 92, Six, 89, 90, 112; 91 Pacemaker; 93 Country Club 6; 90, 98 Business Cars and Trucks, 6 cyl.; 1934-39, LT, LL, LS, LU; HT Special 8; HU, 64, 66, 74, 76, 84 DeLuxe 8; HHU, 65, 67, 75, 77, 85, 87 Custom 8; 95 Country Club 8; 97 Custom Country Club 8, 8 cyl. Terraplane: 1934-35, K, KU, KS; GU DeLuxe; 1938, 81 DeLuxe; 82 Super; 80, 88 Business Cars and Trucks, 6 cyl.	•	ES-104	
1935–37	Hudson: 1936-37, 63 DeLuxe 6, 73 Six. Terraplane: 1935-37, G Special; 61, 71 De- Luxe; 62 Custom; 72 Super; 70, 78 Business Cars and Trucks		ES-46	
1940-47	All 1940-47 Hudson, 6 and 8 cyl.	6-8	ES-104	ET-66
1948	All Hudson, 6 and 8 cyl.	6-8	ES-147	

INTERCHANGEABILITY LIST OF CHASSIS PARTS

		TOTIVATO		-101 01	OHASSIS I	AILIS	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Car		Car		Car		Car	
Factory	Our	Factory	Our	Factory	Our	Factory	Our
Number	Number	Number	Number	Number	Numbe	Number	Number
103	M-174			153223	U-5	159739	FB-36
13341	SB-954	46589	Use 159784	100220	0-0	159740	FB-38
14112	M-88	47061	ET-58	153224	U-47	100740	10-30
33227	M-22	47598	M-78	153225	U-48	159743	M-482
33994	ES-7	63190	K-977	153231	UB-25	159782	ES-104
35089	M-77	63194	Use 63853	153232	UB-24	159783	ES-104R
37089	RT-38	63199	K-1079	153235	UB-25	159784	ES-104L
40017	M-89	63201	M-260	153237	S-1248	159944	SB-928
40018	M-197	63853	KB-9772	153237		160196	
40254	M-76	64271	K-1019	153239	S-1249		M-478
40234	IAI-10	65141			SB-357	161005	U-62
41049	Use 42143	03141	S-561	153473	ET-58	161006	U-63
42143	KB-231	CEOED	00 005	153475	ES-46	164744	K-1209
	K-1132	65252	SB-235	150001	W. 00	300348	ES-147
42144		65513	ET-9	153661	KA-29	300349	ES-147
42145	KB-230	70110	M-259	154489	M-194	411144	FS-8
42822	U-8	70439	M-101	154490	K-1192	692985	F-16
42823	Use 150474	70626	M-100	155001	ES-46		
42824	Use 153231	71289	M-575	155004	E6-46R		(A)
43176	RS-25	80050-1	ES-63	155004-5	ES-46		
43539	M-89	150474	U-54	155005	ES-46L		
44787	M-78	151649	KA-12	155269	KA-29		
		152547	M-360	159519	KA-89		The world of
45291	Use 153231			159647	K-1209		
45293	Use 153237	152718	M-154		The second second		STATE OF STA
45294	SB-330	152721	KB-271	159718	FS-8		
45295	UB-17	152722	K-1192	159719	M-398		
45304	U-55	152723	KB-272	159720	FB-19		*
45450	Use 159783	152726	M-359	159724	F-22		and the second s
45450-1	Use 159782	152728	M-155	159725	FB-26		
45451	Use 159784	152729	M-200	159726	M-587		
46588	Use 159783	153221	U-49	159727	M-461	5 55 08	and helville with
46588-9	Use 159782	153222	U-34	159738	FB-35	100 100 100 100 100 100 100 100 100 100	a (and the state of
	1 000 000 00	TOOLLE	1 0-04	100,00	10.00		

YEAR	MODELS	No. Cyl.	B	ing olt ets	YEAR	S EX T		MODELS		No. Cyl.	King Bolt Sets
1935–38	518D (I-Beam Axle), 618D, 618G, E822, ES822	6	K-1	100	101		0401	i entina Languer entina en entena	vilsex 36.25 36.20		
	SH	AC	KLI	KIT	'S 8	& PART	rs	136 PET 18	01.0	112	
YEAR	MODELS	No.		FRONT		FRONT BU	SHING	REAR BO		REAR BL	SHING
IEAN		Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1930	Century 6, S, to Car 24701	6	Fr.			SB-138	2	UA-15 Sil Shackle UA-55 Sile Shackle	1 2 ent U	UB-25* UB-25*	4 4
1930–32	Century 6, S, after Car 24701; 261B	6	Fr.			SB-138	2	UA-14 Sile Shackle UA-55 Sile Shackle	2 nt U	UB-25*	4
						KETS	rsize C	outside Diar			
YEAR	10.7		MODEL	S			Ī			ock No.	termedia Rod Stock No

ES-47

KING BOLT SETS

1935-38 518D, 618G, E822, ES822.....

1932-40; 85, 85DR1, 86, 86S, 867S, 88, 95, 95DR, 95SBT-151, 95SW-75, 97SBT-151, 1-3 Ton; 12SB, 14B, Bus, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 30020H.

1933-40; 86, 86S, 87.
Uses Bolts and Bushings Listed Under Timken Axle 30020H.



for INTERNATIONAL TRUCK See McCormick-Deering for International Tractor Listing KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	King Bolt Sets
1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Special Delivery after 11946; 6 Speed Special, 1 Ton, after X-8050; M2 after Truck 799; AW1, A1, AW2, A2, B2, C10, C12, C20, CS20, M3, ¾-1½ Ton, 4 cyl.; C30, CS30, D15M, ¾-1½ Ton, 6 cyl. (4 Wh. Brakes)		KA-22	N.	M2 to Truck 799, 1 Ton, 4 cyl; A3, B3, B4, C30S, CS35, C35, C35T, CS35T, C40, CS40, D30, DS30, D35, D355, D36T, DS186T, DS186T, 1½-3 Ton; C35B, CS35B, D30B, D35B, Bus: 6 cyl.; KB1M, K3, KB3, KB3M, with 10.50x16 Tires, K3M, K4, KS4, K5, KB5, KS5, except Cab-Over-Engine; 1-1½ Ton, 6 cyl. (108H, F250, F260, F261, F300, F301, F302, F303, F350, F410 Axles)	4-6	KA-23
	A4, C50, C50T, CS50, CS50T. (Std. Tread, 62 \(^5\gamma''\); C40F, C40T, CS40T, C300, D300, DS300, 1\(^1\gamma'\)-4 Ton, 6 cyl. (4 Wh. Brakes)	4-6	KA-39	1933–47	C1, D1, D2, D3, ½ Ton, 6 cyl.; C5, D5, ½ Ton, 4 cyl.; K1, KB1, K2, KB2, except Trucks with 9.00 x 13 Tires, ½-¾ Ton, 6 cyl. (F50 Axles)	4–6	KA-21
1929–40	HS74, HD74C, HS104C, W3, 3½-5 Ton & TT, 4 cyl.; A7, A8, AR626F, DR426F, DR700, 5-7½ Ton, 6 cyl		KB-10323 KB-10323	1936–48	C15, D15, D2M, 3/4-1 Ton; 6 cyl.; D5M, 1/2 Ton, 4 cyl.; K1, KB1, K2, KB2 with 9.00 x 13 Tires; KB1M, K3, KB3, KB3M, ex- cept Trucks with 10.50 x 16 Tires, K1M, 1/2-1 Ton, 6 cyl. (F150 Axle)		WA 50
1929–47	HS54, HS54C, W1, W2, DR70, D346F,DR346T,K11F,KBR11, KR11, KR11T, KS11, KS11T, KBR12, 2½-6 Ton & TT. (Not for K11F, KR11T, KS11T-COE Trucks)		K-1031 KB-10313 KB-10313	1937–47	D40, DS40, D216F, D216T, DS216T, K5, KS5, Cab-Over-Engine; K6, KB6, KB6F, KS6, K7, KB7, KS7, 2-3 Ton; D40B Bus. (F400, FXX-400, F470 Axles)	6	KA-51
1930–48	A4, C50, C50F, C50T, CS50, CS50T, (Wide Tread, 69") 2-4 Ton; A5, A6, C55, C55F, C55T, C60, C60T, D50, DR50, DS50, D246F, D246T, DR246T, DS246T, D400, D8400, K8, K8F, K8T, KR8, KR8T, KS8, KS8T, 2-5 Ton. (Not for K8F, K8T, KR8T, KS8T, KS8T, KS8T, KS8T, KS8T, COE Trucks)	6	KA-52				

for INTERNATIONAL TRUCK See McCormick-Deering for International Tractor Listing SHACKLE KITS & PARTS

				FRONT	BOLT	FRONT BU	JSHING	REAR BO	OLT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1924-31	Special Delivery, AW1, 3/4 Ton; Light Delivery after LD-1006.	4	Fr.			SB-175	2	S-1071	4	SB-175	2-Lr.
			Rr.			SB-178	2			SB-178	2-Lr.
1924–31	6 Speed Special, 1 Ton	4	Fr. Rr.			SB-175 SB-217	2 2	S-1071	4	SB-175 SB-217	2-Lr. 2-Lr.
1930–37	AW2, A2, B2, A1, M2, C10, C20, CS20, 4 cyl.; A3, B3, C12, C30, C30S, CS30, C35, CS35, 6 cyl.; 3/4-2 Ton	4-6	Fr. Rr.	S-1125 S-1126	2 2	SB-178 SB-217	2 2	S-1071 {S-1128 S-1127	4 2-Up. 2-Lr.	SB-175 SB-320 SB-217	2-Lr. 2-Up. 2-Lr.
1931–32	AW1, 3/4 Ton	4	Fr. Rr.	S-1125 S-1126	2 2	SB-178 SB-178	2 2	S-1071 {S-1126 S-1129	4 2-Up. 2-Lr.	SB-175 SB-178	2-Lr. 2
1931–34	AL3, 1½ Ton	6	Fr.	S-1125	2	SB-203	2	S-1129	4	SB-269 SB-203	2-Up. 2-Lr.
			Rr.	S-1128	2	SB-219	2	S-1128 S-1135	2-Up. 2-Lr.	SB-320 SB-219	2-Up. 2-Lr.
1931–34	A5, A6, 3 Ton	6	Fr. Rr.	- 14 c		SB-283	2	S-1187 {S-1188 S-1189	2-Lr. 2-Up. 2-Lr.	SB-283	2-Lr.
1932–37	A4 after Truck 4260, C50, C50T, CS50, CS50T, 3-4 Ton	6	Fr. Rr.	S-1163	2	SB-283	2	S-1187 S-1163	2-Lr. 2-Up.	SB-310	2-Lr.
1933–37	B4, C40, SC40, 2-3 Ton	6	Fr. Rr.	S-1125 S-1163	2 2	SB-178 SB-283	2 2	S-1071	4	SB-175 SB-310 SB-316	2-Lr. 2-Sp. 2-Sh.
1934–37	C1, ½ Ton, 6 cyl.; C5, ½ Ton, 4 cyl	4–6	Fr.	S-11791		SB-138 SB-138	2 2	S-1180 S-1180	4	SB-A136 SB-138 SB-A136 SB-138	2-Lr.
1934–37	C55, C55F, C55T, C60, C60T, 3½-5 Ton	6	Fr. Rr.	S-1163	2	SB-283	2	S-1187 (S-1188 (S-1189	2-Lr. 2-Up. 2-Lr.	SB-283	4-Lr.
1936–37	C-15, 34-1 Ton	6	Fr.	S-11791	R 2	SB-138	2	S-1180	4	SB-A136 SB-138	2-Up 2-Lr.
			Rr.	S-1221	2	SB-340	2	S-1220	4	SB-340	2-Up
1936-37	C35T, CS35T, 1½ Ton	6	Fr.	S-1125	2	SB-178	2	S-1071	4	SB-175	2-Sp.
1936–37	C40F, C40T, CS40T, 2 Ton	6	Fr.			SB-203	2	S-1129	4	SB-269 SB-203	2-Br. 2-Sp.
1936-40	C300, D300, DS300, 1½ Ton	6	Fr.	S-1236	2	SB-217	2	S-1236	4	SB-343 SB-217	2-Sh. 2-Sp.
			Rr.	S-1236	2	SB-217	2	S-1236	4	SB-343 SB-217	2-Sh. 2-Sp.

(Continued on next page)

CHASSIS PARTS



for INTERNATIONAL TRUCK See McCormick-Deering for International Tractor Listing

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	ISHING	REAR BO	LT	REAR BUS	HING
TEAR	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1937-40	D2, 6 cyl.; D5, 4 cyl.; ½ Ton	4-6	Fr. Rr.	S-1180 S-1179I	R 2	SB-138 SB-138	4 2	S-1180 S-1180	2 4	SB-138 SB-138	2 4
1937–40	D15, 3/4-1 Ton	6	Fr. Rr.	S-1180 S-1221	4 2	SB-138 SB-340	4 2	S-1180 S-1220	2 4	SB-138 SB-340	2 4
1937–40	D30, DS30, 1½ Ton and School Buses, except 173" and 191" Wh. B. Buses	6	Fr. Rr.	S-1240 S-1187	4 2	SB-177 SB-217	4 2	S-1240 {S-1187 S-1236	2 2-Sh. 2-Sp.	SB-177 SB-343 SB-217	2 2-Sh 2-Sp
						91" School of SB-177.	Buses	use all parts	s in abo	ve listing,	excep
1937–40	D30B Bus to Serial No. 785, 1½ Ton	6	Fr. Rr.	S-1240	4	SB-177 SB-219	4 2	S-1240 S-1135	2 2-Sh.	SB-177 (SB-320 SB-219	2 2-Sh. 2-Sp.
1937–40	D30B Bus after Serial No. 785, 1½ Ton	6	Fr. Rr.	S-1240	4	SB-178 SB-219	4 2	S-1240 S-1135	2 2-Sh.	SB-178 SB-320 SB-219	2 2-Sh 2-Sp
1937–40	D35, DS35, 1½-2 Ton	6	Fr. Rr.	S-1240 S-1244	4 2	SB-350 SB-178 SB-265	4-Br. 2-Sp. 2	S-1240 {S-1244 S-1245	2 2-Sh. 2-Sp.	SB-178 SB-351 SB-265	2 4-Sh 2-Sp
1937–40	D35B Bus	6	Fr. Rr.	S-1240	4	SB-350 SB-178 SB-219	4-Br. 2-Sp. 2	S-1240 S-1135	2 2-Lr.	SB-178 (SB-320 SB-219	2 2-Sh 2-Sp
1937–40	D40, DS40, 2-3 Ton	6	Fr. Rr.	S-1241 S-1242	4 2	SB-348 SB-217 SB-349	4-Br. 2-Sp. 2	S-1236 S-1243	2 2	SB-217 (SB-349 (SB-316	2 2-Sp 2-Sh
1937–40	D40B Bus	6	Fr. Rr.			SB-178 SB-219	2 2	S-1135	2-Lr.	SB-178 {SB-320 SB-219	2 2-Sh 2-Sp
1937–40	D50, 3-4 Ton	6	Fr. Rr.	S-1246 S-1242	4 2	SB-353 SB-310 SB-349	2-Br. 2-Sp. 2	S-1247 S-1243	2 2	SB-310 {SB-349 SB-316	2 2-Sp 2-Sh
1937–40	D60, DR60, 3½-5 Ton	6	Fr. Rr.	S-1246 S-1163	4 2	SB-353 SB-310 SB-283	2-Br. 2-Sp. 2	S-1247 S-1189	2 2	SB-310 SB-283	2 2-Sp
1937–40	DR70, 4-6 Ton	6	Fr. Rr.	S-1246 S-1188	4 2	(SB-353 \SB-310	2-Br. 2-Sp.	S-1247	2	SB-310	2
1939–40	D500, DR500, DS500, 3-4 Ton.	6	Rr.	S-1242	2	SB-349	2	S-1243	2	SB-349 SB-316	2-Sp. 2-Sh.
1941	M-5-6, 2½ Ton, 6x6	6	Rr.			SB-349	2				
1941–47	K1, KB1, K2, KB2, ½-¾ Ton	6	Fr. Rr.	S-1279 S-11791	4 R 2	SB-368 SB-368	2 2	S-1279 S-1279	2 4	SB-368 SB-368	2 2
1941-46	K1M, ½-¾ Ton	6	Fr. Rr.			SB-368	2	S-1279	4	SB-368 SB-368	2 2

Fr. Rr.

S-1279 S-1281

SB-368

S-1279 S-1282 (Continued on next page)

SB-368

1941-47 KB1M, K3, KB3, KB3M, 1 Ton.

See McCormick-Deering for International Tractor Listing

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BUS	HING
ILAII	MODES	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1941–46	K3M, 1 Ton	6	Fr. Rr.	S-1281	2	SB-368	2	S-1282	4	SB-368	2
1941–47	K4, KS4; K5, KB5, KS5 except Cab-Over-Engine, 11/4-11/2 Ton	6	Fr. Rr.	S-1240 S-1135	4 2	SB-371 SB-373	2-Sp.	S-1290 {S-1135 S-1291	2 2-Sh. 2-Sp.	SB-371 SB-372 SB-373	2 4-Sh 2-Sp
1941–46	K5, KS5 Cab-Over-Engine, 1½ Ton	6	Fr. Rr.	S-1283 S-1135	2 2	SB-373	2	S-1283 {S-1135 S-1291	4 2-Sh. 2-Sp.	SB-372 SB-373	4-Sh 2-Sp
1941–47	K6, KB6, KB6F, KS6, 1½-2 Ton	6	Fr. Rr.	S-1283 S-1285	2	SB-203 SB-350 SB-265	2-Sp. 4-Br. 2	S-1284 {S-1285 S-1286	2 2-Up. 2-Lr.	SB-203 SB-265 SB-351	2 2-Sp 4-Sh
1941–47	K7, KB7, KS7, 2-3 Ton	6	Fr. Rr.	S-1283 S-1242	4 2	SB-203 SB-350 SB-349	2-Sp. 4-Br. 2	S-1284 S-1289	2 2	SB-203 {SB-349 SB-316	2 2-Sp 4-Sh
1941–46	K8, KR8, KS8, 2-5 Ton	6	Fr. Rr.	S-1246 S-1242	4 2	SB-353 SB-310 SB-349	2-Br. 2-Sp. 2	S-1246 S-1289	2 2	SB-310 (SB-349 SB-316	2 2-Sp 4-Sh
1941–47	K8F, K8T, KB8F, KR8T, KS8T, 2-5 Ton, 6-Wheel	6	Fr.	S-1246	4	SB-353 SB-310	2-Br. 2-Sp.	. S-1246	2	SB-310	2
1941–46	K10, KR10, KS10, 3½-5 Ton	6	Fr. Rr.	S-1246 S-1163	4 2	SB-353 SB-310 SB-283	2-Br. 2-Sp. 2	S-1246	2	SB-310 SB-283	2 2-Sp
1941–47	KBR11, KBR12, KR11, KS11, 4-6 Ton	6	Fr. Rr.	S-1246 S-1188	4 2	SB-353 SB-310	2-Br. 2-Sp.	S-1246	2	SB-310	2
1941–46	K11F, KR11T, KS11T, 4-6 Ton, 6 Wheel	6	Fr.	S-1246	4	SB-353 SB-310	2-Br. 2-Sp.	S-1285	2	SB-310	2

TIONS: R-Right, L-Left, Fr.-Front, Rr.-Rear, Sp.-Spring, Sh.-Shackle, Br.-Bracket, Fm.-Frame.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1929-30	SD, 6 Speed, ¾-1 Ton	4		ET-6
1931-32	A5, A6, 2-3 Ton	6	ES-6	
1931–37	A1 after Serial 1119; A2 after Serial 15337; B2 after Serial 4141, 4 cyl.; B3, B4, M2, M3, C20, CS20, C35, CS35, C40, CS40, 3/4-3 Ton; C35B, CS35B Bus, 6 cyl	4-6	RS-26	
1035_38	C40F C40T CS40T C50 C50T CS50 CS50T C300 D300 DS300 11/6-5 Ton	6	ES-6	

for INTERNATIONAL TRUCK See McCormick-Deering for International Tractor Listing TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Rod Stock No.
1935-47	C12, C30, C30S, CS30, C35T, CS35T, D30, DS30, D35, DS35, D186T, DS186T, 3/4-3 1/2 Ton; D30B, D35B, DS35B Bus; K3 with 10.50x16 Tires; KB1M, K3M, KB3, KB3M, K4, KS4; K5, KB5, KS5 except Cab-Over-Engine 1-1 1/2 Ton. (103, 103H, 108H, F250, F260, F261, F300, F301, F302, F303, F350, F410 Axles)		RS-26	
1935–46	A5, A6, C55, C55F, C55T, C60, C60T, D60, DR60, D346F, DR346T, D500, DR500, DS500, K8F-COE, K8T-COE, KR8T-COE, KS8T-COE, K10, KR10, KS10, 3-7 Ton		ES-22	
1937–47	D40, DS40, D50, DR50, DS50, D216T, DS216T, D246F, D246T, DR246T, DS246T, D300, DS300; K5, KS5, Cab-Over-Engine; K6, KS6, KB6, KB6F, K7, KS7, KB7, KB8F, K8, K8F, K8T, KR8, KR8T, KS8, KS8T, 1½-5 Ton; D40B Bus. (F400, FXX400, F450, F470, F550, F551 Axles)	21 2 1 h	ES-6	

for INTERNATIONAL TRUCK & McCORMICK-DEERING TRACTORS INTERCHANGEABILITY LISTOF CHASSIS PARTS

Car Factory	Our	Car Factory	Our	Car Factory	Our	Car Factory	Our
Number	Number	Number	Number	Number	Number	Number	Number
OVB	TB-9894	29456H	KB-10573	57690H	SB-343	84668H	KA-52
30D	M-145	29457H	K-1057			87237H	K-1116 .020
13D	M-146	31161VA	SB-316	61295V	S-1126	87238H	KB-221 .020
044Y	KB-221	35597H	ET-32	61298V	S-1128	87275H	KA-21 .020
051Y	K-1116	36655H	S-1164	61299V	S-1135	93859H	KB-268 .015
052Y	M-150	3003311	3-1104	61299VA	S-1135	93860H	K-1188.015
918Y	SB-138	41571H	SB-A136	61300V	S-1127	93984H	KA-50 .015
		41603H	S-1179R	61302V		эээо4П	KA-50.015
512D	KB-251				S-1129	0510011	0.1001
514D	K-1156	41604H	S-1180	61661H	M-95	95120H	S-1291
436H	SB-217	43282H	K-1188	61676H	KB-278	95121H	S-1290
	A STATE OF THE STA	43283H	KB-268	61677H	M-364	95122H	SB-372
124H	K-1159	43357H	S-1221	61680H	K-1199	95138H	SB-373
436H	SB-310	43360H	S-1220			95311H	SB-368
0620D	KB-250	43366H	SB-340	61818H	M-199	95320H	SB-369
0685HA	SB-353	44500H	SB-217	62271VA	S-1163	95354H	S-1179R
2001V	SB-269	44501H	SB-175	62272VC	S-1188	95367H	S-1279
3001D	M-98			63194HA	S-1245	95373H	S-1281
3017V	SB-178	44502H	(SB-178	63195HA	S-1244	95374H	S-1282
3044V	S-1071	1100211	SB-371	63196H	SB-351	3007 411	O ILOL
3062D	M-97	46502HX	(00 0/1	63199HA	S-1240	97931H	S-1283
3090D	M-42	46503HX	RS-26	63227H	S-1247	97932H	S-1284
30900	171-42	47061H	K-1116 .010				S-1289
0040144	** 000	51112VA	KB-10233	63235HC	S-1243	99530H	
3343VA	M-229			63236H	S-1241	99531H	S-1286
3574V	SB-235	51114V	M-225			99532H	S-1285
3583V	SB-238	51121V	K-1145	63237HC	S-1242	106424H	M-230
9222H	SB-320	51123V	M-358	63309H	SB-177		
9761H	KB-10313	51126VB	K-1023	63942H	SB-350	2224	
9780H	K-1031	51203VA	KB-10293	64007H	SB-348		-
9884H	KB-10323	24.5		64147HC	S-1246		
9896H	K-1032	51209V	M-230	64393H	SB-265		
6486HX	1	51217V	M-263	68111H	SB-340		
6487HX	ES-20	51219VA	K-1029	84662H	KA-21		
040/11/	1,20 20	53099V	SB-283	84663H	KA-50		
6503HAX	1)	53915V	KB-10303	84664H	KA-23	BOND RED	
6504HAX	ES-6	53916V	M-240	0400411	TITL 20		
6505H	ET-15	53918V	K-1030	84665H	KA-51		
	C1-13	54621H	M-149	84666H	KA-22		
6508HX	FD 22						
6509HX) ES-22	55602H	SB-349	84667H	KA-39		

CHASSIS

C15 26150	
CAN SOLVE	
1	
1 - T	
1-3	

for JOHN DEERE TRACTOR & COMBINE KING BOLT SETS King Bolt King Bolt YEAR MODELS YEAR MODELS 1941-46 Orchard; D, after Tractor 109943; DI, DO; AI, AO, AR. King Bolt Bushing (4 Used) KB-265 KNUCKLE SUPPORT PIN ASSEMBLY No. Cyl. No. Used MODELS Description Description FA-91 Upper 1946-48 K100, K481, K482. 6 FA-045 Lower F-21 M-587 FB-26 M-398 **CONTROL ARM AND** SHAFT **ASSEMBLY** No. Used No. Used MODELS Description Description 1946-48 K100, K481, K482..... 6 FA-92 Upper 2 FA-93 Lower FS-8 FB-36 FRONT COIL SPRINGS 1946-47 K100, K481, K482..... FCS-3 Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package. FCS-3 KING BOLT SETS MODELS YEAR YEAR MODELS 1946-48 K-100, K-481, K-482..... 6 KA-125 TIE ROD SOCKETS & INTERMEDIATE RODS Intermediate Stock No. Per Pair YEAR MODELS No. Rod 1946-48 K-100, K-481, K-482........ ES-135 Drag Link End ES-136R INTERCHANGEABILITY LIST OF CHASSIS PARTS Car Car Car Car Factory Our Factory Our Factory Our Factory Our Number Number Number Number Number Number Number Number 201108 201124 201131 K-1240 476 M-676 FB-19 F-22 FS-33 M-587 **KB-279** 201097 201109 M-674 201125 201132 FB-36 201100 F-21 FB-26 201121 201126 201133 M-675 201101 M-673 201122 FB-62 201127 M-461 201134 M-163 201105 201130 FS-8 201123 M-398 K-1239

for KENWORTH BUS & TRUCK KING BOLT SETS

1931-38; 127, 145, 146B, 146SBT, 125, D146B, 127SBT, 128, 505, 506, 2½-9 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1932-39; 81, 87, 88, 89, 90, 89SBT, 101B, 531, 1½-7 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H.

1938-46; 505, 506, 529, 530, 533, 534, 535, 536, 537, 538, 543, 544, 545, 546, 553, 554. Uses Bolts and Bushings Listed Under Timken Axle 32500, 32502.

1944-47; 528, 532.

Uses Bolts and Bushings Listed Under Timken Axle 35100.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–41	C21, C24 Grayliner, 505, 506, 529, 530, 533, 534, 535, 536, 537, 538, 543, 544, 545, 546, 551, 557, 559, 562, 563, 612, 613, 631, 704, 731(Used with Straight Rod) (Used with Curved Rod)	4-6	ES-123 ES-122	
1937–46	K9, K10, T24, T28, D346, 507, 508, 509, 510, 511, 512, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 531, 532, 544, 547, 585, 588, 600, 601, 603, 604, 610, 611, 613, 620, 621, 622, 630, 733, 825, 829, 833; 385, 528, H-542-11 Freightways Specials (Used with Straight Rod) (Used with Curved Rod)	4–6	ES-133 ES-138	

for LINCOLN & LINCOLN ZEPHYR KING BOLTS & BUSHINGS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	King . Bolt Sets
1936	Zephyr 901	12	KA-44	1041 47	7 1 0 1 1511 0511	a	100
1937–40	Zephyr HB, 86H, 96H, 06H, Continental 106H	12	KA-45	1941-47	Zephyr, Continental, 16H, 26H, Custom 168H, 268H, 66H, 76H	12	KA-113

SHACKLE KITS & PARTS


YEAR	MODELS	No. Cyl.		FRONT	BOLT	FRONT BUSHING		REAR BOLT		REAR BUSHING	
			Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1936	Zephyr 901		Rr.	S-1230 M-171 SK-11	2 Sha 6 Nu 1 Sha	ackle Bar- t for Stud ackle Kit.		t 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
				sists of nd eight			ls, four	S-1230 Sh	ackle B	ars, eight	M-171

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1936–38	Zephyr 901, HB, 86H. (Drag Link and Socket Assembly) (Adjusting Socket for Drag Link)	12	ES-64 DS-124 ES-64L	ET-67
1939–40	Zephyr 96H, 06H; Continental 06H. (Adjusting Socket for Drag Link)	12	ES-64 ES-64L	ET-67
1941	Zephyr, Continental 16H; Custom 168H	12	ES-64 DS-124 ES-64L	ET-67
1942-47	26H, 268H, 66H	12	ES-137	
	(Adjusting Socket for Drag Link)	Tie	ES-137L	1.4

June, 1948

for LINCOLN TYPE OF WHEEL SUSPENSION USED ON 1949 LINCOLN




KNUCKLE SUPPORT PIN ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1949	Lincoln 9L, Cosmopolitan 9H	8	FA-101 Upper	2	FA-103 Lower	2
			F.31 M-689 FB-67 M-731 M-729		F-33 M-732 FB-65 M-734 M-733	


CONTROL ARM SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1949	Lincoln 9L, Cosmopolitan 9H	8	FA-100 Upper	2	FA-102 Lower	2
			FS-39 FB-66 M-690		FS-42 M-688	

CHASSIS PARTS



HARRIS SHOCK ABSORBER GROMMETS & RUBBER BUSHINGS



Year	MODELS	No. Cyl.	Stock Number	DESCRIPTION & LOCATION	Туре	No. Used
1937–48	All Models	12	HB-724	Front Strut Rod Bushing (99A-3556A1)	C	4
1949	Lincoln 9L, Cosmopolitan 9H	8	HB-779	Rear Grommet, Upper & Lower (51A-18197)	С	8

for LINCOLN & LINCOLN ZEPHYR INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number
B-3109 B-3110 HB-3110 H-3115 HB-3115 16H-3115 HB-3121	KB-9653 KB-9652 KB-277 K-1197 K-1198 K-1225 M-192	B-3122 HB-3123 B-3123A H-3124 B-3125 HB-3125 48-3283	K-1060 M-239 M-232 M-189 M-12 M-191 ET-67	B-3288 26H-3289 48-3289-90 26H-3290 48-3290 78-3289 78-3290	M-11 ES-137 (R.H.) ES-64 ES-137 (L.H.) ES-64L	78-3290 HB-3304 68-3304 48-5464A B-5468 51-5468 40-5713A	ES-64L DS-68 DS-67 S-1229 S-1230 S-1232 S-1227

for MACK TRUCK

KING BOLTS & BUSHINGS

Lower Bushing	YEAR	MODELS	No. Cyl.	King Bolt Sets
Motors)	1929–36	BG Bus (BG Motor); BM, 3-5 Ton & TT (BC Motor); BF, 2-4 Ton (CU Motor) King Bolt Upper Bushing.	7	
Junior 10M, 10MA, 10MB, 10MX, 20M, 20MA, 20MB, 20MX, 30M, 30MA, 30MB, 30MX, 1½-3 Ton; 90M, 90MA, 90MS, 90MX,	1936–37	EH, EJ, ER, 1½-3 Ton (BG, EJ Motors)	6	KA-108
20M, 20MA, 20MB, 20MX, 30M, 30MA, 30MB, 30MX, 1½-3 Ton; 90M, 90MA, 90MS, 90MX,	1936	Junior 1M, 1MA, ½ Ton	6	KA-79
	1936	20M, 20MA, 20MB, 20MX, 30M, 30MA, 30MB, 30MX, 1½-3	6	KA-72

YEAR	MODELS	No. Cyl.	King Bolt Sets
1936	Junior 30MT, 30MTA, 30MTX, 2-3 Ton; Junior 90MT, 90MTA, 90MTS, 90MTX, 90MTSX, Bus. (Cab Over Engine) King Bolt Upper & Lower Bushing Lock Pin Expansion Plug (4)		K-1118 KB-10003 K-1089 M-131
1938-41	EE, EES, EG, NB, Type 40 Fire Apparatus, 1½-2 Ton	6	KA-97
1939–46	DE		K-1143 KB-238
1946-47	EH, 3½-5 Ton	6	KA-122

SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT	BOLT	FRONT BUSHING		REAR BOLT		REAR BUSHING	
		Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used/	Stock No.	No. Used	Stock No.	No. Used
1936	Junior 1M, 1MA, ½ Ton	6	Fr.					UA-14* Si Shackle	lent U	UB-25*	4
	A STATE OF THE STA		Rr.		• • • •			Shackle	1	UB-1	4
1936	Junior 10M, 10MA, 10MB, 10MX, 20M, 20MA, 20MB, 20MX, 1½-2 Ton	6	Fr. Rr.	S-1197 S-1198	4 2			S-1197 S-1198	2 4	SB-324	2-Sh.
1936	Tunion 20M 20MA 20MA										
1930	Junior 30M, 30MA, 30MB, 30MX, 2-3 Ton	6	Fr.	S-1199 S-1166	4	SB-269 SB-954 SB-311	2-Sh. 2-Sp.	S-1199 S-1166	2 4	SB-954	2
- 1	, , , , , , , , , , , , , , , , , , ,							5-1100		SB-325 SB-311	2 Sh. 2-Sp.
1936	Junior 30MT, 30MTA, 30MTX, 2-3 Ton, (Cab Over Engine)	6	Fr. Rr.	S-1166		SB-311	2	S-1166	4	SB-325 SB-311	2-Sh. 2-Sp.

*UB-25 is available with .010 oversize outside diameter.

★Silent U Shackles marked * used as Original Equipment.
Abbreviations: Fr.-Front, Rr.-Rear, Sp.-Spring, Sh.-Shackle.

F	-	
п		ш
13	-	41

TIE ROD SOCKETS, DRAG LINKS &

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1936	Junior 1M, 1MA, ½ Ton	6	RS-25	
1940-47	EH, EHD, EHT, EHTD, EHUD, EMT, EMTD, EHUT (FA19 Axle)	6	ES-139	
1938	SB43, 43SB, EE Special, EF Special, EG(Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1938-46	EH Special, EHUSW, EQ-SW, EQ Special, HT, CBK, CBL, 43SB, 43SBX, 49SB, 51SB, 55SB, 61SB. (Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	

for MARMON - HERRINGTON TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1944-45	H542-11(Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	


for McCORMICK-DEERING & INTERNATIONAL TRACTORS

KING BOLTS & BUSHINGS

YEAR	AR MODELS No. King Bolt Cyl. Set or King Bolt Pin	No	King Rolt	Vine Pole	Laide	OTHER PARTS			
			Stock No.	No. Used	Description				
1924–35	15-30, 22-36, Industrial 30	4				M-98 M-145	4 2	Expansion Plug Thrust Washer	
1924-40	10-20; Orchard 10-20, Industrial 20, I30, I12, O-12, W12, Fairway 12.	4	K-1155	King Bolt KB-250 Up. KB-250 Lr.	K-1159	M-97 M-146	4 2	Expansion Plug Thrust Washer	

FOR INTERCHANGEABILITY OF McCORMICK-DEERING AND INTERNATIONAL TRACTOR PART NUMBERS WITH OUR PART NUMBERS SEE PAGE 74.

for MERCURY TYPE OF WHEEL SUSPENSION USED ON 1949 MERCURY




KNUCKLE SUPPORT PIN ASSEMBLY


Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1949	9M	8	FA-101 Upper	2	FA-103 Lower	2
			F-31		F-33	
			M-689 FB-67		M-732 FB-65	
			M-731 M-729		M-734 M-733	

CONTROL ARM SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1949	9M	8	FA-100 Upper	2	FA-102 Lower	2
			FS-39 FB-66 M-690		FB-75 M-688	



HARRIS SHOCK ABSORBER GROMMETS & RUBBER BUSHINGS



Year	MODELS	No. Cyl.	Stock Number	DESCRIPTION & LOCATION	Туре	No. Used
-	99A	8	HB-724	Sway Rod Stud Bushing (99A-3556A1)	С	8
1942–48	All Models	8	HB-724	Front & Rear Track Bar Bushing (99A-3556A1)	С	8
1949	9M	8	HB-779	Rear Grommet, Upper & Lower (51A-18197)	С	8

PRINT IN U.S.

KING BOLT SETS

for MERCURY

YEAR	MODELS	No. Cyl.	King Bolt Sets
1939-41	99A, 09A, 19A	8	KA-105

YEAR	MODELS	No. Cyl.	King Bolt Sets
1942-48	29A, 69M, 79M, M89	8	KA-120

SHACKLE KITS & PARTS

							1	FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BUSHING	
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used				
1939-40	99A, 09A	8	Fr. Rr.	SK-10 SK-11			1								
1941	19A	8		SK-37 SK-38			1								
1942–48	29A, 69M, 79M, 89M	8	Fr. { Rr.	S-1229 SB-760 S-1227	4	→Stud-Up →Shackle →Stud Up	Bushin	g—Lower.							

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1939–41	99A, 09A, 19A			ET-68
1942–48	29A, 69M, 79M, 89M			ET-76

FOR INTERCHANGEABILITY OF MERCURY PART NUMBERS WITH OUR PART NUMBERS SEE PAGE 66.

for MINNEAPOLIS-MOLINE & TWIN CITY KING BOLTS & BUSHINGS

YEAR	MODELS	No.	King Bolt King Bolt		Lock	100	OTHER PARTS		
TEAR	WODELS	Cyl.	King Buit	Bushing	Pin	Stock No.	No. Used	Description	
1930–39	Kombination KT, KTA, 11-20	4		KB-254 Up. KB-254 Lr.		M-97	2	Expansion Plug	
1937–41	FTA, 21-32 after Tractor 155399; Standard GT	4		KB-253 Up KB-253 Lr.		M-105	4	Expansion Plug	
1938–46	Standard UTS	4		KB-254 Up. KB-254 Lr.		M-97	2	Expansion Plug	

for MORELAND BUS & TRUCK KING BOLT SETS

1932–36; R11H, RR10, (6 wh.) RA15, (17) R13H, R16H, RR15, RR9, RR12, RA20, R-140, R-145, R-150, R-165, R-175, R-145D, R-150D, R-165D, R-175D, R-130D, 1½-5½ Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H, 30010.

1935-36; R-190, R-200, 3½-5 Ton.


Uses Bolts and Bushings Listed Under Timken Axle 32500, 32501.

1935-38; E220, E220D, 4½-6 Ton.
Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–38	DEO5, R190(Used with Straight Rod) (Used with Curved Rod)		ES-123 ES-122	
1937-40	DE-135-10, E260, H340, HD340CD, HD400, TD420(Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	

for NASH & LAFAYETTE TYPE OF WHEEL SUSPENSION USED ON 1940-48 NASH



for NASH & LAFAYETTE KNUCKLE SUPPORT PIN ASSEMBLY No. Used Description Description MODELS Year FA-045 Lower LaFayette 4010; Ambassador, 6, 4020, 6 Cyl.; Ambassador 8, 4080, FA-038 Upper 1940 8 Cyl..... 6--8 F-21 M-468 FB-26 M-461 1941-48 Ambassador 6, 4160, 4260, 4660, 4760, 4860, 6 Cyl.; Ambassador 8, 4180, 4280, 8 Cyl..... FA-045 Upper FA-045 Lower 2 6-8 F-22 M-587 FB-26 M-461 FRONT COIL SPRING SPACERS

To distance and di	Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used				
NAME AND POST OF THE PROPERTY		1940 All 6 and 8 Cyls.; 1941-48, 4160, 4180, 4260, 4280, 4660, 4760, 4860.	6-8	M-631		Spacer—.125 Thick. Install spacers on the flatted end of the coil spring.					
		KING BOLT SETS									

		M	MG B
YEAR	MODELS	No. Cyl.	King Bolt Sets
1929–37	Standard 6, 420 to 428, 660, 960; Big 6, 1060, 1120, 1220; Advanced 6, 3520; Ambassador 6, 3620, LaFayette 1934-35, 110, 3510, 6 cyl.; 970; Standard 8, 1070, 1130; Special 8, 1170; Advanced 8, 1280, 3580; Ambassador 8, 3580, 3680, 3780, 8 cyl.		KA-67

YEAR	MODELS	No. Cyl.	King Bolt Sets
1935–40	3640, 3640A, Series 400; Ambassador 6, 3720, 3820, 3920, 4020; LaFayette 3610, 3710, 3810, 3910, 4010		KA-68R
1938–40	Ambassador 8, 3880, 3980, 4080	8	KA-96
1941–48	Ambassador 6, 4160, 4260, 4660, 4760, 4860, 6 cyl.; Ambassador 8, 4180, 4280, 8 cyl		KA-114

SHACKLE KITS & PARTS

		1		FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BUS	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1930	Twin Ignition 6, 480	6	Fr. Rr.			SB-175 SB-178	2 2			SB-175 SB-175	2-Lr. 2-Lr.
1930	Twin Ignition 8, 490	8	Fr.			SB-175	2			SB-177 SB-178	2-Up. 2-Lr.
1930–31	Single 6, 450; 660	6	Fr. Rr.			SB-175 SB-178	2 2	UA-17 Sile Shackle		UB-1 UB-1	4
1931	870	8	Fr. Rr.		• • • • •	UB-1 SB-178	4 2	UA-17 Sile Shackle		SB-175 UB-1	2 4
1931	880	8	Fr. Rr.			UB-1	4	UA-17 Sile Shackle	nt U	UB-1	4

for NASH & LAFAYETTE SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	ISHING	REAR B	OLT	REAR BUS	SHING
		Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1933–36	Big 6, 1120, 1220; Advanced 6, 3520, Ambassador 6, 3620, LaFayette 110, 3510, 6 cyl.; Standard 8, 1130; Advanced 8, 1280, 3580; Ambassador 8,								V	•	
	3580, 3680, 8 cyl		Fr. Rr.	UA-14*		t U Shack UB-25*	le 2 4	UA-61* Sil	lent U	UB-25*	4
1935–36	3640, 3640A, Series 400; LaFayette 3610	6	Fr.			t U Shack UB-25*	le 2			OB-23	-
			Rr.	• • • • • • •		y a grand		UA-36* Si Shackle	lent U	UB-25*	4
1937–38	400; Ambassador 6, 3720, LaFayette 3710, 3810, 6 cyl,; Ambassador 8, 3780, 8 cyl	6–8	Fr.		200	t U Shack UB-25*	le 2 4	UA-50* Sil	lent II		3
								Shackle	2	UB-25*	4
1938	Ambassador 6, 3820, 6 cyl.; Ambassador 8, 3880, 8 cyl	6-8	Rr.	·			. X	UA-50* Sil Shackle	ent U	UB-25*	4
1939	LaFayette 3910 (Right Side)	6	Fr.	UA-46*	Silen	t U Shack (UB-25* UB-24*	1-Fm.	· · · · · · · · · · · · · · · · · · ·	7	SB-330	1-Sp
	(Left Side)			UA-14*	Silen	t U Shack UB-25*	le 1 2			SB- 330	1-Sp
	(Right Side)		Rr.					UA-60* Si Shackle	lent U	{UB-25* UB-24*	1-Fr 1-Sp
\	(Left Side)		Rr.			· · · · · · · · · · · · · · · · · · ·		UA-61* Sil Shackle	ent U	UB-25*	2
1939–40	LaFayette 4010; Ambassador 6, 3920, 4020, 6 cyl.; Ambassador 8, 3980, 4080, 8 cyl	6–8	Fr.	→For 1	940 1	Models, see	e Whee	el Suspensio	n Part	s Listing.	A. CY
	(Right Side)		Rr.					UA-60* Sil Shackle	ent U	{UB-25* UB-24*	1-Fn 1-Sp
	(Left Side)		Rr.					UA-61* Sil Shackle	ent U	UB-25*	2
TREE		UA-	60 an	d UA-61	Asse	mblies eac	h inclu	de two M-	478 Sea	ıls.	
941–48	Ambassador 6, 4160, 4260, 4660, 4760, 4860, 6 cyl., Ambassador 8, 4180, 4280, 8 cyl	6-8	Fr.	→See V	Wheel	Suspension	n Parts	Listing.			
	(Right Side)		Rr.			SB-928	2			UB-24*	1-Sp
	(Left Side)		Rr.			SB-928	2			UB-25*	1-Sp
*	*Silent U Shackles marked * used outside diameter.	as o	rigina	equipm	nent.	UB-24 an	d UB-	25 are avail	lable w	ith .010 o	versiz

for NASH & LAFAYETTE TIE ROD SOCKETS, DRAG LINKS & RODS


YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1930-32	Single Six, 450; Six 660, 960; Big Six 1060, 6 cyl.; 870, 970; Std. 8, 1070, 8 cyl	6-8		ET-7
1935–36	3640, 3640A, Series 400 to Serial No. 1C19408; LaFayette 3610 to Serial No. L49886. (Socket with %6" Dia. Threads)	6	ES-40	
1936-38	Ambassador 6, 3620; Ambassador 8, 3680, 3780, 3880	6-8	ES-63	ET-38
1936–39	3640A, Series 400, after Serial No. 1C19408; Ambassador 6, 3720, 3820, 3920, 400; LaFayette 3610 after Serial No. L49886; 3710, 3810, 3910. (Socket with ¹ / ₁₆ " Dia. Threads)	6	ES-62	
1939	Ambassador 8, 3980	8	ES-63	· · · · · · · · · · · · · · · · · · ·
1941–48	LaFayette 4010; Ambassador 6, 4020, 4160, 4260, 4660, 4760, 4860, 6 cyl.; Ambassador 8, 4080, 4180, 4280, 8 cyl	6-8	ES-105	
1941-48	Ambassador 600, 4140, 4240, 4640, 4740, 4840	6	ES-132	

INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number	Car Factory Number	Our Number
12431 15152 15471 17607 17681 18801 18972 24851 25097 25098 28235A 28690 28691 28692 28697 28801 29040 29893 29402A 31306	SB-A140 K-1098 K-938 M-256 M-258 M-85 KB-9383 SB-330 U-5 U-6 ET-56 KB-255 M-257 M-111 M-233 U-36 M-113 ES-45 M-86	41100A-1 45294 48845A 53007 61722 76839 78321 83402 91578 93044A 93045A 93585A-6A 93585A-6A 93587A-8A 98709 99036A 102591 102592	ES-20 SB-330 ES-40 SB-175 M-100 SB-178 SB-177 K-1105 U-50 UB-5 UA-14 UA-50 RT-38 ES-63 ES-62 U-34 UA-46 KB-255 KB-9383	153222 159725 159726 231760 3102978 3102979 3102981 3103041 3103042 3103043 3103047 3103047 3103047 3103052 3103074 3103074 3103074 3103502 3103503	FB-37 M-462 F-1 U-61 U-60 M-478 F-22 FB-26 M-461 F-21 FB-2 FB-44 FB-45 M-587 K-1121 K-1212 UA-61 UA-60	3104317 3105159 3106836 3106837 3107679 3108221	K-1226 K-1226 KB-312 SB-735 ES-132
-					The second second second second		



for OLDSMOBILE TYPE OF WHEEL SUSPENSION USED ON 1934-48 OLDSMOBILE



KNUCKLE SUPPORT PIN ASSEMBLY

1	KNUCKLE		PPORT FIN ASSE			-
Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
	F34, F35, 6 Cyl.; L34, L35, 8 Cyl	6-8	FA-04 Upper	2	FA-05 Lower K-1074	2
		W.	FB-6 FB-7	3	FB-8 FB-9	
1936–38	F36, F37, F38, 6 Cyl.; L36, L37, L38, 8 Cyl.	6-8	FA-038 Upper	2	FA-02 Lower	2
	· Cyl.		F-21 F-21 FB-44 M-468 FB-45		F-2 M-396 M-396 M-388 FB-3	
1939–48	All 6 & 8 Cyl. Models	5-8	FA-038 Upper F-21 FB-44 M-468 FB-45	2	FA-011 Lower F-9 M-394 M-395 FB-18	2

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Use
1937–38	All 6 & 8 Cyl. Models	6-8			FN-3 Right	1
· -					FN-4 Left	1
				145 - 124 - 1 1		
939-48	All 6 & 8 Cyl. Models	6-8			FN-9 Right]
7-					FN-10 Left	1

CONTROL ARM AND SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1935	F35, 6 Cyl.; L35, 8 Cyl	6-8	FA-015 Lower	2		
X PO	SPACERS Discovering Times		FS-4 FB-I0 FB-II		Luces Loces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Luces Locs Locs Locs Locs Luces Locs Locs Locs Locs Locs Locs Locs Loc	
1936	F36, 6 Cyl.; L36, 8 Cyl	6-8	FS-3 Lower	2	FR-3 Lower Left Front or Right Rear FR-4 Lower Right Front or Left Rear	2
	Shaft FR-3 and FR having Late Type (-4 C	and Seal M-398 with FS-3 Control Arms for 1936 cars rol Arms with Bushings at d Seals are not required for	.83 100		2001
1937	F37, 6 Cyl.; L37, 8 Cyl	6-8	FS-1 Lower	2	FR-3 FR-4	
	Shaft FR-3 and FR	-4 C	and Seal M-398 with FS-1 Control Arms for 1937 cars rol Arms with Bushings at d Seals are not required for		no de lie, evilla de la companya de	
1938	F38, 6 Cyl.; L38, 8 Cyl	6-8	FA-013 Lower FS-2 M-398 FB-4	2	FR-3 Lower Left Front or Right Rear FR-4 Lower Right Front or Left Rear	2
2.1					FR-3 FR-4	

for OLDSMOBILE

CONTROL ARM AND SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1939–48	F39, F40, Series 60; F41, F42 Series 66; G39, Series 70; G40, Series 70 after Serial G360965; G41, H41, G42, Series 76, 96, 6 Cyl. L39, L40, Series 80 and 90; E41, J41, L41, E42, J42, L42, Series 68, 78 and 98, 8 Cyl.		FA-018 Lower FS-8 M-398	2		
1940	G40, Series 70 to Serial G360965 (Lower Control Arm Shaft Anchor Bolt Holes Drilled Off Center of Pads)		FA-031 Lower FS-21	2	01003 22000	

FRONT COIL SPRING AND SPACERS

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1937–38	F37, F38, 6 Cyl.; L37, L38, 8 Cyl	6-8	M-631	22 40	Spacer—.125 Thick. Install spacers on the flatted end of the coil spring.	
1939–41	(1939-40) 60, 70; (1941) 66, except Conv. after No. 6633627	6	FCS-4	2	Coil Springs should ALWAYS be replaced	
1941	60 Conv., 76, 96, 66 Conv. after No. 6633627	6	FCS-3	2	in pairs. Sold ONLY 2 Springs in a package.	₹.

				Lagra	for OLDSMOB	IL
	FRONT		L SPRING &	SPACER	S	
Year	MODELS	No. Cyl.	Description	No. Used	Description	No Use
1939-47	(1939) 80; (1940) 90; (1941) 76, 7 96, 98; (1942) 68, Sta. Wagon, 6 except Conv.; (1942-47) All with Hydramatic Trans.; (1946-4	66, 66	FCS-9 FCS-9	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package.	
1939–45	All 6 & 8 Cyl. Models		M-635	302 60	Spacer—.125 Thick Install spacers on the flatte end of the coil spring.	d
	STABI	LIZE No.	R LINK REPA	IR KIT	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No
Year 1939-48	MODELS All 6 & 8 Cyl. Models	Cyl. 6–8	M-654 0 0 0 0 0 0	Used 2 2 M-655 M-655 N-657	Description	Use
	The second second		ARM SUPPO			
Year 1939-48	MODELS All 6 & 8 Cyl. Models	No. Cyl. 6-8	PS-31 M-648 FB-57	No. Used	Description	No. Use
The state of the s	Aut Carlot	KIN	IG BOLT SETS	5		
YEAR	MODELS MODELS	No. Cyl.	King Bolt YEAR Sets	, м	ODELS No. Cyl.	King Bolt Sets
1926–36	30E (4 Wh. Brakes), F28, F29, F30, F31, F32, F33, F34, F35, F36, 6 cyl.; L32, L33, L34, L35, L36, 8 cyl	100	A-49	G39, G40, Se H41, F42, G- G47, Series cyl.; L37, L3 30 and 90, E L41, L42, J4	7, F40, Series 60; eries 70; F41, G41, 42, F46, G46, F47, 66, 76, and 96, 6 8, L39, L40, Series 641, E42, J41, J42, 16, L46, E47, J47, 8, 78, and 98, 8 cyl. 6-8 K.	A-30
			0.07 FM 0.07 FM 0.03 F		101 201 201 70-7 770 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	



for OLDSMOBILE

SHACKLE KITS & PARTS

VEAD	MODELS	No.		FRONT	BOLT	FRONT BU	SHING	REAR BO	LT	REAR BU	SHING
YEAR	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1934-36	F34, F35, F36, 6 cyl.; L34, L35, L36, 8 cyl	6-8	Fr.	See Wh	eel Su	spension l	Parts L	isting.			
			Rr.	S-1254		SB-360	2	UA-17* Sil	ent U	110000	
		1	13	*				Shackle	2	UB-1	4
1937	F37, 6 cyl.; L37, 8 cyl	6-8	Fr.	See Wh	ieel Si	ispension l	Parts L	isting.		100	
			Rr.	S-1254	2	SB-360	2	UA-52 Sile			
	The second second					***************************************		Shackle	2.	UB-1	4
1938	F38, 6 cyl.; L38, 8 cyl	6-8	Fr.	See Wh	eel Su	ispension]	Parts L	isting.	Sittle 2		27
1			Rr.	S-1254	2	SB-360	2	UA-53 Sile Shackle	nt U	UB-23	4

NOTE: All Cars built after 1938 are equipped with coil springs. See Wheel Suspension Parts Listing.

UA-52 and UA-53 Assemblies do not include Jack Pad Extension Arm used as original equipment.

★Silent U Shackles marked * used as original equipment.


TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1934	L34			ET-66 ET-66
1935–36	F35, F36, 6 cyl.; L35, L36, 8 cyl			ET-66 ET-66
1937–38	F37, F38, 6 cyl.; L37, L38, 8 cyl(For Right Rod) (For Left Rod)		ES-58 ES-58	ET-66 ET-66
1939-48	F39, F40, Series 60; G39, G40, Series 70; F41, F42, F46, F47, G41, G42, G46, G47, H41, Series 66, 76 and 96, 6 cyl.; L39, L40, Series 80 and 90; E41, E42, J41, J42, L41, L42, L46, L47, Series 68, 78, and 98, 8 cyl	6–8	ES-78	1

INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car		Car		Car		Car	
Factory	Our	Factory	Our	Factory	Our	Factory	Our
Number	Number	Number	Number	Number	Number	Number	Number
106517	M-85	231528	FS-4	373481	M-128	414227	FA-018
107822	M-655	231549	ET-66	390401	SB-172	415674	FCS-4
117920	M-100	231705-6	ES-47	402566	U-16	415885	FCS-9
138569	M-388			402567	U-1	416798	FCS-9
230679	M-225	231706	ES-39R	403589	SB-360	417864	FCS-9
230739-40	ET-11	231729	M-397	405085	KA-30	500863	FB-45
230857	K-1074	231733	FR-1	1	101.00	500906	FA-84
231006	ET-11	231734	FR-2	405089	KA-49	502721	FB-19
231009-10	ES-7	231739	FS-3	407564	S-1254	505311	F-21
231051	RT-39	231742	M-387	410737	M-654	000011	
		231743	FB-3	410738	M-656	505312	FB-44
231055	RT-39	231744	FB-44	410914	FN-9	505313	FB-45
231057-58	RS-27	231759	F-2	410915	FN-10	506512	FA-038
231126	RT-46	231760	F-21	411144	FS-8	1266832	FB-10
231210	K-1126			411145	FB-19	1283856	UB-1
231231	ES-47L	231843	K-1193	411146	M-398	1286022	FB-11
231231-33	ES-47	231848	FN-3	411147	FB-18	1298827	FB-44
231232		231849	FN-4			1394943	FA-038
231706	JES-39	231859	FS-1	411231	M-648	1394944	FA-02
231233 231234	ES-47R	231905	KB-9483	411345	FCS-4	1394946	FA-013
231234		231948-9	ES-58	411776	FCS-9		
231705	ES-38	231983	FB-3	412107	F-9	1438162	FA-83
	19 14	231994	FR-4	412108	M-394	3650164	M-657
231237	ET-51	231995	FR-3	412170	M-395	5325788	M-658
231273	F-7	231996	FS-2	412509	FB-57	V - C	Harry Control
231274	F-3	A		413048	FA-83		Year No.
231294	FB-7	231997	FB-4	413050	FB-57		
231490	FB-8	264942-44	ES-78	413917	FS-21		
231491	FB-9	264953	FS-31				
231492	FB-6	266657-8	ES-78	414226	FA-011		






Sangara San	

for P	ACKARD		K	ING	BOLT	SET	S					
YEAR	MODEL	s	No. Cyl		YEA	R		MODELS	S		No. Cyl.	King Bolt Sets
1935–40	115C, 1600, 1700, cyl.; 120, 120B, 1500, 1501, 1502 1602, 1701, 1701 1703A, 1705, 1801 Super 1803, 1804 Super Custom 18 8-180, 8 cyl	120C, 138C , 1601, 1601 A, 1702, 170 1, 1801A, 8-12 4, 1805, 8-16 06, 1807, 180	D, D, 03, 20, 50,	3 KA-27			20, 6-110, 2001A, 202 Super 200- 8-160; Supe 2106, 2126; 2226, 8 cyl King Bo Lower B Lock Pir	1, 8-12 4, 2005 er Custor Custor It (2 us ushing	0, 2101, 5, 2023, om 2007, m Eight, ed) (2 used)	211 210 , 200 , 221	l.; 1; 3, 8, 3, 6–8	K-1190 KB-269
1941	Clipper 1951		8	KA-11	7		Expansion Shim (us Thrust E	on Plug se as re	(4 used quired).)		K-1191 M-83 M-128 M-227
		S	HAC	KLE	KITS	& P/	RTS					1
YEAR	MODELS	3	No. Cyl.	_	FRONT BOLT Stock No.	FRO	T BUSHING	Sto	EAR BOLT	No.	REAR	BUSHING
			Oyl.	Opring	No. Used	No.		No		sed	No.	No. Used
			•		olt & Nut;			e Pales			SHC13.	
YEAR 1935-47	120, 120B, 120C, 13 1801A, 1901, 190 1903A, 1904, 190 1808, 1906, 1907, 2020, 2130, 6-110	B8CD, 1601, 11A, 2001A, 05, 2003A, 2 1908, 2007,	1601E 2021, 3 004, 20 , 2008,	KETS MODELS 0, 1602, 8-120; S 005, 202 8-180,	1701, 1702 uper 1803, 13, 8-160; 8 cyl.; 115	, 1703, 1803, Super C, 160	1703A, 17 , 1804, 18 Custom 18 0, 1700, 18	05, 180 05, 190 06, 180 00, 190	No. Cyl. 13, 17, 100, 6-8	S Sto	ocket ock No. er Pair	Rod Stock No.
1935–47	120, 120B, 120C, 13 1801A, 1901, 190 1903A, 1904, 190 1808, 1906, 1907	38CD, 1601, 11A, 2001A, 95, 2003A, 2 1908, 2007, 6 cyl	1601E 2021, 3 004, 2 2008,	KETS MODELS 0, 1602, 8-120; S 0005, 202 8-180,	1701, 1702 uper 1803, 13, 8-160; 8 cyl.; 115	, 1703, 1803 A Super C, 160	1703A, 17, 1804, 18 0, 1700, 18 (For Ri (For I	05, 180 05, 180 05, 190 06, 180 00, 190 ght Rought	No. Cyl. 11, 13, 17, 100, 6-8 d	Sto	ocket No. pr Pair	
1935–47	120, 120B, 120C, 13 1801A, 1901, 190 1903A, 1904, 190 1808, 1906, 1907 2020, 2130, 6-110 1941 Clipper 1951, 2101, 2111, 8-120;	38CD, 1601, 11A, 2001A, 95, 2003A, 2 1908, 2007, 6 cyl	1601D 2021, 3 004, 2 2008,	WODELS 0, 1602, 8-120; S 0005, 202 8-180, 0, 2100, 3-160; Su	1701, 1702 uper 1803, 33, 8-160; 8 cyl.; 115	, 1703, 1803 A Super C, 160	1703A, 17 , 1804, 18 Custom 18 0, 1700, 18 (For Ri (For I , 6 cyl.; 20 2106, 8-16	05, 180 05, 180 05, 190 06, 180 00, 190 ght Roceft	No. Cyl. No. Cyl. 13, 17, 10, 6-8 d) 6-8 1, 6-8	ES- ES-	ocket No. pr Pair	Stock No.

for PLYMOUTH TYPE OF WHEEL SUSPENSION USED ON 1934-48 PLYMOUTH



Year	MODEL	No. Cyl.	Description	No. Used	Description	No. Used
1934	PE, PF	6	FA-04 Upper F-3 FB-6 FB-7	2	FA-08 Lower F-7 FB-9 K-II29 FB-8	2
1939	P7; P8, Except 7-Pass. Sedan and Limousine (Used with Early Type Forged Arms)	6	FA-023 Lower F-14 M-410 K-1129	2		
1939–40	P7; P8, Except 7-Pass. Sedan and Limousine (Used with Late Type Stamped Arms); P9; P10, Except 7-Pass. Sedan and Limousine	6	FA-045 Lower F-22 M-587 FB-26 M-461	2		
1939	P8, 7-Pass. Sedan and Limousine	6	FA-010 Lower K-II29 K-II29 F-7 FB-9	2		
1940	P10, 7-Pass. Sedan and Limousine. Canadian Models: 1940, P10, 7-Pass. Sedan and Limousine	6	FA-029 Lower F-17 M-480 FB-32 M-479	2		
941–48	P11, P12, Except 7-Pass. Sedan and Limousine; P14C, P14S, P15C, P15S, Canadian Models: 1940-42, P9, P10, P11, P12, Except 7-Pass. Sedan and Limousine; P14	6	FA-039 Upper F-22 M-461 FB-46 M-587	2	FA-045 Lower F-22 M-587 FB-26 M-46I	2
941	P12, 7-Pass. Sedan and Limousine. Canadian Models: 1940-41, P12, 7-Pass. Sedan and Limousine	6	FA-042 Upper F-24 M-480	2	FA-029 Lower F-17 M-480	2

	STEERI	NG	KNUCKLE SUPP	ORT	for PLYMOU	ТН
Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
77. 5.75.4	1939 P7, P8, Except 7-Pass. Sedan and Limousine (Used with Stamped Arms); 1940 P9, P10, Except 7-Pass. Sedan and Limousine		FN-7 Right or Left	2		
1941–48	P11, P12, P14C, P14S, P15C, P15S, Except 7-Pass. Sedan and Limou- sine	6	FN-8 Right or Left	2		

CONTR	OL	ARM	AND	SHAFT	ASSEMBLY
COLLINA	Maria A	A H M H W H			1 F. C. C. COLL S. C. C. C. C.

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1939	P7; P8, Except 7-Pass. Sedan and Limousine. (Used with Early Type Forged Arms and Late Type Stamped Arms)	*	FA-026 Upper FS-17 FB-22 M-409 FB-21	2	FA-024 Lower FS-14 FB-24 M-4II	2
			FA-60 Upper Outer Ecc. Bushing and Seal Kit FB-20 M-409	2		
1939	P8, 7-Pass. Sedan and Limousine	б	FA-017 Upper FS-7 FB-16 M-397 FB-31	2	FA-014 Lower	2
			FA-57 Upper Outer Ecc. Bushing and Seal Kit FB-14 M-473	2	FB-I5 FB-I5	
1940	P9; P10, Except 7-Pass. Sedan and Limousine	6	FA-027 Upper FS-18 FB-21 M-472 FB-22	2	FA-024 Lower FS-14 FB-24 M-411	
			FA-58 Upper Outer Ecc. Bushing and Seal Kit FB-27 M-472	2		

for P	LYMOUTH CONTROL A	RN	AND SHAFT AS	SEM	BLY	
Year	MODELS	No. Cyl.	Description	No. Used	Description	Us Us
1940	P10, 7-Pass. Sedan and Limousine Canadian Models: 1940-41, P10, P12, 7-Pass. Sedan and Limousine		FA-044 Upper FS-26 FB-30 M-473 FB-31	2	FA-030 Lower FS-20 FB-33 M-481	
			FA-59 Upper Outer Ecc. Bushing and Seal Kit	2	FA-54 Upper Inner Shaft Bushing and Seal Kit	
1941	P12, 7-Pass. Sedan and Limousine.	6	FA-043 Upper FS-26 FB-49 M-473	2	FA-030 Lower FS-20 FB-33 M-481	
1941–48	P11, P12, Except 7-Pass. Sedan and Limousine; P14C, P14S, P15C, P15S, Canadian Models: 1940-42, P9, P10, P11, P12, Except 7-Pass. Sedan and Limousine and 1948 models with low pressure tires; P14	6	FA-040 Upper FS-18 FB-47 M-586	2	FA-024 Lower FS-14 FB-24 M-411	
	FRO	N.	T COIL SPRINGS			
Year 1939-41	MODELS All Models, Except 7-Pass. Sedan	No. Cyl.	Description FCS-2R	No. Used	Description	Us
942–48	All Models, Except 7-Pass. Sedan and Limousine	6	FCS-12 FCS-12	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs in a package.	

Install spacers on the flatted end of the coil

	FRONT	COI	L SPRING SPACERS	for PLYMOU	ТН
Year	MODELS	No. Cyl.	Description No. Used	Description	No. Used
939	P8, 7-Pass. Sedan and Limousine	6	M-631 2	Spacer—.125 Thick.	
	TERRO VANDE TO A TO		M-631	Install spacers on the flatted end of the coil spring.	
939–48	All Models, Except 7-Pass. Sedan and Limousine	6	M-634 2	Spacer—.139 Thick.	

KING BOLT SETS

YEAR	MODELS	No. Cyl.		YEAR	MODELS	No. Cyl.	King Bolt Sets
1928–32	Q, U, 30U, PA, PB Steering Arm & Tie Rod Ball (3 used)		T-963	1935–41	Pass. Cars: 1935-37, PJ, P1, P2; P3 to Car 1227778 and 9095366; P4 to Car 10391296 and 9997567. Trucks: 1937-41, PT50, PT57,		
1933–34	PC, PD; PG Standard to Car 1021181 and 3150196	6	KA-7	1-11-	PT81, PT105, PT125 Commercial	6	KA-15
1934	PE DeLuxe to Car 2190644 and from Car 2191004 to 2191075	6	KA-64	1937-38	Pass. Cars: P3 after Car 1227778 and 9095366; P4 after Car 10391296 and 9997567; P5, P6.	6	KA-53
1934	PF Special to Car 1881211 and 3101065	6	KA-66	1940-41	P10, P11, P12, 7-Pass. Sedan and Limousine	6	KA-94
1934–48	1934 PE DeLuxe from Car 2190644 to 2191004 and after Car 2191075; PF Special after Car 1881211, 3101065; PG Stand- ard after Car 1021181 and 3150351; 1939-46 P7, P8, P9; P10, P11, P12, P14C, P14S, P15C, P15S, Except 7-Pass.			7			
	Sedan and Limousine		KA-16				

SHACKLE KITS & PARTS

	The second second	No.	PRING	SILENT SHACKL FRONT	E OR	SILENT BUSHING FRONT BU	OR	SILENT SHACKLE REAR BO	OR	BUSHING REAR BUS	GOR
YEAR	MODELS		SPR	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1931–32	PA; Canadian Built PB to Car 9309355	4	Fr.			SB-138	2	UA-15 Sile Shackle	nt U	UB-25*	4
	\$22 to Capazon 25 252 (18)	10 N	Rr.	SK-32 S	Spring	Bolt Kit	1	UA-55 Sile Shackle	nt U	UB-25*	4
1932	PB; Canadian Built PB after Car 9309355	4	Fr.			SB-138	2	UA-54* Sil Shackle		UB-25*	4
mH-A	Same of Allerander Allerander	3.3	Rr.	SK-32 S	pring	Bolt Kit	1	UA-55* Sil Shackle	ent U	UB-25*	4
1933-34	PC, PD, PG	6	Fr.	SK-33 S	Spring	Bolt Kit	1	UA-12* Sil Shackle	2	UB-7 UB-8	2-Fm. 2-Sp.
	ero din aris dintara da 27 a		Rr.	SK-33	Spring	Bolt Kit	/ 1	UA-13* Sil Shackle	ent U	UB-8	4

11	90	-	100	7
1				Н
1	8	L	J	1
П	8			1
1	E.			1

for PLYMOUTH

YEAR	MODELS	No.	RING	SILEN SHACKL FRONT Stock		SILEN BUSHIN FRONT BU	GOR	SILENT U SHACKLE OR REAR BOLT		BUSHING REAR BUS	OR
	sind, exalinated to	Cyl.	SP	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1934	PE.O	6	Fr. Rr.	See Wh SK-32	eel Su Spring	Bolt Kit	Parts I	UA-55* Si Shackle	lent U	UB-25*	4
1934	PF	6	Fr. Rr.	See Wi SK-32	spring	spension :	Parts I	isting. UA-13* Si Shackle	lent U	UB-8*	4
1935	РЈ	6	Fr.			SB-330	2	UA-33* Si (R) Shack UA-34* Si (L) Shack	le 1 lent U	UB-14* UB-15*	1-Sp
	A construent word		Rr.	SK-32	Spring	Bolt_Kit	1	UA-59* Si Shackle		UB-25*	4
1936	P1, P2, (Except 7-Pass. Sedan)	6	Fr.			t U (R) S UB-25* t U (L) S (UB-25*	2 h. 1	S-1207 UA-39* Sil	1-R	SB-330 (UB-19	1-R 1-Fn
		*				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		(L) Shackl		UB-25*	1-Sp
t de la constant de l	•		Rr.	SK-32	Spring	Bolt Kit	1	UA-59* Sil Shackle	lent U	UB-25*	4
1936	P2, 7-Pass. Sedan	6	Fr.			t U (R) S UB-25*	2	S-1207	1-R	SB-330	1-R
	Constant walk (the self- ex first outborner) (the self-exists)			UA-38*	Silen	t U (L) SI {UB-25* UB-24*		UA-39* Sil (L) Shackl		{UB-19 UB-25*	1-Fn 1-Sp
			Rr.	SK-32 S	Spring	Bolt Kit	1	UA-41* Sil Shackle	lent U	UB-17	4
1937–38	P3 to Car 1196613; P4, P6	6	Fr.			t U (R) S: UB-25* t U (L) Si	2	S-1207	1-R	SB-330	1-R
	par spine as \$4.00 re					(UB-25* (UB-24*	1-Fm.	UA-44* Sil (L) Shackl		{UB-19 UB-24*	1-Fm 1-Sp
			Rr.	SK-34 S	pring	Bolt Kit	1	UA-59* Sil (R) Shackl UA-58* Sil	le 1 lent U	UB-25* ∫UB-25*	2 1-Fm
		For	cars	having	'Heav	y Duty"	Spring	(L) Shackl s, use Asse		UB-24*	
State of the state			A-44.								
1937–38	P3 after Car 1196613; P5	6	Fr.			t U (R) SI UB-25* t U (L) SI	2	S-1207	1-R	SB-330	1-R
				1		{UB-25* UB-24*	1-Fm.	UA-39* Sil (L) Shackl		{UB-19 UB-25*	1-Fm 1-Sp.
			Rr.	SK-34 S	Spring	Bolt Kit	1	UA-59* Sil (R) Shackl		UB-25*	2
								UA-58* Sil (L) Shackle	ent U	{UB-25* UB-24*	1-Fm 1-Sp.
1937–38	Trucks: PT50, PT57, Commercial	6	Fr.			t U (R) SI UB-25* t U (L) SI {UB-25* {UB-24*	2 . 1 1-Fm.	SK-35 Spri	ng Bol	t Kit	1
	A HANGE AND		Rr.	SK-34 S	pring	Bolt Kit	1	UA-64* Sil (R) Shackl UA-65* Sil (L) Shackl	e 1 ent U	\{\begin{aligned} \text{UB-21} \\ \text{UB-24*} \\ \text{UB-21} \\ \text{UB-25*} \end{aligned}	1-Fm

ed as original equipment. UB-24, and UB-25 are available with .010 oversize outside diameter.
Abbreviations: R-Right, L-Left, Fr.-Front, Rr.-Rear, Sh.-Shackle, Sp.-Spring, Fm.-Frame.

SHACKLE KITS & PARTS

for PLYMOUTH

	MODELS MODELS		SPRING	SILEN SHACKI FRONT	E OR	SILENT BUSHING FRONT BUS	OR	SILENT SHACKLE REAR B	OR	SILENT BUSHING REAR BUS	OR
YEAR		No. Cyl.	SPF	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1939–40	Pass. Cars: P7, P8; P9 To Serial 1414776; P10 to Serial 10999699. (U-Shackles at Rear)	6	Fr. Rr.	See Wh	eel Su Spring	spension F Bolt Kit	Parts L	isting. UA-59* Si (R) Shack UA-58* Si (L) Shack	le 1 lent U	UB-25* {UB-25* {UB-24*	2 1-Fm 1-Sp.
1939	Trucks: PT81 Commercial	6	Fr.			t U (R) SI UB-25* t U (L) Sh {UB-25* UB-24*	2 1. 1 1-Fm.	SK-35 Spr	ing Bol	Kit	1
			Rr.	SK-36	Spring	Bolt Kit	1	UA-64* Si (R) Shack UA-65* Si (L) Shack	le 1 lent U	UB-21 UB-24* UB-21 UB-25*	1-Fm 1-Sp. 1-Fm 1-Sp.
1940	Pass. Car: P9 after Serial 1414776; P10 after Serial 10999699. (Rubber Bushing Type Shackle at Rear)	6	Fr.		1	spension I	Parts L	isting.	alria Ass	an blu	2
	present to the second of the s		K1.	SK-34		Bolt Kit		SK-44 Sila	CKIE ASS	embly	
1940–41	Trucks: PT105, PT125, Commercial	6	Fr.			t U (R) SI {UB-25* UB-24* t U (L) SI UB-25*	1-Fm. 1-Sp.	SK-35 Spr	ing Bol	t K it	1
			Rr.	SK-36	Spring	Bolt Kit	1	UA-64* Si (R) Shack UA-65* Si (L) Shack	le 1 lent U	UB-21 UB-24* UB-21 UB-25*	1-Fm 1-Sp. 1-Fm 1-Sp.
1941–48	Pass. Cars: P11, P12, P14C, P14S, P15C, P15S	6	Fr.	See Wi	neel S	uspension 1	Parts I	isting.			
24		1	Rr.	SK-34	Sprin	Bolt Kit	1	SK-44 Sha	ackle As	sembly	2

UA-58, UA-59, UA-64, and UA-65 Silent U Assemblies include two M-478 Seals.

★*Silent U Shackles marked * used as original equipment. UB-24, and UB-25 are available with .010 oversize outside diameter.

Abbreviations: R-Right, L-Left, Fr.-Front, Rr.-Rear, Sh.-Shackle, Sp.-Spring, Fm.-Frame.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Rod Stock No.
1933	PC, PD	6	RS-34	
1934	PE, PF	6	ES-35 ES-36 ES-35R	
1934	PG	6	ES-57	
1935	PJ		ES-57 DS-85 ES-35R	ET-6
1936	P1, P2 (Complete Drag Link Assembly) (Adjusting Socket for Drag Link)		ES-57 DS-86 ES-70R	ET-6




for PLYMOUTH


TIE ROD SOCKETS, DRAG LINKS & RODS

(Continued from preceding page)


YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediat Rod Stock No.
1937–38	Pass. Cars: P3, P4, P5, P6 to Serial 10555294; Trucks: PT50, PT57, Commercial (Complete Drag Link Assembly used with 16" Wheels) (Complete Drag Link Assembly used with 18" and 20" Wheels) (Adjusting Socket for Drag Link Used with 16" Wheels) (Adjusting Socket for Drag Link Used with 18" and 20" Wheels)		ES-57 DS-87 DS-88 ES-70R ES-53R	ET-64
1938	Pass. Cars: P6 after Serial 10555294 (Complete Drag Link Assembly) (Drag Link End)		ES-57 DS-89 ES-114R	ET-64
1939	Pass. Cars: P7, P8, (Except 7-Passenger Sedan and Limousine)(For Right Rod) (For Left Rod)	6	ES-76 ES-77	ET-71 ET-72
1939	Trucks: PT81 Commercial	6	ES-57 DS-111	ET-64
1939–45	Pass. Cars: P8, 7-Pass. Sedan and Limousine; P9, P11, P14 Army	6	ES-60 ES-61	
1940-41	Trucks: PT105, PT125 Commercial	6	ES-60 DS-111	
1940–48	P9, P10, P11, P12, P14C, P14S, P15C, P15S	6	ES-60 ES-131	

FOR INTERCHANGEABILITY OF PLYMOUTH PART NUMBERS WITH OUR PART NUMBERS SEE PAGE 30.





For complete view showing type of Wheel Suspension Parts for 1934-36 PON-TIAC see panel under CHEVROLET.



for PONTIAC

KNUCKLE SUPPORT PIN ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1940–46	Canadian Models; 1940, Series 22S; 1941-46, Series 20, 22	6	FA-034 Upper F-19 FB-41 M-399 FB-40	2	FA-035 Lower F-20 M-400 FB-42	2

STEERING KNUCKLE SUPPORT

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1937–38	All 6 & 8 Cyl. Models	. 6-8			FN-3 Right	1
					FN-4 Left	1
1939-48	All 6 & 8 Cyl. Models	6-8			FN-9 Right	1
					FN-10 Left	1

CONTROL ARM AND SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
1937	6CA, 6 Cyl.; 8CA, 8 Cyl., Canadian Models; Series 26, 28	6-8	FS-1 Lower	2	FR-3 Left Front or Right Rear FR-4 Right Front or Left Rear	2 2
1938	Shaft for 1937 cars	havir aft I Origi	FA-012 Lower	2	FR-3 FR-4 Left Front or Right Rear FR-4 Right Front or Left Rear	2 2

P

for PONTIAC

CONTROL ARM AND SHAFT ASSEMBLY

Year	MODELS	No. Cyl.	Description	No. Used	Description	No.
938	Canadian Models; Series 26	б	FA-015 Lower	2		
1939–48	All 6 and 8 Cyl. Models. Canadian Models; 1939-46, Series 25, 26, 27, 28, 29		FB-10 FB-11 FA-018 Lower FS-8 M-398	2		
940–46	Canadian Models; 1940, Series 22S; 1941-46, Series 20, 22	6	FA-036R Lower Right Side	1	FA-036L Lower Left Side	1
			M-401 FB-43		M-401 FB-43	
			FA-52 Lower Right Side (With Spring Seat)	1	FA-53 Lower Left Side (With Spring Seat)	1

STABILIZER LINK REPAIR KIT

Year	MODELS	No. Cyl.	Description	No. Used	Description	No. Used
939–48	All 6 and 8 Cyl. Models	6-8	FA-84	2		
1. 9 DE						
			M-654 M-655	1		
			O O O O O			
	ent de Gerentents		M-658 M-657			

Year	MODELS	No. Cyl.	Description	No. Used	Description	No
1937–38	All 6 and 8 Cyl. Models	6-8	M-631		.125 Thickness. Install spacers on the flatted end of the Coil Spring.	
1939–47	All 6 and 8 Cyl. Models	6-8	M-635		.125 Thickness. Install spacers on the flatted end of the Coil Spring.	
	(1939-40) 25 Taxi, 26 except Taxi, 28; (1940) 29; (1941) 24 Sta. Wagon, 25, 26, 27 except Sta. Wagon, 28, 29; (1942-46) 25 except Taxi, 26-27 except Taxi and Sta. Wagon 28, 29, 6 & 8 cyl. Conv. & Sport Coupe; (1947) 25, 26-27 except Taxi & Sta. Wagon, 28, 29, 6 & 8 cyl. Sport Coupe: (1947) 25, 26-27 except Taxi & Sta. Wagon, 28, 29, 6 & 8 cyl. Sport & Conv. Coupe	6	FCS-3 FCS-3	2	Coil Springs should ALWAYS be replaced in pairs. Sold ONLY 2 Springs	
		//	FCS-4		in a package.	
1		No. Cyl.	ARM SUPPORT	No.		No
Year 939-48	MODELS All 6 and 8 Cyl. Models	6-8	FS-31 M-648 FB-57	1 1	Description	Use

1		eit	N.	╗
18	1	-		1
	ı	۲	,	1
18	п	b		

Я							
3	for	STATE OF THE PARTY OF	-	BA 10	SERVICE STATE	100 AM	4
1				100.0			
1	- M						
ı							

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
1926–27	627 to Car 204001 (2 Wh. Brakes) Tie Rod Bolt (2 used) Tie Rod Bushing (2 used)		
1928-36	628 after Car 204001 (4 Wh. Brake); 629, 630, 401, 402, 6AB, 6BB, Standard, 6 cyl.; 1933, 601, 8 cyl	6-8	KA-3 KA-93
1932	302	8	KA-49

YEAR	MODELS	No. Cyl.	King Bolt Sets
1934–36	6AA, 6BA, DeLuxe, 6 cyl.; 603, 8AA, 8BA, 8 cyl	6-8	KA-19 KA-92 M-61 M-126
1937–39	All Pontiac Six and Eight	6-8	KA-30
1940-48	All Pontiac Six and Eight	6-8	KA-90

SHACKLE KITS & PARTS

	MODELO	No.		FRONT	BOLT	FRONT BUS	SHING	REAR BO	DLT	REAR BUS	HING
YEAR	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
929-30	629, 630	6	Fr.							UB-1	4
			Rr.					UA-17 Sile Shackle	nt U	UB-1	4
931-32	401, 402, 6 cyl.; 302, 8 cyl	6-8	Fr.			SB-312	2	S-1130	4		
			Rr.	SK-19	Spring	Bolt Kit	1				
1933	601	8	Fr.			SB-312	2	S-1171 Sh	ackle A	ssembly	2
			Rr.	SK-19	Spring	Bolt Kit	1	S-1172 Sha	ackle A	ssembly	2
1934–36	6AA, 6BA, De Luxe, 6 cyl.; 603, 8AA, 8BA, 8 cyl	6-8	Fr.	See Wi	neel Su	ispension I	Parts L	isting.	1 2		
			Rr.	SK-19	Spring	Bolt Kit	1	S-1172 Sh	ackle A	ssembly	2
1935–36	6AB, 6BB, Standard	6	Fr.	S-1171	Shack	le Assembl	y 2	SK-19 Spr	ing Bo	t Kit	1
			Rr.	SK-19	Spring	Bolt Kit	1	S-1172 Sh	ackle A	ssembly	2
1937–38	6CA, 6DA, 6 cyl.; 8CA, 8DA, 8 cyl.	6-8	Fr.	See WI	neel Su	spension I	Parts L	isting.			4 y 3
			Rr.	SK-19	Spring	Bolt Kit	1	S-1278 Sh	ackle A	ssembly	2
1939-47	All Pontiac Six and Eight	6-8	Fr.	See W	heel S	uspension l	Parts I	isting.			
			Rr.	SK-42	Spring	Bolt Kit	1	S-1278 Sh	ackle A	ssembly	2

Arms used as Original equipment on 1935-40 cars.

6-8 Fr. See Wheel Suspension Parts Listing. All Pontiac Six and Eight... 1948 | SB-338 S-1278 Shackle Assembly Rr. 2

S-1171 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt and Nut, two S-1174 Bars and four M-68 Cork Washers, and two Grease Fittings.
S-1172 consists of two S-1168 Bolts, two SB-313 Bushings, one S-1173 Clamp Bolt and Nut, two S-1175 Bars

and four M-68 Cork Washers and two Grease Fittings.

S-1278 consists of two S-1223 Bolts, two SB-338 Bushings, two S-1175 Bars, one S-1265 Clamp Bolt and Nut, and four M-68 Cork Washers.



TIE ROD SOC	KETS, DRAG	LINKS & RODS
-------------	------------	--------------

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Rod Stock No.
1933–36	P6, P6A DeLuxe, P6B Standard, 6BA, 6BB, 6 cyl.; 601, 603, P8, 8BB, 8 cyl	6-8	RS-29	
1937–38	6CA, 6DA, 6 cyl.; 8CA, 8DA, 8 cyl. (For Right Rod) (For Left Rod)	6–8	ES-58 ES-58	ET-66 ET-66
1939-48	All Pontiac Six and Eight	6-8	ES-78	

INTERCHANGEABILITY LIST OF CHASSIS PARTS

Car		1 Car		I Car		Car	
Factory	Our	Factory	Our	Factory	Our	Factory	Our
Number	Number	Number	Number	Number	Number	Number	Number
B4218	SB-138			411145			
	KB-1423	344277	SB-A117 S-906	411145	FB-19	504688	M-85
34402	M-86	344336 344402	KB-1423	411147	FB-18 M-648	F0F011	F 01
103895	M-85	344402	TB-1044	411231		505311	F-21
106517 120371	M-576	352210	KB-9623	411302	M-396	505312 505313	FB-44
120371	M-270	352210	K-962	412107	F-9	500513	FB-45
126715	S-1173	352213	M-14	412107	M-394	506512	FA-038
126720	3-11/3	332210	IVI-14	412170	M 205	525325 593705 600864 600889	SB-A117
120377	S-1265	352569	M-222	413048	M-395 FÁ-83	593705	M-68
138569	M-388	352575	M-64	413050	FB-57	600864	M-245
130309	IVI-300	361194	SB-A136	414226	FA-011	600889	FS-10
141710	M-575	366704	K-1059	414227	FA-018	600890	FS-11
150203	K-1074	373455	K-1128	474838	S-1130	602691	KA-3
150203	T-103	373460	M-62	479294	SB-A140	conoca	V 1107 010
185003	M-94	373461	K-1127	485210	LR-6	603963 751005	K-1127 .010
230679	M-225	373467	M-61	403210	LN-0	1286211	SB-312
230857	K-1074	373476	M-227	486303	KB-8873	1298827	M-96
231210	K-1126	373481	M-128	495034	S-1174	1305013	FB-2 M-631
231549	ET-66	3/3401	IAI-170	495035	S-1175	1305013	
231742	M-387	376015	M-244	496855	S-11/3		FA-01
231742	F-2	376020	M-393	496856	FS-22 FS-19	1394944	FA-02
231733	1-2	376033	M-391	499336	KB-260	1438162	FA-83 M-657
231760	F-1	376309	M-392	499348	KB-298	3650164 5325788	NA CEO
231843	K-1193	376571	M-243	499533	SB-338	5325788	M-658
231859	FS-1	377089	M-62	499538	S-1223		
231905	KB-9483	377368	M-126	500863	FB-1		
231903	ES-58R	378138	LR-50	300003	10-1		
231949	ES-58L	378143	M-81	500906	FA-84		
231943	FB-3	379648	SB-313	501599	M-389		
231903	FB-4	373040	20-213	502342	S-1255		
264942-44	ES-78	395569	SB-178	502442	M-602		
264953	FS-31	405085	KA-30	502721	FB-19	A VIII STATE OF	
204300	10-01	407564	S-1254	503575	KB-297		
266657-8	ES-78	410737	M-654	503577	K-1210	The state of the s	
327847	K-142	410738	M-656	504058	KA-90		
341633	T-142	411144	FS-8	504504	FCS-3		
041000	0 A T4	1 122277	100	001001	1.00-0	1	

for R	EO P	ASS.	CAR

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
1932–35	Flying Cloud S, 2S, 3S, 4S, 5S; Royale 7S		
	used) Lock Pin (2 used) Expansion Plug (4 used) Shim (use as required)		K-1088 M-101

YEAR	MODELS	No. Cyl.	King Bolt Sets
1935-36	Flying Cloud 6A, 6D	6	KA-79
	A company of the second	1.2	

SHACKLE KITS & PARTS

YEAR	MODELS	No. Cyl.		FRONT BOLT		FRONT BUSHING		REAR BOLT		REAR BUSHING	
			Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1935–36	Flying Cloud 6A, 6D	6	Fr.				••••	UA-14* Sile Shackle	ent U	UB-25*	4
			Rr.			UB-25*	2	UA-55 Silen Shackle	t U	UB-25*	4

★Silent U Shackle marked * used as original equipment.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1935-36	Flying Cloud 6A, 6D.	6	RS-25	

for REO BUS & TRUCK

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	King Bolt Sets
1929–33	GA, GB, GC, GCS, GD, GE, GF 4H, 4J, 3-4 Ton; GB,GBS, GC, OCS, Bus	6		1935	S4P, ½ Ton		K-1088 M-101
1932–39	1A after Serial 1659; 1C after Serial 481, 1½ Ton, 4 cyl.; 1B			1936–39	450, 450L, 4 cyl.; 6AP, 650, 650L, 6 cyl., ½ Ton	4-6	KA-79
	after Serial 2083; 1D after Serial 2921, 1BR after Serial 6; 1DR after Serial 13 1½ Ton; 1A4, 1A4H, 1A4HY, 1A4Y, 1A4Z, 1B4, 1B4H, 1B4Y, 1B4Z, 1C4, 1C4H, 1C4HY, 1C4Y,			1940–47	19A, 19AT, 19B, 19C, 19BHS, 19CHS, 19XHS, 20A, 20B, 20C, 21A, 21B, 21C, 22A, 22B, 22C, 21BHHS, 21XHHS, 4X2, 1½-3 Ton		KA-97
6	1C4Z, 1D4, 1D4H, 1D4Y, 1D4Z, 1L5, 1LC5, 1L5H, 2B, 2B4, 2D, 2DR, 2D4, 2L, 2L4, 2LC4,		1000	1940–46	23A, 23B, 23C, 23H, NWL41, 4-	6	KA-108
7	2L4H, 1½-3 Ton, 6 cyl. 1L5, 1LC5, 1L5H, 2L4, 2L4H, Bus, 6 cyl		K ∆_70	1946	25, 25VBS, 25VXS	6	KA-106
1933–39	1B7M, 1B7MY, 2B7M, 2B4Z, 2D4M, 2D4MH, 2D4Z, 2H, 2HR, 2H5, 2H5Z, 2J, 2JR, 2J5Z, 2KR, 2KR, 2LM, 2LMH, 3H, 3HR, 3H5, 3H5R, 3J, 3JR, 3J5, 3J5R, 3K, 3KR, 3K5, 3K5R, 3L6H, 3M, 3MR, 4H5, 4J5, 4K5, 1½4 Ton; 2LM, 2LMH, 2L7MHF, 2L7MHF, 2L7MHF, 3L6, 3L6H, 91MT, Bus.		KA-86	1948	30A, 30B, 31A, 32B		KB-237

for REO BUS & TRUCK SHACKLE KITS & PARTS

	MODELS			FRONT BOLT		FRONT BU	SHING	REAR BO	DLT	REAR BUS	SHING
YEAR	MODELS	No. Cyl.		Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1933–34	2B, 2D, 2DR, 2-3 Ton	6	Fr. Rr.	S-1166	2	SB-954 SB-311	2 2	S-1166	4	SB-954 (SB-325 SB-311	2-Lr. 2-Up 2-Lr.
1933–34	2H, 2J, 2K, 2 Ton	6	Fr. Rr.	S-1166	2	SB-217 SB-311	2 2	S-1166	4	SB-217 (SB-325 SB-311	2-Lr. 2-Up 2-Lr.
1933–34	2L, 2LC, 2 Ton	6	Fr.			SB-954	2			SB-954	2-Lr
1935–38	1L5, 1L5H, 2LC4, 1½-2 Ton & Bus; 2L4 Bus to Serial 2-4L-3154; 2L4H Bus to Serial 2-4LH-3158	6	Fr.	S-1199	2	SB-954	2			SB-954	2-Lr.
1935–39	1A4, 1A4H, 1A4HY, 1A4Y, 1A4Z, 1B4, 1B4H, 1B4Y, 1B4Z, 1C4, 1C4H, 1C4HY, 1C4Y, 1C4Z, 1D4, 1D4H, 1D4Y, 1D4Z, 1½ Ton	6	Fr. Rr.	S-1197 S-1198	4 2			S-1197 S-1198	2 4	SB-324	2-Ur
1935–39	1B7M, 2B4, 2B4Z, 2B7M, 2D4, 2D4Z, 2H5, 2H5Z, 2J5, 2J5Z, 2-2½ Ton	6	Fr. Rr.	S-1199 S-1166	4 2	SB-269 SB-954 SB-311	2-Up. 2-Lr. 2	S-1199 S-1166	2 4	SB-954 {SB-325 SB-311	3 2-U1 2-Lr
1936–37	6AP, ½ Ton	6	Fr. Rr.					UA-14 Sile Shackle	2	UB-25 UB-1	4 4
1936–37	2D4M, 2D4MH, 2 Ton	6	Rr.	S-1166	2	SB-311	2	S-1166	4	SB-325 SB-311	2-Up 2-Lr
1940–47	19A, 19AT, 19B, 19C, 19BHS, 19CHS, 19XHS, 20A, 20B, 20C, 1½-2 Ton		Fr.	S-1166	2	SB-311	2	S-1166	4	\{\sum_{\subset} \sum_{\sum_\sum_\s\sum_\sum_\sum_\sum_\sum_\sym_\sum_\sym_\sum_\sum_\sym_\sum_\sum_\sum_\sym_\sin_\sum_\sym_\sum_\sym_\sym_\sum_\sym_\sym_\sym_\sym_\sym_\sym_\sym_\sy	2-H ₁ 2-Sp
			Rr.	S-1166	2	SB-311	2	S-1166	4	SB-325 SB-311	2-Sh 2-Sp

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1936-39	450, 450L, 4 cyl.; 6AP, 650, 650L, 6 cyl., ½ Ton	4-6	RS-25	
1937–47	21C, 21T, 22A, 22B, 22C, 22L, 22T, 23A, 23B, 23C, 23L, 23T, 23XHS, 38,	6	ES-133 ES-138	
1.	56, 92, 92 Special(Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1939-42	20A, 20B, 20C	6	ES-122	

for ROCKNE Listed with Studebaker

for SCHACHT BUS & TRUCK TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937	128CU(Used with Straight Rod) (Used with Curved Rod)		ES-133 ES-138	
1937–39	E, EC, ECU, ER, ERU, S, V, VC, VR, Y, YC, YR, 8A, 10A, 12A, 15A, 18A, 20A, 25A, 28A, 120CU, 125CU	0	ES-123 ES-122	

for STERLING BUS & TRUCK KING BOLT SETS

1932-46; 2C, 4R, FW97S, FD97S, FW115, FD115, FC95, FD95, FC100, FC107, 4-6 Ton; FBT152, FDT152, FWS152, HBT128, HD105, HC105, HWS128, JB90, JC115, 8-10 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H, 35000N.

1932-36; FB40, FB50, FB60, FB70, R-125, 1½-3 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 30000, 30000H.

1932-46; FB50, FB60, FB70, FD70; FD80, FB80, Spec., FC90, FD90, FB70, MB90, MC96, MD96, DeL. 2-4½ Ton, 6 cyl.

Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermedatio Rod Stock No.
1937–42	C3, D4, E4, F6, H6, FB50, FB60, MB60, MB65, FB70, FD70, LD75, MB75, MD75, FB80, MB85, MD85, FC90, FD90, HB90, JB90, MD90, MC87, MD96, MBS120. (Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1937–46	EH6D, FBT152, FC95, FC100, FC115, FC135, FC140, FD95, FD97, FDS180, FWS180, GWS128, HBT128, HC97, HC105, HC115, HC137, HC140, HC144, HC147, HCS195, HD105, HD110, HD115, HD135, HD137, HD140, HD145, HDH115, HDS128, HDS160, HW115, HWS128, HWS160, JB90, JC105, JC115, JC137, JC145, JD90, JD105, JD115, JD135, JD137, JD145, JDS160, JWS160, MB65, MB90, MC96, MC105, MH5, HWS160, RD115, RWS160	6	ES-133 ES-138	

for STEWART TRUCK

KING BOLT SETS

1941-46; 58A, 58B, 59B.
Uses Bolts and Bushings Listed Under Timken Axle 35000.

YEAR		No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1940-42	58A, 59A(Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	

FA-88 Lower Inner Bushing and Seal Kit

FB-60

2

for STUDEBAKER, & ROCKNE CONTROL ARM PIN ASSEMBLY No. Used No. Cyl. Description Description MODELS Year 1947-48 Champion 6G, 7G; Commander 14A, 2 FA-89 Lower 2 FA-86 Upper FB-58 9 M-661

F-29

M-660

FA-87 Upper Outer Bushing and Seal Kit

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	
1932-33	Rockne 65, 10	6	KA-34	
1934–37,	Dictator 6, A, 1A, 3A, 5A (Conventional Type Front Axle)	6	KA-34	
1936–37	Dictator 6, 4A, 6A, 6 cyl.; President 8, 2C, 3C, 8 cyl. (Independent Wheel Suspension)		KA-35	

YEAR							
1938–39	Six 7A; Commander 6, 8A, 9A to Serial 4112700, 6 cyl.; President 8, 4C, 8 cyl. (Pin Type King Bolt, 5½" Long)		KA-54				
1939-40	Champion, G after Serial No. G-18291, 2G.	6	KA-129				
1941-46	Champion, 3G, 4G, 5G	6	KA-130				

SHACKLE PARTS & KITS

	MODELS	No. Cyl.	1 2 2	FRONT BOLT		FRONT BU	FRONT BUSHING		T	REAR BUSHING	
YEAR			Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1932	Six 55	6	Fr. Rr.					Shackle	2	UB-25*	4
1934	Dictator 6, A	6	Fr. Rr.					Shackle	2	UB-25*	4 4
1934	Commander 8, B; President 8, C	8	Fr. Rr.					UA-16* Sile Shackle	2	UB-1 UB-1	4 4
1935–36	Dictator 6, 1A, 3A, (Conventional Type Front Axle)	6	Fr. Rr.					UA-16* Sile Shackle UA-54 Silen Shackle	2	UB-1 UB-25*	4

(Continued on next page)

for STUDEBAKER, & ROCKNE SHACKLE PARTS & KITS

(Continued from preceding page)

YEAR	MODELS	No.		FRONT	BOLT	FRONT BUSHING		REAR BOLT		REAR BUSHIN	
		Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1935–36	Dictator 6, 2A, 4A (Independent Front Wheel Suspension)	6	Rr.					UA-54 Silen Shackle	it U	UB-25*	4
1937	Dictator 6, 5A (Conventional Type Front Axle)	6	Fr.					UA-16* Siles Shackle UA-59 Siles Shackle	2	UB-1 UB-25*	4
1937–39	Dictator 6, 6A; Six 7A; Commander 6, 8A, 9A, 6 cyl.; President 8, 4C, 5C, 8 cyl. (Independent Front Wheel Suspension)		Rr.					UA-59 Silen Shackle	t U	UB-25*	4
1939–48	Champion G, 2G, 3G, 4G, 5G, 6G, 7G; 1940-48 Commander 6, 10A, 11A, 12A, 14A, 15A, 6 cyl.; President 8, 6C, 7C, 8C, 8 cyl.		Rr.			SB-735	4			SB-735	8

*Silent U Shackle marked * used as original equipment. UB-25 is available with .010 Oversize outside diameter. Abbreviations: Fr.—Front. Rr.—Rear.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1932–37	Rockne 65, 10; Dictator 6, A, 1A, 3A, 5A, (Conventional Axle)	6	RS-25	· · · · · · · · · · · · · · · · · · ·
1938	Six 7A; Commander 6, 8A, 6 cyl.; President 8, 4C to Serial 7121163, 8 cyl. (For Center Rod)	6-8	RS-25	
1938-39	1939 Commander 6, 9A, 6 cyl.; 1938, President 8, 4C after Serial 7121163 8 cyl. (For Center Rod)	6-8	ES-108	
1939	President 8, 5C, 8 cyl		ES-108 ES-119 ES-120	
1939-40	Champion G; 2G to Serial G35110 (For Center Rod with Adjustable Ends).	6	ES-106	·····
1940–48	Champion 2G after Serial G35110; 3G, 4G, 5G, 6G, 7G(For Right Rod) (For Left Rod)	6	ES-106 ES-106	
1940	Commander 6, 10A, 6 cyl	6–8	ES-108 ES-108	
1940-48	Commander 11A, 12A, 14A, 15A, 6 cyl.; (1940-42) President 6C, 7C, 8C, 8 cyl (For Right Rod) (For Left Rod)	6-8	ES-119 ES-120	

for STUDEBAKER INTERCHANGEABILITY LIST OF CHASSIS PARTS

					UIIASSIS	ANIS	
Car		Car		Car	Para territoria de la Constantina del Constantina de la Constantina del Constantina de la Constantina	Car	1
Factory	Our	Factory	Our	Factory	Our	Factory	Our
Number	Number	Number	Number	Number	Number	Number	Number
S-333	KA-54	186904	U-9	517710	FB-60	636023	KB-238
S-335	KA-34			518421	F-29	636024	M-236
S-336	KA-35	186940	K-1179	518431	F-28	636169	S-1204
S-342	KA-73	186941	K-1180	V 77 10 10 10 10		636173	S-1204
127407	M-85	189342	U-35	518432	FB-61	636964	M-130
130071	SB-A140	191135	K-1200	518433	FB-58	erw car a	
131419	SB-221S	191136	K-1201	518436	FB-59	636965	M-470
140692	KB-10051	196643	SB-735	518474	M-473	636966	M-471
140693	KB-10052	199205-6	ES-106	521867	M-660	636968	M-254
40706	M-272	199207-8	ES-106	630092	SB-296	636969	M-255
10700		199214-5	ES-108	630099	SB-321	636970	M-474
40708	K-1005	199385	M-664	630100	S-1132	638096	S-1210
42799	SB-283			630488	SB-266	661396	M-160
150079	K-1095	510141	K-1100	630497	S-1037	661397	M-160
50082	M-86	510144	M-119	* * * * * * * * * * * * * * * * * * *		661398	M-160
58076	SB-177	510145	M-101	630722	Use 663120	661403	M-279
65008	K-993	510146	M-361	630725	M-129		
65010	M-233	510484	RT-37	630726	M-277	661404	K-1205
65726	ET-9	510485-6	RS-25	630727	M-276	661405	KB-282
70179	S-1062	510488	RS-25	630731	M-275	663119	K-1213
72902	KB-9933	510490	RS-25	630732	K-1178	663120	KB-101625
70000		510491	RS-25	630736	M-273	664697	S-1274
79328	K-1110	510493	RS-25	630835	K-1056		
80740	U-9	F10000		631859	M-475		
80741	U-16	510869	KB-207	631873	KB-9743		
80742	UB-1	511275	K-1106				
80802	U-8	511276	K-1107	631874	K-974		
80803	U-7	513303-5	ES-119	631875	K-1077		
81657	M-163	513304-6	ES-120	632332	S-1153		
81825	UB-1	517113	M-661	632805	M-274		
82828	K-1149	517126	M-663	636022	K-1143		

for STUDEBAKER TRUCK KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets
1930–39	\$20, \$30, to Truck 3425745; \$41, \$50, \$51, \$60, \$61, \$120, \$130, \$140, \$150, \$6, \$8, \$76, \$78, Boss 176, 2M6, 2W6, Mogul 1W7, 2W7, Chief W8, 1W8, 2W8, J20, J20M, J25, J25M; K20 to Serial K20-400; K20M to Serial K20M-205; K20MR to Serial K20MR-101; K25 to Serial K25M-023; K25MR to Serial K25M-023; K25MR to Serial K25MR-002, 1½-4 Ton; J20MB, J25MB; K20MB to Serial K25MB-031, K25MB to Serial K25MB-031, Bus. (Grooved King Bolt—1764 Dia., 634 Long)		KA-76
1935–40	Ace, 1T2, 2M2, 2T2, J15, J15M, K15, K15M, 1½-2 Ton; J15B,		
	J15MB, K15B, K15MB, Bus	6	KA-40

YEAR	MODELS	No. Cyl.	Bolt Sets
1937	Coupe Express J5, ½ Ton	6	KA-34
1937-40	J30, J30M, K30, K30M, 3-5 Ton	6	KA-108
1938	Coupe Express K5, ½ Ton	6	KA-54
1938-40	K10, 1 Ton	6	KA-78
1939–46	K20 after Serial K20-400; K20M after Serial K20M-205; K20MR after Serial K20MR-101; K25 after Serial K25-094; K25-MR after Serial K25M-023; K25-MR after Serial K25MR-002; 2-2½ Ton; M16, K20MB after Serial K20MB-030; K-25MB after Serial K25MB-031, Bus. (Plain King Bolt)	6	KA-97

for STUDEBAKER TRUCK SHACKLE KITS & PARTS

VEAD	MODELS	No.		FRONT	BOLT	FRONT BUSHING		REAR BO	LT	REAR BUS	HING
YEAR	MODELS	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1931–34	S10, S20, S21, S30, S31, S2, S4, T2, T4, 1½-1¾ Ton	6	Rr.	S-1132	2	SB-296	2	S-1132	4	SB-296	2-Lr.
1931–35	S41, S50, S51, S60, S61, Boss 1T6 (Except 183" WHB), 2 Ton	6	Fr. Rr.	S-1037	2	SB-177 SB-266	2 2	S-1037	4	SB-177 SB-266	4
1932–40	S120, S130, S140, S150, W8, Mogul 1W7, 2W7, Chief 1W8, 2W8, Boss 1T6, (183" WHB); 1937-39, J20, J20M, J25, J25M, J30, J30M, K20, K20M, K25, K25M, K30, K30M, 2-5 Ton; 1937-40, J20MB, J25MB, K20MB, K25MB, Bus (Front Spring Bolt 41/4" Long)	6	Fr. Rr.	S-1153 S-1037	2 2	SB-266	2	S-1153 S-1037	4 4	SB-266	4
1935	Ace 1T2, 1½ Ton	6	Fr. Rr.	S-1132	2	SB-177 SB-296	2 2	S-1204 S-1132	4 4	SB-177 {SB-321 SB-296	4 4-Up 2-Lr.
1936	Boss 2M6, 2W6, 2 Ton	6	Fr. Rr.	S-1204 S-1037	2 2	SB-177 SB-266	2 2	S-1210 S-1204 S-1037	2-Up. 2-Lr. 4	SB-177 SB-266	4 4
1936–40	Ace 2M2, 2T2, J15, J15M, K15, K15M, 1½-2 Ton	6	Fr. Rr.	S-1204 S-1132	2 2	SB-177 SB-296	2 2	S-1210 S-1132	4 4	SB-177 {SB-321 SB-296	4 4-Up 2-Lr.
1937	Coupe Express J5, ½ Ton	6	Fr. Rr.					UA-16* Sil Shackle UA-59* Sil Shackle	2	UB-1 UB-25*	4
1937–38	J15B, J15MB, K15B, K15MB, Bus	6	Fr. Rr.	S-1204 S-1037	2 2	SB-177 SB-266	2 2	S-1210 S-1037	4 4	SB-177 SB-266	4 4
1938–39	Coupe Express K5, L5, ½ Ton	6	Rr.					UA-59* Sill Shackle	ent U	UB-25*	4
1938-40	K10, 1 Ton	6	Rr.	,				S-1204	4	SB-177	4
1940	K20, K20M, K20MR, K25, K25M, K25MR, K30, K30M, 2-3 Ton (Front Spring Front Bolt 4% Long)	6	Fr. Rr.	S-1274 S-1037	2 2	SB-266	2	S-1153 S-1037	4 4	SB-266	4.
1941–46	Coupe Express K5	6	Fr. Rr.			SB-735 SB-735	4 4			SB-735 SB-735	8 8
1941-46	M15 Standard	6	Fr.			SB-760	4			SB-760	8
1941-46	M16 Heavy Duty	6	Rr.			SB-760	4			SB-760	8

^{*}Silent U Shackles marked * used as original equipment. UB-25 is available with .010 oversize outside diameter.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937	Coupe Express J5, ½ Ton	6	RS-25	
1938	Coupe Express K5, ½ Ton (For Center Rod)	6	RS-25	
1941–48	Coupe Express, M5, 2R5, ½ Ton	6	ES-58	
1941-48	M15, Standard, M15A, 2R15, 1 Ton	6	RS-25	
1941–48	M16, Heavy Duty, 2R16, 2R17, 1½ Ton	6	ES-123	



for TIMKEN AXLE

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	MODELS	No. Cyl.	King Bolt Sets
	11710, 11710H, 11710N King Bolt (2 used) Upper & Lower Bushing 4 used) 30000, H; 30010, H; 30020, H; 31000, H; 31007, H; 31008, H; 31010, H; 31015; 31020, H, N; 31021, H; 31100, H, N; 31107 Grooved Bolts used with Lower in Axle Eye Plain Bolts used with Lower Gro Steering Knuckle	Grea	.KA-76* Fitting in	KA-108 to rep Fittin Section Bushi quires Lower	includes Late Type Plain King Bolace early style Grooved Bolts the gs in the Axle Eyes must be moved of the Steering Knuckles. Otherwings will receive no lubrication. To drilling and tapping one hole for the Section of each Knuckle. 35000, 35100, A, D, H, N, TW; 35020H, 35650	Low I to vise, his co Fit	ver Grease the Lowe the Lowe change re ting in the se Fitting . KA-106 Fittings in

NOTE: *When ordering Sets for Autocar Truck, also use two K-1223 Threaded Lock Pins.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
	26450-2-3-5-8, 27050-2-4, 27450-1-3-4, 35000, 35005-9-11-12-13-20-22-23, 35100-2, 35141, 36000-15-20		ES-133 ES-138	
	30000-3-11-12-20-21-33-34, 31000-2-4-5-12-17-31-32-33-36, 31100-2-4-7-30-41, 32501- 2-4-5-6-8-9-10-14-15-18-19-20-21, 33000-1-4-6-20 (Used with Straight Rod) (Used with Curved Rod)		ES-123 ES-122	· · · · · · · · · · ·
	36021		ES-138	

for WARD-LaFRANCE BUS & TRUCK KING BOLTS & BUSHINGS

1933-38; 25R14, 25R16, 25R18, 125, 127D, 2½-4 Ton, 6 cyl.
Uses Bolts and Bushings Listed Under Timken Axle 33000, 33000H.

1933-47; 30R19, 30R23, 30R20, 131, 136, 138D, 320, 35R, FC100, FC107, FD97S, FW97S, FD115, FW15, FBT152, FDT152, 340, 340TM, 186SDT, FC105, FC120S, FC100D, FC100H, FWS152, D1, D2, 3-10 Ton, 6 cyl. Uses Bolts and Bushings Listed Under Timken Axle 35000, 35000A, 35000H, 35000TW.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1937–46	45F, 45F2, 47F, 50F, 50F2, 56F, 56F2, 56LQ, 56QD, 66F, 66F2, 66L, 66LQ, 66LR, 75F, 75F2, 75L, 75LQ, 75T, 90L, 120, 125, 125D, 127 Special	6	ES-123 ES-122	
1937–46	D1, D1B, D1C, D2, D2B, D3, D5, R, 55RH, 85F6, 85T, 120F, 120HF, 125 Special, 150QD, 150T, 176D, 800, 810, 831, 844, 850(Used with Straight Rod) (Used with Curved Rod)	4-6	ES-133 ES-138	

for WHITE TRUCK

KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	YEAR	
1930-46	710, 710A, 712, 712A, 712SL, 713, 718, 718A, 718R, 750, 750T, 809, 809A, 810, 810T, 812, 918, 950, WA20, WA22, WA120, with Axles, 16D, 19D, 23D, 30D Axles, 1½-11 Ton; 706M, 713 Bus (8\%6" Tapered King Bolt)		KA-103	ē . ì	500, 700, 700R, 706, 7 904, WA18 Ton.
1933–39	701, 701A, 702, 702A, 703, 704, 704A, 704H, 704K, 705, 705A, 707, 709, 709A, 804, 805, 805A, 812, 818, 904, 1-7 Ton; 706 Bus (711/22" Tapered King Bolt)		KA-102	-	Ton; —One White H (1940) 8 23DF
1936–46	710, 712, 713, 718, 719, 720, 720A, 750, 809, 810, 812, 818, 850, 918, 920, with Axles 16D, 19D, 23D, 24D, 28D, 30D, 39D, 40D, 3½-12 Ton (Tapered Bolt, 8%6" Long)		KA-104		and u WA22 COE, WA12 30DE or 28I Axle thru 2
				1940-46	WA20, 1

YEAR	MODELS	No. Cyl.	King Bolt Sets
1937–45	500, 700, 700A, 700H, 700K, 700P, 700R, 704, 704F, 704H, 704K, 706, 708, 708D, 708R, 709, 800, 904, WA14, WA14R, WA16, WA18, WA18R, WA20, 3/4-4 Ton. (63/4" Plain King Bolt)	6	KA-97
1939–40	704, 706, 709, 804, 812, 818, 1½ Ton; 706 Bus (6½, King Bolt —One End Drilled)	6	KA-109
1939-40	White Horse 99, 116	4	KA-78
1940-46	(1940) 809 Lot 8 and up, Axle 23DF; (1941) WA2264 Lot 4 and up, Axle 40DE; (1941-45) WA22, WA26, Axle 16D; WA120 COE, Axle 23DH or 23DJ; WA122 COE, Axle 30DD or 30DE; WA126 COE, Axle 28DD or 28DE; (1946) WB20, WB22, Axle 16D; WB28, Axle 24DS thru 24DT	6	KA-116
1940-46	WA20, WA20R (54 D Axle)	6	KA-108

SHACKLE KITS & PARTS

YEAR	MODELS	No. Cyl.		FRONT BOLT		FRONT BUSHING		REAR BO)LT	REAR BUSHING	
FEAR	models		Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1930-32	613 Bus to Chassis 175364	6	Fr.	S-1209	4	SB-335	4	S-1209	2	SB-335	2
1932-35	613 Bus after Chassis 175364	6	Fr.	S-1209	4	SB-335	4			SB-335	2
1931–35	210, 211, 212, 1½-3 Ton. 4 cyl.; 612, 612K, 2½-3 Ton 6 cyl		Fr.	S-1209	4	SB-335	4	S-1209	2	SB-335	2
1932–39	60K, 602, 701, 702, 704, 11/4-2								7		
J.	Ton; 706 Bus, 6 cyl	4-6	Fr. Rr.	S-1214 S-1216	4 2	SB-954 SB-335	4 2	S-1215 S-1209	2-Sh.	SB-954	2
					1.1			\S-1216	2-Sp.	SB-335	4
1934–39	707, 709, 1-4 Ton	6	Fr.	S-1214	4	SB-954	4	S-1215	2	SB-954	2
	712, 712SL, 718, 3-5 Ton; 713 Bus Abbreviations: FrFront, RrRe					SB-335	4			SB-335	2

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1936–39	703, 704, 704A, 704H, 704K, 705, 705A, 709, 709A, 1-6 Ton; 706 Bus	6	ES-74	
1937-41	820, 822, WA134(Used with Straight Rod) (Used with Curved Rod)	6	ES-133 ES-138	
1940-43	86, 87(Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1940-46	WA20, WA20R, WB20, WB20T	6	ES-123	
1942-47	WA22, WA122, WB22, WB122, WB26, WB28, WB28T, 16D Axle	6	ES-109	

June, 1948

for WILLYS, WHIPPET & OVERLAND KING BOLT SETS

YEAR	MODELS MODELS	No. Cyl.	King Bolt Sets	YEAR	
1931-32	Pass. Car: Willys 97, 98D, 690A, Silver Streak. Truck: Willys C113, ½ Ton. Bushing (4 used)	6	KB-221	-	Willys 37, 38 Car and T Americar 44
1933-36	Willys 77 Pass. Car and Truck	4	KA-36		Wagon, Je

YEAR	MODELS	No. Cyl.	King Bolt Sets
1937-41	Willys 37, 38, 48, 440, 441, Pass. Car and Truck; Overland 39	4	KA-37
1941-48	Americar 441, 442; 463, Station Wagon, Jeep Delivery	4	KA-128
	The first says		

SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT	BOLT	FRONT BU	JSHING	REAR BO	LT	REAR BUS	SHING
	The second second section is the second section in the second second section is the second section in the second section is the second section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the second section is section in the second section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section is section in the section in the section in the section in the section is section in the section in	Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1928–30	Pass. Car: Whippet 96A, 4 cyl.; 98, 98A, 6 cyl.; Willys 98B, 6 cyl. Trucks: Whippet 96, 96A, 1/4 Ton 4 cyl Willys 98B 1/4						1079		t de la la	1,887	eges
	½ Ton, 4 cyl. Willys 98B, ½ Ton, 6 cyl	4-6	Fr.	S-998	2	SB-A117	2	UA-14 Sile Shackle	nt U	UB-25*	4
	AHO, S THESSES IS T	03-3	Rr.	S-998	2	SB-A117	2	UA-54 Sile Shackle	nt U	UB-25*	4
1928–30	Whippet C101, 1½ Ton	6	Fr.	S-998	2	SB-A117	2	UA-54 Sile Shackle	nt U	UB-25*	4
1930	Willys 880	8	Fr.	S-998	2	SB-A117	2	UA-15 Sile Shackle	nt U	UB-25*	4
		10	Rr.	S-998	2	SB-A117	2	UA-55 Sile Shackle	nt U	UB-25*	4
1930-32	Willys C101, C131, C157, 1½ Ton Trucks	6	Fr.	S-998	2	SB-A117	2	UA-14 Sile Shackle	nt U	UB-25*	4
1931	Willys 880D	8	Fr.			A 10 A 10	4 10 3	UA-15 Sile Shackle	nt U	UB-25*	4
	ed and broken		Rr.	S-1121	2			UA-55 Sile Shackle	nt U	UB-25*	4
1931–32	Pass. Cars: Willys 97, 98D, 690A, Silver Streak. Truck: Willys C113, ½ Ton	6	Fr.	S-998	2	SB-A117	2	UA-14 Sile Shackle	nt U	UB-25*	4
			Rr.	S-1121	2	SB-A117	2	UA-55 Sile Shackle	nt U	UB-25*	4
1932	Willys 888A	8	Fr.					UA-15 Sile Shackle	nt U	UB-25*	4
	Lugaria de la companya della companya de la companya de la companya della company		Rr.					UA-55 Siles Shackle	nt U	UB-25*	4
1933–35	Willys 77 Pass. Car and Truck	4	Fr.	S-998	2	SB-A117	2				
			Rr.	S-1121	2	SB-A117	2				
1936	Willys 77 Pass. Car and Truck	4	Fr.	S-998	2	SB-A117	2	UA-54* Sile Shackle	ent U	UB-25*	4
			Rr.	S-1121	2	SB-A117	2	UA-54* Sile Shackle	ent U	UB-25*	4

(Continued on next page)

for WILLYS, WHIPPET & OVERLAND SHACKLE KITS & PARTS

(Continued from preceding page)

1	1.4.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2		31.4	FRONT E	BOLT	FRONT BUS	HING	REAR BO	LT	REAR BUSH	HING
YEAR	MODELS	No. Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1937–40	Willys 1937-39, 37, 38, 48, Pass. Car and Truck; 1940 Pick-Up and Panel Delivery. (U-Type	am A	Ja-1		112-41			Sensor Andrews			
	Shackles)(Right Side)	4	Fr.	S-998	1	SB-A117	1	UA-54* Sil	ent U	TEN OF T	
	(Left Side)		Fr.	S-998	1	SB-A117	1	Shackle UA-38* Sil	ent U	UB-25* UB-25*	2 1-Fm.
	(Zeit Glach)	美华	8.	ZTIA	3.	MOAN		Shackle	1	UB-24*	1-Sp.
	(Right Side)		Rr.	S-1121	1	SB-A117	1	UA-38* Sil Shackle		UB-25* UB-24*	1-Fm. 1-Sp.
	(Left Side)	100	Rr.	S-1121	1	SB-A117	1	UA-54* Sil Shackle		UB-25*	2
1939-41	48, 440, 441, Americar (Rubber Bushing Type Shackles)	4	Fr.			SB-735	4			SB-735	8
	The same are a second as a	44	Rr.			SB-735	4			SB-735	8
1941-48	MA, MB, CJ-2A, ¼ Ton Right Side	4	Fr.	UA-67 U Shao			2	S-1121	2	SBA-117	2
1.1	Left Side		Fr.	UA-66 U Shad	Silent	∫UB-27	1		1	10000 00	2362
	Right Side		Rr.	S-1121	2	\UB-26 SB-A117	1 2	UA-66 Sil	ent U	(UB-27	1
	Left Side		Dr					UA-67 Sil	1	UB-26	1
	Left Side				1			Shackle	1	UB-26	2

*Silent U Shackles marked * used as Original Equipment. UB-24, and UB-25 are available with .010 oversize Outside Diameter.

TIE ROD SOCKETS, DRAG LINKS & RODS

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1933–36	Willys 77 Pass. Car and Truck	4	RS-25*	ET-60*
1937–39	Willys 37, 38, 48, Pass. Car and Truck (Except Cars with High Axles and Pick-Up Trucks)	4	ES-69	ET-70
1938–40	Willys 1938-39 Cars with High Axles and Pick-Up Trucks; 1939-40 Overland 39; Willys 440, Pass. Car and Truck	4	ES-79	ET-73
1941-46	441, 442 American	4	ES-127	ET-75
1941–46	MA, MB, 4X4 ¼ Ton	4	ES-62	
1945–48	CJ-2A Jeep		ES-140 ES-62	
1945-48	463, Station Wagon	4	ES-145	

*An * following the Stock Number indicates the Tie Rod Socket and Intermediate Rod MUST BE INSTALLED TOGETHER.

June, 1948

for YELLOW COACH—(Also See G. M. C.) KING BOLT SETS

YEAR	MODELS	No. Cyl.	King Bolt Sets	
1936-39	733	8	KA-76	
1938–42	728, 731, TD3201, TD3601, TD-3602, TD4001, TD4502, TG-3201, TG3601, TG3602, TG3603, TG3605, TG4001, TG4005, TG-4502, TG4505		KB-237	

YEAR	MODELS	No. Cyl.	King Bolt Sets
1939-41	TG2101, TG2102, TG2105	6	KA-97
1939–46	1209, PD2901, PD2902, PG2501, PG2502, PG2503, PG2504, PG-2505, PG2901, PG2902, PG-2903, TD2701, TD2705, TG-2701, TG2705, TG2706	,	KA-108

SHACKLE KITS & PARTS

YEAR	MODELS	No.		FRONT BOLT		FRONT BUSHING		REAR BOLT		REAR BUSHING	
		Cyl.	Spring	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used	Stock No.	No. Used
1936–39	733 to Serial 733-1102		Fr.	S-1156	2	SB-219	2	S-1156	4	SB-219 SB-347	2-Sp. 4-Sh.
V a			Rr.	S-1156	2	SB-334	2	M-579 Loc Washer S-1156	ck Bol 4 4	SB-334 SB-347	2-Sp. 4-Sh.

* Abbreviations: Fr.-Front, Rr.-Rear, Sp.-Spring, Sh.-Shackle.

YEAR	MODELS	No. Cyl.	Socket Stock No. Per Pair	Intermediate Rod Stock No.
1936-42	733, 1209, PG2501, PG2502, PG2505	6	ES-123	
1938-41	1204, TG2401, TG2402, TG2405	6	ES-74	
1939–42	TG2101, TG2102, TG2105, TG2501(Used with Straight Rod) (Used with Curved Rod)	6	ES-123 ES-122	
1939–46	PD3301, PG3301, PDA3701, PDA3702, PGA3701, PGA3702	6	ES-141	

